



# Lake Colorant WSP®

Blue colorant for lakes, ponds and fisheries in easyto-use, water-soluble packets

- Easy to use
- Pre-measured, water-soluble packets
- For use in ornamental lakes, ponds and fisheries
- Transforms pale, dirty, off-colored water

# FOR PROFESSIONAL USE ONLY Keep Out of Reach of Children

This product does not require a hazard warning in accordance with GHS criteria.

### **Net Contents:**

BASF Corporation 26 Davis Drive, Research Triangle Park, NC 27709 Lake Colorant WSP® is a concentrated blend of dry-flowable colorants in easy-to-use, pre-measured Water Soluble Packets (WSP). Lake Colorant WSP conveniently transforms pale, dirty, off-colored water into natural blue. Lake Colorant WSP may be used to color ornamental lakes, ponds, fisheries, fountains and other contained bodies of water. Water treated with Lake Colorant WSP may be used for irrigation, but not for direct human consumption. Swimming and other recreational sports are approved during and following use of this product. Fish, waterfowl or animals are not harmed by normal use of this product.

### **Directions For Use**

Determine the volume of water to be treated and consult the Usage Rates chart to determine the number of **WSPs** to use. Use one **WSP** for each acre foot\* of water. If a darker or lighter color is desired, vary the rate accordingly. Toss or drop the correct number of packets into the water. Evenly spaced packets aid in quicker, more even coverage.

Area to be	Metric	Rate of
treated	Conversion	Packets
1 acre foot	1234m³	1 WSP
4 acre feet	4934m³	4 WSP
8 acre feet	9868m³	8 <b>WSP</b>

<sup>\*1</sup> acre foot = 1 acre, 1 foot deep

# Storage and Disposal

**Storage:** Keep away from heat. Protect from direct sunlight. Store protected against freezing. Protect from temperatures below 0°C (32°F) and above 40°C (104°F). Changes in the properties of the product may occur if substance/product is stored outside the indicated temperature window.

**Waste Disposal of Substance:** Must be disposed of or incinerated in accordance with local regulations.

**Container Disposal:** Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

Accidental Release Measures: Segregate from foods and animal feeds. Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr). For large amounts: Dike spillage, Pump off product. Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with

water and detergents, observing environmental regulations.

### State Right To Know Description and CAS # / TSRN

Silicic acid, magnesium salt / 1343-88-0; Acid Blue / TSRN 161090809-5071; Polyethoxylate / TSRN 161090809-5127; Chemically derived lignin / TSRN 161090809-5589

EMERGENCY CONTACT: CHEMTREC 1-800-424-9300 BASF Corporation 1-800-832-HELP (4357)

<sup>\*1</sup> acre foot = 208 ft x 208 ft x 1 ft

<sup>\*1</sup> acre foot = 325,851 gallons or 1,237,717 liters

## **Conditions of Sale and Warranty**

The Directions For Use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF CORPORATION ("BASF") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer. BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF MAKES NO OTHER **EXPRESS OR IMPLIED WARRANTY OF FITNESS OR** MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S **EXCLUSIVE REMEDY AND BASF'S EXCLUSIVE** LIABILITY, WHETHER IN CONTRACT, TORT, **NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE,** SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing Conditions of Sale and Warranty which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

WSP is a registered trademark of BASF.

© 2016 BASF Corporation All rights reserved.

LAKE COLORANT WSP SPEC 8/2016

BASF Corporation 26 Davis Drive Research Triangle Park, NC 27709

