

ACTIVE INGREDIENTS:

Dimethylamine salt of 2,4-dichlorophenoxyacetic acid	4.51%
Dimethylamine salt of (+)-R-2-(2-methyl-	
4-chlorophenoxy)propionic acid	2.33%
OTHER INGREDIENTS:	93.16%
TOTAL	100.00%

THIS PRODUCT CONTAINS:

0.35 lb 2,4-dichlorophenoxyacetic acid equivalent per gallon or 3.75% 0.18 lb (+)-R-2-(2-methyl-4-chlorophenoxy)propionic acid equivalent per gallon or 1.93%

Isomer Specific by AOAC Methods.

GUARANTEED ANALYSIS:

Total Nitrogen (N) 15% 15% Urea Nitrogen Derived From Urea

CAUTION



PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if absorbed through skin. Harmful if inhaled. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Avoid breathing vapor or spray mist. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear long-sleeved shirt, long pants, shoes, socks, and chemical-resistant gloves made of any waterproof material.

First Aid	
If on skin or clothing:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice.
If in eyes:	 Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
If inhaled:	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

(cont. on next column)

First Aid (cont.)

If swallowed:

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also call toll-free, 1-877-800-5556 for emergency medical treatment information.

Environmental Hazards

This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants.

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PRECAUTIONS AND RESTRICTIONS:

- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.
- Do not allow people or pets to enter the treated area until sprays have dried.
- Do not allow spray to drift to vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants since injury may result.
- Do not spray when grass is emerging from dormancy. Do not apply to newly seeded lawn grasses until well established.
- Do not spray when the temperature exceeds 85°F. Seed can be sown 3 to 4 weeks after application.
- Do not use on carpetgrass, dichondra, St. Augustinegrass, centipedegrass, closely-mowed bentgrass, nor on lawns or turf where desirable clovers are present.
- Do not exceed specified dosages for any area.
- Do not apply as a fine mist because of potential for injury to desirable plants. Do not use this product on or near desirable plants, including contact of spray on exposed root systems or adventitious shoots within the drip line of desirable trees and shrubs, since injury may result.
- Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. To prevent product run-off, do not over water the treated area(s) to the point of runoff or apply when raining or when rain is expected that day. Rinse applicator over lawn area only

WEEDS		
Black medic Dock Clover Common chickweed Dandelion Dock	English Daisy Knotweed Lambsquarters Mallow Mouseear chickweed Oxalis	Pigweed Plantain Purslane Ragweed

Information regarding the contents and levels of metals in this product is available on the internet at: http://www.aapfco.org/metals.html

A lawn will typically utilize 1 to 4 pounds of nitrogen per 1,000 square feet each growing season. When applied as directed this product supplies 0.07 pounds of nitrogen per 1,000 square feet with each application. Use this product in conjunction with an additional fertilization program to provide at least 1 pound of nitrogen per 1,000 square feet each growing season. Consult your state agricultural extension agent for the proper amount of nitrogen to be applied in your area.

Liquid Weed & Feed² should be supplemented with lawn fertilizer every 3 weeks from March through September (or April through October depending upon the growing season in your area). Please consult your state agricultural extension agent concerning a regular fertilizer program.

WHERE TO USE:

Liquid Weed & Feed² may be used on bentgrass, bermudagrass, bluegrass, fescue lawns, vacant lots, playgrounds and other similar areas where broadleaf weeds are present. Liquid Weed & Feed² controls most broadleaf weeds, including chickweed, clover, dandelion, knotweed and plantain.

WHEN TO USE:

- Use up to two broadcast treatments during the growing season when weeds are actively growing.
- On new lawns, wait until the grass has reached a height of 2 inches before making a broadcast treatment. Wait 3 weeks after application before seeding or planting stolons.
- Poor weed control may result if spray is applied during drought or just before rain.
- 4. For best results, mow 1 to 2 days before treating.
- 5. Do not water lawn within 24 hours after treatment.

HOW MUCH TO USE: Shake Well Before Using.

How much Liquid Weed & Feed² to use: Mixing instructions for pull behind sprayers (Shake well before using)				
Mix	in	to cover		
1 qt (0.25 gal)	5 gal water	5,000 sq.ft.		
2 qt (0.5 gal)	10 gal water	10,000 sq.ft.		
3 qt (0.75 gal)	15 gal water	15,000 sq.ft.		
4 qt (1 gal)	20 gal water	20,000 sq.ft.		
6 qt (1.5 gal)	30 gal water	30,000 sq.ft.		
8 qt (2 gal)	40 gal water	40,000 sq.ft.		
10 qt (2.5 gal)	50 gal water	50,000 sq.ft.		

Limitations on broadcast applications to turfgrass:

The maximum application rate is 32 fl.oz. of product per 5,000 sq.ft. per application. The maximum number of broadcast applications is limited to 2 per year with a minimum of 30 days between applications. The maximum seasonal rate is 64 fl.oz. of product per 5,000 sq.ft.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Keep from freezing. Store in original container in a locked storage area inaccessible to children. Do not store near food or feedstuffs.

PESTICIDE DISPOSAL: Pesticide wastes may be hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Then offer for recycling, if available, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

LIMITED WARRANTY AND DISCLAIMER

FOR USE ONLY AS DIRECTED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. If these terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded

in full. The terms of this LIMITED WARRANTY AND DISCLAIMER cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.

731/3-2022 AP030322 FL #98 EPA REG. NO. 2217-916



Employee-Owned

MANUFACTURED BY PBI/GORDON CORPORATION P.O. BOX 860350 SHAWNEE, KANSAS 66286 www.GordonsUSA.com

ATTENTION: This specimen label is provided for informational use only. This product may not yet be available for sale in your state or area. The information found in this label may differ from the information found on the product label you are using. Always follow the instructions for use and precautions on the label of the product you are using.