

ECOAGRI MACHETE® Booklet Label

**ECOAGRI MACHETE®**

Description: 28-page Booklet Label

Label Stock: Base - 60# semigloss, Liner - 40# paper

Date: 5.10.22

Version: 4

Project Number: S46808

← Inside Pages  
5.75" →

**PRECAUTIONARY STATEMENTS**

- Do not get in eyes, on skin or on clothing.
- Wash hands, forearms, and other exposed areas thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- Do not breathe vapors, mist, or spray.

<b>FIRST AID</b>
<p><b>IF IN EYES:</b></p> <ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>
<p><b>IF SWALLOWED:</b></p> <ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have a person sip a glass of water if able to swallow.</li> <li>• <b>Do not</b> induce vomiting unless told to do so by the poison control center or doctor.</li> <li>• <b>Do not</b> give anything to an unconscious person.</li> </ul>
<p><b>IF INHALED:</b></p> <ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>
<p><b>IF ON SKIN OR CLOTHING:</b></p> <ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>

**POISONING HOTLINE**

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

2

5.75"

ECOAGRI MACHETE® Booklet Label

**ECOAGRI MACHETE®**

Description: 28-page Booklet Label

Label Stock: Base - 60# semigloss, Liner - 40# paper

Date: 5.10.22

Version: 4

Project Number: S46808

Inside Pages  
5.75"

### ENVIRONMENTAL HAZARDS

**DO NOT** apply directly to water, areas where surface water is present, or intertidal areas below the mean high water mark. **DO NOT** contaminate water when disposing of equipment washwater or rinsate.

### STORAGE AND DISPOSAL

**Do not** contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Store in original containers only. Keep container closed when not in use. **DO NOT** store near food or feed.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. If these wastes cannot be disposed of according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representatives for guidance.

**CONTAINER HANDLING:** Nonrefillable container. **Do not** reuse or refill this container. Triple rinse or pressure rinse container (or equivalent) promptly after emptying; then offer for recycling, if available, or reconditioning, if appropriate, or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures approved by state and local authorities.

**Triple rinse containers small enough to shake (capacity  $\leq$  5 gallons) as follows:** Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container  $\frac{1}{4}$  full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank, or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

**Pressure rinse as follows:** Empty the remaining contents into application equipment or mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank, or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

3

5.75"

ECOAGRI MACHETE® Booklet Label

#### ECOAGRI MACHETE®

Description: 28-page Booklet Label

Label Stock: Base - 60# semigloss, Liner - 40# paper

Date: 5.10.22

Version: 4

Project Number: S46808

Inside Pages  
5.75"

### IN CASE OF EMERGENCY

In case of large-scale spill of this product, call:

- CHEMTREC
- 1-800-424-9300

In case of medical emergency regarding this product, call:

- Your local doctor for immediate treatment
- Your local poison control center (hospital)

Steps to take if this material is released or spilled:

- In case of spill on floor or paved surfaces, mop and remove to chemical waste storage area until proper disposal can be made if product cannot be used according to label.
- Dike and contain the spill with inert material (sand, earth, etc.) and transfer liquid and solid diking material to separate containers for disposal.
- Remove contaminated clothing and wash affected skin areas with soap and water.
- Wash clothing before reuse.
- Keep the spill out of all sewers and open bodies of water.

---

### PRODUCT INFORMATION

**MACHETE**® miticide is an oil based concentrate formulation containing the various active ingredients that classified as essential oil class of chemistry. When used as directed, **MACHETE**® provides knockdown and residual control of soft body insects on the crops listed on this label. **MACHETE**® is a highly active contact insecticide on egg, nymph, and adult stage soft body insects. Because **MACHETE**® is not systemic and has no translaminar activity, thorough coverage of plant surfaces is necessary for effective control. See Pests Controlled list for insects controlled.

**MACHETE**® insecticide is compatible with other chemicals but a tank compatability test is suggested as **ECOAGRI** has not been able to test every tank mix on the market.

**WRATH**® is not systemic or translaminar; therefore, thorough coverage of plant surfaces is important for optimum performance.

4

ECOAGRI MACHETE® Booklet Label

#### ECOAGRI MACHETE®


Description: 28-page Booklet Label

Label Stock: Base - 60# semigloss, Liner - 40# paper

Date: 5.10.22

Version: 4

Project Number: S46808



ECOAGRI MACHETE® Booklet Label

**ECOAGRI MACHETE®**


Description: 28-page Booklet Label

Label Stock: Base - 60# semigloss, Liner - 40# paper

Date: 5.10.22

Version: 4

Project Number: S46808



ECOAGRI MACHETE® Booklet Label

**ECOAGRI MACHETE®**


Description: 28-page Booklet Label

Label Stock: Base - 60# semigloss, Liner - 40# paper

Date: 5.10.22

Version: 4

Project Number: S46808



ECOAGRI MACHETE® Booklet Label

**ECOAGRI MACHETE®**


Description: 28-page Booklet Label

Label Stock: Base - 60# semigloss, Liner - 40# paper

Date: 5.10.22

Version: 4

Project Number: S46808



ECOAGRI MACHETE® Booklet Label

**ECOAGRI MACHETE®**

Description: 28-page Booklet Label


Label Stock: Base - 60# semigloss, Liner - 40# paper

Date: 5.10.22

Version: 4

Project Number: S46808





ECOAGRI MACHETE® Booklet Label

**ECOAGRI MACHETE®**

Description: 28-page Booklet Label

Label Stock: Base - 60# semigloss, Liner - 40# paper

Date: 5.10.22

Version: 4

Project Number: S46808

Inside Pages  
5.75"

### CROP-SPECIFIC APPLICATION INSTRUCTIONS

CROP	PEST	RATE FL OZ PER ACRE	MINIMUM TIME FROM APPLICATION TO HARVEST (PHI) DAYS
<b>Citrus Fruit Group</b> Calamondin Citrus citron Citrus hybrids Chironja Grapefruit Kumquat Lemon Lime Mandarin orange (sour and sweet) Pummelo Satsuma Tangelo Tangerine Tangor	See Pests Controlled under Product Information section	22 to 33	0

For knockdown and residual control of soft body insects, apply **MACHETE**<sup>®</sup> Insecticide at first sign of infestation.  
**DO NOT** make **MACHETE**<sup>®</sup> applications at intervals longer than 14 days.  
For maximum effectiveness, apply **MACHETE**<sup>®</sup> at the first sign of insects, and before the population increases. Application should be timed to coincide with locally recommended treatment threshold levels in developing insect populations.  
Apply **MACHETE**<sup>®</sup> in at least 100 gallons of spray solution per acre; for small non-bearing trees, apply in at least 50 gallons of spray solution per acre. Applying **MACHETE**<sup>®</sup> at spray volumes lower than directed can make it harder to obtain thorough crop coverage and may reduce performance.

10

ECOAGRI MACHETE<sup>®</sup> Booklet Label

#### ECOAGRI MACHETE<sup>®</sup>

Description: 28-page Booklet Label

Label Stock: Base - 60# semigloss, Liner - 40# paper

Date: 5.10.22

Version: 4

Project Number: S46808

Inside Pages  
5.75"

**CROP-SPECIFIC APPLICATION INSTRUCTIONS** (continued)

CROP	PEST	RATE FL OZ PER ACRE	MINIMUM TIME FROM APPLICATION TO HARVEST (PHI) DAYS
Vine Crops Grapes Kiwi	See Pests Controlled under Product Information section	23.5 to 33	0

For knockdown and residual control of soft body insects, apply **MACHETE**® Insecticide at first sign of infestation. **DO NOT** make **MACHETE**® applications at intervals longer than 14 days. For maximum effectiveness, apply **MACHETE**® at the first sign of insects, and before the population increases. Application should be timed to coincide with locally recommended treatment threshold levels in developing insect populations. Apply **MACHETE**® in at least 50 gallons of spray solution per acre. Applying **MACHETE**® at spray volumes lower than directed can make it harder to obtain thorough crop coverage and may reduce performance.

11

ECOAGRI MACHETE® Booklet Label

**ECOAGRI MACHETE®**

Description: 28-page Booklet Label

Label Stock: Base - 60# semigloss, Liner - 40# paper

Date: 5.10.22

Version: 4

Project Number: S46808

Inside Pages  
5.75"

**CROP-SPECIFIC APPLICATION INSTRUCTIONS** (continued)

CROP	PEST	RATE FL OZ PER ACRE	MINIMUM TIME FROM APPLICATION TO HARVEST (PHI) DAYS
<b>Root and Tubers</b> Potato Yam Carrot Beetroot Radish Tapioca Dioscorea Colocasia	See Pests Controlled under Product Information section	22 to 33	0

For knockdown and residual control of soft body insects, apply **MACHETE**® Insecticide at the first sight of infestation.  
**DO NOT** make **MACHETE**® applications at intervals longer than 14 days.  
For maximum effectiveness, apply **MACHETE**® at the first sign of insects, and before the population increases. Application should be timed to coincide with locally recommended treatment threshold levels in developing insect populations.

12

ECOAGRI MACHETE® Booklet Label

**ECOAGRI MACHETE®**

Description: 28-page Booklet Label

Label Stock: Base - 60# semigloss, Liner - 40# paper

Date: 5.10.22

Version: 4

Project Number: S46808

Inside Pages  
5.75"

**CROP-SPECIFIC APPLICATION INSTRUCTIONS** (continued)

CROP	PEST	RATE FL OZ PER ACRE	MINIMUM TIME FROM APPLICATION TO HARVEST (PHI) DAYS
Pome Fruit Group Apple Crabapple Loquat Mayhaw Oriental pear Pear Quince	See Pests Controlled under Product Information section	20 to 33	0

For knockdown and residual control of soft body insects, apply **MACHETE**® Insecticide at first sign of infestation. **DO NOT** make **MACHETE**® applications at intervals longer than 14 days. For maximum effectiveness, apply **MACHETE**® at the first sign of insects, and before the population increases. Application should be timed to coincide with locally recommended treatment threshold levels in developing insect populations. Apply **MACHETE**® in at least 50 gallons of spray solution per acre. Applying **MACHETE**® at spray volumes lower than directed can make it harder to obtain thorough crop coverage and may reduce performance.

13

ECOAGRI MACHETE® Booklet Label

**ECOAGRI MACHETE®**

Description: 28-page Booklet Label

Label Stock: Base - 60# semigloss, Liner - 40# paper

Date: 5.10.22

Version: 4

Project Number: S46808

Inside Pages  
5.75"

**CROP-SPECIFIC APPLICATION INSTRUCTIONS** (continued)

CROP	PEST	RATE FL OZ PER ACRE	MINIMUM TIME FROM APPLICATION TO HARVEST (PHI) DAYS
Berry Crops Strawberry Blackberry Blueberry Raspberry	See Pests Controlled under Product Information section	18 to 33	0

For knockdown and residual control of soft body insects, apply **MACHETE**® Insecticide at first sign of infestation. **DO NOT** make **MACHETE**® applications at intervals longer than 14 days. For maximum effectiveness, apply **MACHETE**® at the first sign of insects, and before the population increases. Application should be timed to coincide with locally recommended treatment threshold levels in developing insect populations. Apply **MACHETE**® in enough water for proper coverage. Applying **MACHETE**® at spray volumes lower than directed can make it harder to obtain thorough crop coverage and may reduce performance.

5.75"

14

ECOAGRI MACHETE® Booklet Label

**ECOAGRI MACHETE®**

Description: 28-page Booklet Label

Label Stock: Base - 60# semigloss, Liner - 40# paper

Date: 5.10.22

Version: 4

Project Number: S46808

← Inside Pages 5.75" →

**CROP-SPECIFIC APPLICATION INSTRUCTIONS** (continued)

CROP	PEST	RATE FL OZ PER ACRE	MINIMUM TIME FROM APPLICATION TO HARVEST (PHI) DAYS
Tomato (all varieties including tomato and tomatillo) Pepper (all varieties including pimento and bell, hot and sweet peppers)	See Pests Controlled under Product Information section	18 to 33	0

For knockdown and residual control of soft body insects, apply **MACHETE**<sup>®</sup> Insecticide at first sign of infestation. **DO NOT** make **MACHETE**<sup>®</sup> applications at intervals longer than 14 days. For maximum effectiveness, apply **MACHETE**<sup>®</sup> at the first sign of insects, and before the population increases. Application should be timed to coincide with locally recommended treatment threshold levels in developing insect populations.

Apply **MACHETE**<sup>®</sup> in enough water for proper coverage. Applying **MACHETE**<sup>®</sup> at spray volumes lower than directed can make it harder to obtain thorough crop coverage and may reduce performance.

15

← 5.75" →

ECOAGRI MACHETE<sup>®</sup> Booklet Label

**ECOAGRI MACHETE<sup>®</sup>**

Description: 28-page Booklet Label

Label Stock: Base - 60# semigloss, Liner - 40# paper

Date: 5.10.22

Version: 4

Project Number: S46808

Inside Pages  
5.75"

**CROP-SPECIFIC APPLICATION INSTRUCTIONS** (continued)

CROP	PEST	RATE FL OZ PER ACRE	MINIMUM TIME FROM APPLICATION TO HARVEST (PHI) DAYS
<b>Tree Nuts Group</b> Almond Beech nut Brazil nut Butternut Cashew Chestnut Chinquapin Filbert Hickory nut Macadamia nut Pecan Pistachio Walnut (black and English)	See Pests Controlled under Product Information section	25 to 33	0

For knockdown and residual control of soft body insects, apply **MACHETE**® Insecticide at first sign of infestation. **DO NOT** make **MACHETE**® applications at intervals longer than 14 days. For maximum effectiveness, apply **MACHETE**® at the first sign of insects, and before the population increases. Application should be timed to coincide with locally recommended treatment threshold levels in developing insect populations. Apply **MACHETE**® in enough water for proper coverage; for small non-bearing trees, apply in at least 50 gallons of spray solution per acre. Applying **MACHETE**® at spray volumes lower than directed can make it harder to obtain thorough crop coverage and may reduce performance.

16

ECOAGRI MACHETE® Booklet Label

**ECOAGRI MACHETE®**

Description: 28-page Booklet Label

Label Stock: Base - 60# semigloss, Liner - 40# paper

Date: 5.10.22

Version: 4

Project Number: S46808



Inside Pages  
5.75"

**CROP-SPECIFIC APPLICATION INSTRUCTIONS** (continued)

CROP	PEST	RATE FL OZ PER ACRE	MINIMUM TIME FROM APPLICATION TO HARVEST (PHI) DAYS
Cucumber Cantaloupe Crenshaw Pershaw Honeydew Honey Ball Mango Melon Persian Melon Gourds Gherkin Muskmelon Santa Claus Melon Watermelon Casaba Snake Melon Pumpkin Zucchini Okra Squash	See Pests Controlled under Product Information section	25 to 33	0

For knockdown and residual control of soft body insects, apply **MACHETE**® Insecticide at first sign of infestation. **DO NOT** make **MACHETE**® applications at intervals longer than 14 days. For maximum effectiveness, apply **MACHETE**® at the first sign of insects, and before the population increases. Application should be timed to coincide with locally recommended treatment threshold levels in developing insect populations. Apply **MACHETE**® in enough water for proper coverage. Applying **MACHETE**® at spray volumes lower than directed can make it harder to obtain thorough crop coverage and may reduce performance.

17

ECOAGRI MACHETE® Booklet Label

**ECOAGRI MACHETE®**

Description: 28-page Booklet Label

Label Stock: Base - 60# semigloss, Liner - 40# paper

Date: 5.10.22

Version: 4

Project Number: S46808

Inside Pages  
5.75"

**CROP-SPECIFIC APPLICATION INSTRUCTIONS** (continued)

CROP	PEST	RATE FL OZ PER ACRE	MINIMUM TIME FROM APPLICATION TO HARVEST (PHI) DAYS
Onion Bulb Onion Okra Shallot Ramp Garlic	See Pests Controlled under Product Information section	23.5 to 33	0

For knockdown and residual control of soft body insects, apply **MACHETE**® Insecticide at first sign of infestation. **DO NOT** make **MACHETE**® applications at intervals longer than 14 days. For maximum effectiveness, apply **MACHETE**® at the first sign of insects, and before the population increases. Application should be timed to coincide with locally recommended treatment threshold levels in developing insect populations. Apply **MACHETE**® in enough water for proper coverage. Applying **MACHETE**® at spray volumes lower than directed can make it harder to obtain thorough crop coverage and may reduce performance.

5.75"

18

ECOAGRI MACHETE® Booklet Label

**ECOAGRI MACHETE®**

Description: 28-page Booklet Label

Label Stock: Base - 60# semigloss, Liner - 40# paper

Date: 5.10.22

Version: 4

Project Number: S46808

Inside Pages  
5.75"

**CROP-SPECIFIC APPLICATION INSTRUCTIONS** (continued)

CROP	PEST	RATE FL OZ PER ACRE	MINIMUM TIME FROM APPLICATION TO HARVEST (PHI) DAYS
Broccoli Brussels Sprouts Cabbage Cauliflower Mustard Kohlrabi Asparagus Artichoke	See Pests Controlled under Product Information section	20 to 33	0

For knockdown and residual control of soft body insects, apply **MACHETE**<sup>®</sup> Insecticide at first sign of infestation. **DO NOT** make **MACHETE**<sup>®</sup> applications at intervals longer than 14 days. For maximum effectiveness, apply **MACHETE**<sup>®</sup> at the first sign of insects, and before the population increases. Application should be timed to coincide with locally recommended treatment threshold levels in developing insect populations. Apply **MACHETE**<sup>®</sup> in enough water for proper coverage. Applying **MACHETE**<sup>®</sup> at spray volumes lower than directed can make it harder to obtain thorough crop coverage and may reduce performance.

5.75"

19

ECOAGRI MACHETE<sup>®</sup> Booklet Label

**ECOAGRI MACHETE<sup>®</sup>**

Description: 28-page Booklet Label

Label Stock: Base - 60# semigloss, Liner - 40# paper

Date: 5.10.22

Version: 4

Project Number: S46808

Inside Pages  
5.75"

**CROP-SPECIFIC APPLICATION INSTRUCTIONS** (continued)

CROP	PEST	RATE FL OZ PER ACRE	MINIMUM TIME FROM APPLICATION TO HARVEST (PHI) DAYS
Papaya and Tropical Fruit	See Pests Controlled under Product Information section	18 to 33	0

For knockdown and residual control of soft body insects, apply **MACHETE**® Insecticide at first sign of infestation. **DO NOT** make **MACHETE**® applications at intervals longer than 14 days. For maximum effectiveness, apply **MACHETE**® at the first sign of insects, and before the population increases. Application should be timed to coincide with locally recommended treatment threshold levels in developing insect populations. Apply **MACHETE**® in enough water for proper coverage. Applying **MACHETE**® at spray volumes lower than directed can make it harder to obtain thorough crop coverage and may reduce performance.

5.75"

20

ECOAGRI MACHETE® Booklet Label

**ECOAGRI MACHETE®**

Description: 28-page Booklet Label

Label Stock: Base - 60# semigloss, Liner - 40# paper

Date: 5.10.22

Version: 4

Project Number: S46808

Inside Pages  
5.75"

**CROP-SPECIFIC APPLICATION INSTRUCTIONS** (continued)

CROP	PEST	RATE FL OZ PER ACRE	MINIMUM TIME FROM APPLICATION TO HARVEST (PHI) DAYS
Leafy Greens Spinach Lettuces Endive Parsley Radicchio Chard Purslane Dock Dandelion Cilantro Argula Celery Curry Leaf Amaranthus	See Pests Controlled under Product Information section	20 to 33	0

For knockdown and residual control of soft body insects, apply **MACHETE**® Insecticide at first sign of infestation. **DO NOT** make **MACHETE**® applications at intervals longer than 14 days. For maximum effectiveness, apply **MACHETE**® at the first sign of insects, and before the population increases. Application should be timed to coincide with locally recommended treatment threshold levels in developing insect populations. Apply **MACHETE**® in enough water for proper coverage. Applying **MACHETE**® at spray volumes lower than directed can make it harder to obtain thorough crop coverage and may reduce performance.

21

ECOAGRI MACHETE® Booklet Label

**ECOAGRI MACHETE®**

Description: 28-page Booklet Label

Label Stock: Base - 60# semigloss, Liner - 40# paper

Date: 5.10.22

Version: 4

Project Number: S46808

Inside Pages  
5.75"

**CROP-SPECIFIC APPLICATION INSTRUCTIONS** (continued)

CROP	PEST	RATE FL OZ PER ACRE	MINIMUM TIME FROM APPLICATION TO HARVEST (PHI) DAYS
Hops	See Pests Controlled under Product Information section	25 to 33	0

For knockdown and residual control of soft body insects, apply **MACHETE**® Insecticide at first sign of infestation. **DO NOT** make **MACHETE**® applications at intervals longer than 14 days. For maximum effectiveness, apply **MACHETE**® at the first sign of insects, and before the population increases. Application should be timed to coincide with locally recommended treatment threshold levels in developing insect populations. Apply **MACHETE**® in enough water for proper coverage. Applying **MACHETE**® at spray volumes lower than directed can make it harder to obtain thorough crop coverage and may reduce performance.

5.75"

22

ECOAGRI MACHETE® Booklet Label

**ECOAGRI MACHETE®**

Description: 28-page Booklet Label

Label Stock: Base - 60# semigloss, Liner - 40# paper

Date: 5.10.22

Version: 4

Project Number: S46808

Inside Pages  
5.75"

**CROP-SPECIFIC APPLICATION INSTRUCTIONS** (continued)

CROP	PEST	RATE FL OZ PER ACRE	MINIMUM TIME FROM APPLICATION TO HARVEST (PHI) DAYS
<b>Tree Crops</b> Plum Peach Pear Apricot Pluot Fig Pomegranate Avocado Prune Nectarine Cherry Sweet Cherry Tart	See Pests Controlled under Product Information section	22 to 33	0

For knockdown and residual control of soft body insects, apply **MACHETE**® Insecticide at first sign of infestation. **DO NOT** make **MACHETE**® applications at intervals longer than 14 days. For maximum effectiveness, apply **MACHETE**® at the first sign of insects, and before the population increases. Application should be timed to coincide with locally recommended treatment threshold levels in developing insect populations. Apply **MACHETE**® in enough water for proper coverage; for small non-bearing trees, apply in at least 50 gallons of spray solution per acre. Applying **MACHETE**® at spray volumes lower than directed can make it harder to obtain thorough crop coverage and may reduce performance.

23

ECOAGRI MACHETE® Booklet Label

**ECOAGRI MACHETE®**

Description: 28-page Booklet Label

Label Stock: Base - 60# semigloss, Liner - 40# paper

Date: 5.10.22

Version: 4

Project Number: S46808

Inside Pages  
5.75"

**CROP-SPECIFIC APPLICATION INSTRUCTIONS** (continued)

CROP	PEST	RATE FL OZ PER ACRE	MINIMUM TIME FROM APPLICATION TO HARVEST (PHI) DAYS
Corn Rice Cotton Soybean Wheat Barley Sorghum Alfalfa	See Pests Controlled under Product Information section	22 to 33	0

For knockdown and residual control of soft body insects, apply **MACHETE**<sup>®</sup> Insecticide at first sign of infestation. **DO NOT** make **MACHETE**<sup>®</sup> applications at intervals longer than 14 days. For maximum effectiveness, apply **MACHETE**<sup>®</sup> at the first sign of insects, and before the population increases. Application should be timed to coincide with locally recommended treatment threshold levels in developing insect populations. Apply **MACHETE**<sup>®</sup> in enough water for proper coverage; Applying **MACHETE**<sup>®</sup> at spray volumes lower than directed can make it harder to obtain thorough crop coverage and may reduce performance.

5.75"

24

ECOAGRI MACHETE<sup>®</sup> Booklet Label

**ECOAGRI MACHETE<sup>®</sup>**

Description: 28-page Booklet Label


Label Stock: Base - 60# semigloss, Liner - 40# paper

Date: 5.10.22

Version: 4

Project Number: S46808





ECOAGRI MACHETE® Booklet Label

**ECOAGRI MACHETE®**


Description: 28-page Booklet Label

Label Stock: Base - 60# semigloss, Liner - 40# paper

Date: 5.10.22

Version: 4

Project Number: S46808



ECOAGRI MACHETE® Booklet Label

**ECOAGRI MACHETE®**


Description: 28-page Booklet Label

Label Stock: Base - 60# semigloss, Liner - 40# paper

Date: 5.10.22

Version: 4

Project Number: S46808



ECOAGRI MACHETE® Booklet Label

**ECOAGRI MACHETE®**


Description: 28-page Booklet Label

Label Stock: Base - 60# semigloss, Liner - 40# paper

Date: 5.10.22

Version: 4

Project Number: S46808



ECOAGRI MACHETE® Booklet Label

**ECOAGRI MACHETE®**

Description: 28-page Booklet Label

Label Stock: Base - 60# semigloss, Liner - 40# paper

Date: 5.10.22

Version: 4

Project Number: S46808

Inside Pages  
5.75"

# MACHETE INSECTICIDE

LIQUID CONCENTRATE

**ACTIVE INGREDIENT:**

Geraniol (CAS# 106-24-1).....	30.00%
Peppermint oil (CAS# 8006-90-4) ...	1.00%
Cottonseed oil (CAS# 8001-29-4)....	0.10%
Rosemary oil (CAS# 8000-25-7).....	0.01%

**OTHER INGREDIENTS:\*** ..... 68.89%

**TOTAL:** ..... **100.00%**

\*Canola oil (CAS# 120962-03-0), Water (CAS# 7732-18-5)

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle (If you do not understand the label, find someone to explain it to you in detail)

This product has not been registered by the United States Environmental Protection Agency. GroPro represents that this product qualifies for exemption from registration under FIFRA.

**How can we help?**

**1-833-476-7761**

**MANUFACTURED  
BY: ECOAGRI**

12600 West Frontage Road,  
Burnsville MN 55337  
Phone: 1-833-476-7761  
www.groproag.com

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

**ENVIRONMENTALLY SAFE**  
When Used as Directed

**NET CONTENTS: ■ 2.5 Gal (9.5 L)**

**AGRI LINE**

ECOAGRI MACHETE\*

Description: 28-page Booklet Label

Label Stock: Base - 60# semigloss,

Liner - 40# paper Date: 5.10.22

Version: 4

Project Number: S46808