



FUNGICIDE

Potato Seed-Piece Treatment for Control of Seedling Diseases

Active Ingredients:

	% by Wt.
Flutolanil:N-[3-(1-methylethoxy) phenyl]-2-(trifluoromethyl) benzamide.....	1.5%
Mancozeb: a coordination product of zinc ion and manganese ethylene.....	6.0%
Bisdithiocarbamate, in which the ingredients are	
Manganese ⁺⁺	1.20%
Zinc ⁺⁺	0.15%
Ethylene bisdithiocarbamate ion (C ₄ H ₆ N ₂ S ₄).....	4.65%
Other Ingredients:	92.5%
Total	100%

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID

IF SWALLOWED:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.

HOTLINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-888-478-0798 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

PERSONAL PROTECTICE EQUIPMENT (PPE)

Natural rubber is chemical-resistant to this product. If you want more options, follow the instructions for category A on the EPA chemical-resistance category selection chart.

Loaders, applicators, and other handlers must wear:

- Long-sleeved shirt
 - Long pants
 - Shoes and socks
 - Chemical-resistant gloves made of any waterproof material, and
 - A NIOSH-approved respirator with a dust/mist filter with MSHA/NIOSH approval number prefix TC-21C or any N, R, P, or HE filter.
- See Engineering Controls for additional requirements.

NET CONTENTS _____

ENGINEERING CONTROLS

Large scale seed-piece treatment facilities that, on any given week in the current year or in the past year, treated $\geq 50,000$ cwt ($\geq 2,500$ tons) must use a dust collection system during the treatment of the seed-pieces that prevents dust from contacting handlers or other persons.

Handlers using the dust collection system must wear:

- Long-sleeved shirt
- Long pants
- Shoes and socks, and
- Chemical-resistant gloves (except pilots, ground boom applicators, and airblast applicators), and
- Must be provided with, have immediately available, and wear in an emergency such as a broken package, spill, or equipment breakdown: a NIOSH-approved respirator with a dust/mist filter with MSHA/NIOSH approval number prefix TC-21C or any N, R, P, or HE filter.

USER SAFETY REQUIREMENTS

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic organisms. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water, areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not use this product at higher than the specified rate. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency in your State responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval.

The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.

Exception: If the product is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water, is:

- Coveralls
- Shoes and socks
- Chemical resistant gloves made out of any waterproof material

PRODUCT INFORMATION

MonCoat[®] MZ is a coformulation containing two fungicides effective for the suppression of Black scurf and Rhizoctonia stem canker (*Rhizoctonia solani*), Fusarium dry rot (*Fusarium sambucinum*; *F. coeruleum*), and Silver scurf (*Helminthosporium solani*) on potato seed-pieces. MonCoat MZ will help reduce the spread of *Phytophthora infestans* (late blight) that may occur from surface infestation resulting from seed-piece to seed-piece contact during the handling, cutting, and planting process. [MonCoat MZ is not effective against systemic seed-piece infections or airborne (secondary) inoculum of *P. infestans*.] MonCoat MZ contains 1.5% flutolanil and 6.0% mancozeb in a tree bark based formulation. This pesticide will not control bacterial diseases or other diseases not claimed on this label for varieties known to be susceptible to bacterial soft rot. Companion fungicides known to be effective against this organism should be used. Consult your extension potato pathologist for variety and treatment information.

MonCoat MZ is to be used as an integral part of a potato disease management strategy. This strategy includes the use of high quality certified seed and the incorporation of cultural practices such as: crop rotation, optimal harvest time to minimize disease development, and proper handling of tubers to minimize bruising and improve storage quality. Sound strategy should also include sanitation of equipment and storage areas to reduce disease inoculum and control of storage area temperature, humidity, and ventilation. Consult your local agricultural extension agent for more information on disease management practice.

APPLICATION DIRECTIONS

For the suppression of seed borne Fusarium dry rot, Black scurf, Silver scurf, and Rhizoctonia stem canker, use MonCoat MZ at the rate of 0.75 to 1.0 lb. of product per 100 lb. of cut seed-pieces. Apply MonCoat MZ to the seed-pieces immediately after cutting, using dispensing equipment that will give thorough coverage of the dust to the cut seed-piece surfaces. Thoroughly clean and sanitize cutting equipment including knives, belts, rollers, tables, trucks and planting equipment before planting seed-pieces.

APPLICATION RESTRICTIONS

For seed-pieces that have been treated with MonCoat MZ that are then packaged or bagged for future use

- When opening this bag or loading/pouring the treated seed/seed-pieces, wear long-sleeved shirt, long pants, shoes, socks, chemical resistant gloves, and a NIOSH-approved respirator with a dust/mist filter with MSHA/NIOSH approval number prefix TC-21C or any N, R, P, or HE filter.
- Do not use treated seed-pieces for food, feed, or oil purposes. Apply only in areas with adequate ventilation or dust collection and control equipment installed.
- After the seed-pieces have been planted, do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 24 hours. Exception: Once the seed-pieces are planted in soil or other planting media, the Worker Protection Standard allows workers to enter the treated area without restriction if there will be no worker contact with the soil/media subsurface.

CROP ROTATION RESTRICTIONS

Following total seasonal applications of 0.25 lb ai/acre or less to planted potato seed-pieces, do not plant rotational crops other than labeled crops for 12 months with the following exceptions:

- Wheat may be planted 30 days or more following the last application of MonCoat MZ.
- Leafy vegetables (such as lettuce, spinach, or celery), or small grains other than wheat (such as barley, oats, rye) may be planted 150 days or more following the last application of MonCoat MZ.
- Corn (such as field, sweet or popcorn), cotton, sorghum or soybeans may be planted 240 days or more following the last application of MonCoat MZ.

TREATED SEED-PIECE LABELING

Seed-pieces that have been treated with this product and are then packaged or bagged for future use must contain the following labeling on the outside of the seed package or bag:

“This bag contains potato seed-pieces treated with mancozeb and flutolanil.

Do Not Use Treated Seed-Pieces For Food, Feed, or Oil Purposes. When opening this bag or loading/pouring the treated seed-pieces, wear a long-sleeved shirt, long pants, shoes, socks, protective eyewear, chemical resistant gloves, and a NIOSH-approved respirator with a dust/mist filter with MSHA/NIOSH approval number prefix TC-21C or any N, R, P, or HE filter.

After the seed-pieces have been planted, do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 24 hours. Exception: Once the seed-pieces are planted in soil or other planting media, the Worker Protection Standard allows workers to enter the treated area without restriction if there will be no worker contact with the soil/media surface.”

ATTENTION: This product contains mancozeb and ETU, chemicals known to the state of California to cause cancer. ETU is also known to the state of California to cause birth defects or other reproductive harm.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container and keep closed. Store in a cool, dry location.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Completely empty bag by shaking and tapping sides to loosen clinging particles. Empty residue into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

For Bulk Bags: Nonrefillable container. Do not reuse or refill this container. Completely empty container into application equipment. Offer for recycling if available, or dispose of empty container in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

FOR 24-HOUR EMERGENCY ASSISTANCE (SPILL, LEAK, OR FIRE), CALL CHEMTREC® (800) 424-9300.

For other product information, contact Gowan Company, LLC or see Material Safety Data Sheet.

NOTICE ON CONDITIONS OF SALE

Important: Read the entire Directions for Use and Notice of Conditions of Sale and Warranty and Liability Limitations before using this product. If terms are not acceptable return the unopened container for a full refund.

Our directions for use of this product are based on tests believed to be reliable. However, it is impossible to eliminate all risk associated with the use of this product. Crop injury, inadequate performance, or other unintended consequences may result due to soil or weather conditions, off target movement, presence of other materials, method of use or application, and other factors, all of which are beyond the control of Gowan Company. To the extent consistent with applicable law, all such risks are assumed by the Buyer and User.

Gowan Company warrants that this product conforms to the specifications on the label when used in strict conformance with Direction for Use, subject to the above stated risk limitations. GOWAN COMPANY MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, GOWAN COMPANY'S EXCLUSIVE LIABILITY FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, OR ANY OTHER LEGAL THEORY IS STRICTLY LIMITED TO THE PURCHASE PRICE PAID OR REPLACEMENT OF PRODUCT, AT GOWAN COMPANY'S SOLE DISCRETION.