

0-0-25 Guaranteed Analysis Soluble Potash (K₂0).....25%

Derived from Potassium Hydroxide.

GENERAL INFORMATION

NUE Neutral KOA is a concentrated mixture of potassium salts.

NUE Neutral KOA is designed for foliar applications of potassium when nitrates, chlorides or sulfates are not desired.

DIRECTIONS FOR USE

Mixing Directions - Be sure spray tank is thoroughly cleaned, fill 1/2 full with clean water, add product and continue filling with agitation. Always add this product to tank before adding pesticides.

Compatibility - NUE Neutral KOA is recommended to be applied with other NPK solutions like 3-18-18 and MKP. When tank mixing with trace minerals, be sure minerals are properly chelated.

Applications - NUE Neutral KOA is recommended for foliar applications only.

Dilution and Spray Volumes - Always use enough water for uniform application and to prevent possible plant tissue damage to the intended crop from concentrated droplets.

Containers - Triple Rinse. Dispose of containers only in a manner approved by local and state authorities.

SUGGESTED APPLICATIONS

Apples, Nectarines, Pears, Peaches & Plums: 1-4 pints/acre at prebloom. Repeat every 30-90 days as needed.

Grapes: 1-4 pints/acre at first full leaf. Repeat every 30-90 days as needed.

Raspberries, Blackberries & Blueberries: 1-4 pints/acre prebloom. Repeat every 30-90 days as needed.

Walnuts, Almonds & other nut crops: 1-4 pints/acre prebloom. Repeat every 30-90 days as needed.

FIELD CROPS (FOLIAR APPLICATION ONLY)

Alfalfa: 1-4 pints/acre 1-2 weeks after each cutting.

Cauliflower, Broccoli & other Brassica Varieties: 1-4 pints/ acre at second true leaf stage. Repeat 1-2 times every 10-20 days if needed.

Beets, Carrots, Onions & Garlic: 1-4 pints/acre when plants are established. Repeat 1-2 times every 10-20 days if needed.

Legumes (Beans & Peas): 1-4 pints/acre at bud stage prior to bloom. Repeat at 10-30 days as needed.

Lettuce, Spinach & other Leafy Vegetables: 1-4 pints/acre at second true leaf stage. Repeat 1-2 times every 10-20 days if needed.

Melons, Cucumbers & other Cucurbits: 1-4 pints/acre at second true leaf stage. Repeat 1-2 times every 10-20 days if needed.

Potatoes: 1-4 pints/acre at 4"-6" in height. Repeat 1-3 applications every 10-20 day intervals as needed.

Strawberries: 1-4 pints/acre after plants are established. Repeat 1-2 times in 10-30 day intervals as needed. Sugarbeets: 1-4 pints/acre after thinning. Repeat 1-2 times in 10-30 day intervals as needed.

Tomatoes & Peppers: 1-4 pints/acre after plants are established. Repeat 1-2 times in 10-30 day intervals as needed.

Wheat, Barley, Oats & Rice: 1-4 pints/acre at 2-6 leaf stage.

CONDITIONS OF SALE

Seller and/or manufacturer warrants only that this product consists of the ingredients specified on this label. No one is hereby authorized to make any warranty and/or guarantee concerning the use of this product. Being that the use, timing, placement, rate, application and other conditions are beyond the control of the seller and/or manufacturer, the seller's and/or manufacturer's liability for handling, storage and use of this product is limited to replacement of product or refund of purchase price.

Quality Concerns? Love our Product? Use QR code to let us know





Manufactured by:

Bio-Gro, Inc. • 681 Glade Road • Mabton, WA 98935 Tel: 509-894-4110 Web: www.BioGro.com

Potassium Hydroxide

WARNING



H302: Harmful if swallowed. H315: Causes skin irritation. H320: Causes eye irritation.

PRECAUTIONARY STATEMENTS

Keep out of reach of children. Read label before use. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection. Wash skin thoroughly after handling.

12.2 lbs/gallon @ 68° F (1.46 kg/liter)

□ Net Contents: 2 x 2.5 Gal (2 x 9.46 L) □ Net Contents: 250 Gal (946 L) Net Contents: 5 Gal (18.92 L)
Net Contents: ______