



ANALYSIS

ELEMENT	%W/V
Zinc (Zn)	15.0
Sulphur (S)	7.0

DIRECTIONS FOR USE:

APPLICATION:

Omni Zinc works best when plants are turgid. Suitable for use in combination with other micronutrients. For superior uptake, spray in the early morning or evening. Avoid spraying in the heat of the day.

APPLICATION RATES:

Foliar Application Rates:

Several applications may be required, 7-10 days apart. Avoid spraying over flowering.

Broadacre: 1.0 - 2.5L/ha early stages. Apply when leaf area is sufficient to intercept spray.

Fertigation / Soil Applications:

Apply as required but do not exceed 10L/ha per application. Several applications may be required.

DO NOT EXCEED RECOMMENDED RATES

Compatibility:

Omni Zinc is compatible with most agricultural chemicals and fertilizers. Do not mix with amine herbicides or calcium products.

When mixing with other liquid fertilizers, test for compatibility with a small quantity in a jar.

Do not store mixed product.

OMNIZINC

ORGANICALLY CHELATED LIQUID ZINC

OMNI ZINC IS FORMULATED WITH ORGANIC CHELATES
FOR EFFECTIVE AND QUICK PLANT UPTAKE.

Suitable for use in foliar applications and fertigation to
prevent and correct Zinc deficiencies in plants.



FOLIAR



OmniZinc

CAUTION:

Avoid contact with eyes. Keep out of reach of children.
If swallowed seek medical advice.

Do not store in direct sunlight.

Omnia Specialities Australia Pty Ltd

(ACN 102 717 019)
Tramway Road
Morwell 3840
Victoria, Australia
Tel: +61-3-5133 9118
Fax: +61-3-5133 9114
www.omnia.com.au

CONDITIONS OF SALE:

Every care is taken during the manufacture of this product. However, as environmental conditions can vary considerably, no responsibility can be taken by the manufacturer, importer or his agents for any injury, damage, loss or other results following the use or misuse of this product.

PROUDLY MADE IN AUSTRALIA