



0-0-1, 2%-Fe, 2%-Mn, 3%-Z

GUARANTEED ANALYSIS

Soluble Potash (K ₂ O)	1.0%
Magnesium (Mg)	0.5%
Sulfur (S)	3.0%
Boron (B)	0.02%
Cobalt (Co)	0.0005%
Copper (Cu).....	0.05%
Iron (Fe)	2.0%
Manganese (Mn)	2.0%
Molybdenum (Mo)	0.0005%
Zinc (Zn)	3.0%

DERIVED FROM: Potassium-magnesium sulfate, sodium borate, cobalt sulfate, copper sulfate, ferrous sulfate, manganese sulfate, molybdc oxide, zinc sulfate, and citric acid as complexing agent.

**KEEP OUT OF REACH OF CHILDREN
WARNING**



Harmful if swallowed. Causes eye Irritation.

PRECAUTIONARY STATEMENT

Wash thoroughly after handling product. Do not eat, drink or smoke when using this product. Avoid contact with eyes, skin or clothing. Do not breathe mist or vapor.

First Aid

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. **IF SWALLOWED:** Call a poison center or doctor immediately for treatment advice. Rinse mouth. Call a poison control center or doctor for treatment advice if symptoms persist.

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.aapfco.org/metals.htm>

NOTICE OF WARRANTY - Westbridge warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions under normal conditions of use. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials or the manner of use or application, all of which are beyond the control of Westbridge. In no case shall Westbridge be liable for consequential, special or indirect damages resulting from the use or handling of this product. Westbridge makes no warranties of merchantability or fitness for a particular purpose nor any other express or implied warranty except as stated above.

MANUFACTURED BY
Westbridge

1260 Avenida Chelsea, Vista, CA 92081 USA
(800) 876-2767 • www.westbridge.com

PRODUCT INFORMATION

Organic BioLink® Micronutrient Fertilizer can be used to correct iron, manganese and zinc deficiencies.

Organic BioLink® Micronutrient Fertilizer offers improved availability and uptake by roots and foliage. Thus providing a quick boost to plants under nutrient stress and correcting deficiencies.

Organic BioLink® Micronutrient Fertilizer is suitable for use in organic food production where micronutrient deficiencies are present.

DIRECTIONS FOR USE

SHAKE VIGOROUSLY BEFORE USING.

CAUTION: This product contains boron and molybdenum, which may be harmful to certain crops. Contact your local county agency for specific information. This product should only be used according to label instructions.

Organic BioLink® Micronutrient Fertilizer can be applied to all crops including fruit trees, vines, tree nuts, fruits and vegetables, field and row crops, ornamental trees, shrubs, flowers, containerized plants, and turf. Apply as a soil drench or a foliar spray with conventional spray equipment or chemigation.

Foliar Application: Use 1 to 2 quarts per acre. Apply to plant foliage to the point of run-off, throughout the growing season as needed.

Soil Application: Use 1 to 2 quarts per acre. Apply as soil drench with starter fertilizer at planting. Continue applications through the growing season as needed.

Nursery & Container: Use 1 quart per 100 gallons of water. Apply to the plant foliage to point of run-off, or apply as a soil drench. Repeat application as needed.

Home & Garden: Use 1 to 2 ounces per gallon of water. Apply to plant foliage to the point of run-off, or apply as a soil drench. Repeat application as needed.

Turf & Lawns: Use 2 ounces per 1,000 square feet. Apply in irrigation water or broadcast spray over grass. Repeat application monthly during the active root growth period.

Compatibility: Always conduct a compatibility jar test before mixing Organic BioLink® Micronutrient Fertilizer with new products.

NOTICE: Perform a phytotoxicity test on a small plot before large-scale application. To lower the risk of phytotoxicity, applications should be made early morning or late evening.

STORAGE & DISPOSAL

Store in original container out direct sunlight. Triple rinse and puncture empty container. Dispose of contents and container according to local, state and federal regulations only.

NET CONTENTS:

- 2.5 Gallons (946 L)/ 25.6 Lbs (11.6 Kg)
 - 30 Gallons (113.6 L)/ 307.5 Lbs (139.6 Kg)
 - 55 Gallons (208.2 L)/ 563.8 Lbs (255.9 Kg)
 - 275 Gallons (1040 L)/ 2818.8 Lbs (1279.7 Kg)
- Bulk density 10.25 lbs per gallon at 68°F*

