

PENETRANT-SPREADER-WETTING AGENT FOR USE WITH ORGANIC PESTICIDES

PRINCIPAL FUNCTIONING AGENTS

| Secondary Alcohol Ethoxylate | 13.58% |
|---|---------|
| Constituents ineffective as spray adjuvants | 86.42% |
| Total | 100.00% |

All ingredients are exempt from tolerance according to 40 CFR 180 Surfactant Content: 13.58%

WARNING / AVISO





Si Usted no entiende la etiqueta, busque a alguien para que se la explique a Usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

HAZARD STATEMENTS: Flammable liquid and vapor. Harmful if inhaled. Causes serious eye irritation Toxic to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENTS: Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves. Wear eye protection or face protection. Avoid breathing fume/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Wash hands thoroughly after handling. Avoid release to the environment. ENVIRONMENTAL HAZARDS: Do not contaminate water sources by cleaning of equipment or disposal of wastewaters. CA Reg. No. 72662-50005-AA WA Reg. No. 72662-07002

MANUFACTURED B

2788 S. Maple Ave., Fresno, CA 93725 Oro Agri, Inc. All Rights Reserved

Copyright © Nov. 2021 v20211122

NET CONTENTS 2.5 US GAL

(9.463 L)











FIRST AID

Call a POISON CENTER or doctor/physician if you feel unwell.

For Chemical Emergency (spill, leak, fire or accident), call CHEMTREC (800) 424-9300

EYE CONTACT - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention SKIN CONTACT - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

INGESTION – IF SWALLOWED: Do not give anything by mount to an unconscious person, can a poison center, occor, chemical manufacturer or distributor to specify the appropriate source of emergency medical advice INHALED - IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell.

Dispose of contents and containers in accordance with local, regional, and national laws.

GENERAL INFORMATION

OROBOOST® is a spreader, penetrant and wetting aid to enhance distribution and efficacy of miticides, insecticides, fungicides, herbicides, nutrients, and plant growth regulators. OROBOOST is a WSDA-registered material for use in organic agriculture when combined with other organic pesticides.

DIRECTIONS FOR USE

Prior to use, read all the directions on this label and on the label of the manufacturers' insecticides, miticides, fungicides, plant growth regulators, dormant oils and/or nutrients being used with this product. The manufacturers' label for specific usage and restrictions has precedence over directions for use referred to on the OROBOOST label. To ensure thorough mixing, it is suggested that you recirculate mini tanks and bulk tanks or shake containers before using. Ensure spray equipment is thoroughly cleaned before using OROBOOST. Coatings on inner tank and spray lines, from previous chemicals sprayed, may be dissolved by OROBOOST, thereby releasing it into the mix about to be sprayed. If in doubt, applying as directed, add 20 ounces of OROBOOST to 20 gallons of water circulate through system for 20 minutes, spray to waste. Thereafter, mix as prescribed for regular spraying. Treat a small area and observe results. If the results are satisfactory, proceed with a complete application.

PRECAUTIONS

- The fruit of some varieties of pears, cherries, table grapes and grapefruits may be sensitive to marking. Contact your Oro Agri representative before use.
- . Do not apply to crops under stress.
- Test for compatibility when combining in tank mixes with EC products, copper and/or chlorpyrifos on sensitive crops.

NOTE: OROBOOST reduces dew formation for up to 7 days and therefore may increase the risk of frost damage in frost prone areas.

NOTE: NOT FOR AQUATIC USE.

MIXING

Fill tank one-half full with water. Add the required amount of other tank mix products while agitating. Add remainder of the water. Add the recommended amount of OROBOOST last and continue agitation until completion of spraying. For best results, use within 24 hours of mixing. Antifoam and buffering agents may be used if required.

NOTICE OF WARRANTY

CONDITIONS OF SALE-LIMITED WARRANTY AND LIMITATIONS OF LIABILITY AND REMEDIES: To be read prior to using this product. The directions should be followed carefully together with good application practice. Failure to do so may cause injury to crops, animals, man or the environment. Extraordinary or unusual weather conditions may affect product performance and/or crop injury which are beyond the control of Oro Agri, Inc. (the "Company") or seller. The Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purpose referred to in the Directions For Use. The Company makes no other warranties or representations of any kind, express or implied, concerning the product, including no implied warranty of merchantability or fitness for any particular purpose, and no such warranty shall be implied by law. The exclusive remedy against the Company for any cause of action relating to the handling or use of this product shall be limited to, at Company's election, ONE of the following: 1. Refund of the purchase price paid by buyer or user for product bought. 2. Replacement of the product used. To the extent allowed by law, the Company shall not be liable and any and all claims against the Company are waived for special, indirect, incidental, or consequential damages or expense of any nature, including, but not limited to, loss of profits or income. The company/seller offer this product and the buyer/user accept it, subject to the foreopino conditions of sale and limitation of warranty, liability and remedies.

RECOMMENDED RATES

IN SEASON

INSECTICIDES, MITICIDES, FUNGICIDES, HERBICIDES, NUTRIENTS AND PGRS:

- Use 16-96 fl. oz. OROBOOST per 100 gallons of tank-mix spray solution
- CHEMIGATION*: (Through irrigation systems such as drip, microjet, sprinklers or pivot) 8-24 fl. oz. per acre - *Not approved in CA
 IMPORTANT: Additional Operating Instructions for Chemigation. Review your state and local regulatory requirements before applying any adjuvant or agricultural chemical through an irrigation system. Refer to the SUPPLEMENTAL LABELING FOR CHEMIGATION APPLICATIONS for additional use requirements and restrictions. Directions for use with OROBOOST please visit www.oroagriusa.com/chemigation-oroboost.
- BACKPACK OR HAND-HELD SPRAYERS: Use at a rate of 0.25 to 0.5% v/v.
 - 0.5-1 teaspoon per quart of spray solution
 - 2-4 teaspoon per gallon of spray solution

POST HARVEST, DORMANT AND DELAYED DORMANT INSECTICIDES, MITICIDES, FUNGICIDES, HERBICIDES, NUTRIENTS, PGRS AND/OR DORMANT OILS:

Add 1-2 quarts of OROBOOST per acre when applied as adjuvant with crop oils or up to 3 quarts of OROBOOST per acre when applied with insecticides, miticides, fungicides, and nutrients. Apply in a water volume adequate to wet the target.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate ponds, waterways, ditches and food or feed with chemicals and/or used containers by storage, disposal or cleaning equipment. STORAGE: Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry, well-ventilated place out of direct sunlight. Store in original tightly closed container away from children, animals, foods, feeds and seeds. Handle in accordance with precautionary statements. In the event of spillage or leakage, soak up the material with absorbent clay, sand, sawfust or other absorbent materials. Scrape up and dispose in accordance with Product Disposal. PRODUCT DISPOSAL: Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Dispose of contents in accordance with local/regional/national/international regulations. CONTAINER DISPOSAL: Empty containers or liners may retain some product residues. Triple rinse (or equivalent) during mixing and loading. Recycling decontaminated containers is the best option of container disposal. Dispose of container in accordance with local/national regulations. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit www.acrecycle.org.

Patented and or patent/s pending.

For more information contact info@oroagri.rovensa.com

OROBOOST and ORO AGRI are registered trademarks of Oro Agri, Inc. v20211122

