

Phyte-Off Plus[®]

Plant Nutrient



0-0-26

GUARANTEED ANALYSIS

Soluble Potash (K ₂ O).....	26.00%
Boron (B).....	0.02%
Copper (Cu).....	0.05%
0.05% Chelated Copper (Cu)	
Iron (Fe).....	0.1%
0.1% Chelated Iron (Fe)	
Manganese (Mn).....	0.05%
0.05% Chelated Manganese (Mn)	
Molybdenum (Mo).....	0.001%
Zinc (Zn).....	0.05%
0.05% Chelated Zinc (Zn)	

Derived from: potassium phosphite; sodium borate, copper EDTA, iron EDTA, manganese EDTA, sodium molybdate dihydrate and zinc EDTA.

Caution: the application of fertilizers containing **molybdenum** may result in forage crops containing levels of **molybdenum** which are toxic to ruminant animals.

WARNING: CAUSES EYE IRRITATION.

Keep out of reach of children.
Read precautions on adjacent panel.

Phyte-Off is a registered trademark of Advan, LLC

Net Contents:
2.5 gallons (9.46 liters)
Net Weight:
30.35 lbs. (13.76 kg)

Manufactured for:
SIPCAM AGRO USA, INC.
2525 Meridian Parkway, Suite 350
Durham, NC 27713

2.5G

F002220



DIRECTIONS FOR USE

Precaution: Phyte-Off PLUS is a highly concentrated material. Exercise precautions to prevent potential root or foliar burning, or soil media pH changes. If applying Phyte-Off PLUS in combination with other materials, a compatibility test is recommended to avoid potential incompatibilities. Prior to the addition of Phyte-Off PLUS to a spray mix, the user or application advisor must have experience with the combination or should have conducted a phytotoxicity trial. Do not mix with fixed copper or copper-based fungicides if the pH of the spray solution is below pH 6. Use sufficient water to ensure thorough coverage.

APPLICATION	RATE	COMMENTS
COOL SEASON TURF Tees, greens & approaches	1 – 3 oz. / 1000 ft ²	During Summer Stress periods or active growth periods, apply every 14 days in a minimum of 3 gallons of water / 1000 sq. ft.
WARM SEASON TURF Tees, greens & approaches	1 – 3 oz. / 1000 ft ²	During active growth periods, apply every 14 days in spring to fall. For the remainder of the year apply every 30 days. Apply a minimum of 3 gallons of water / 1000 sq. ft.
LANDING AREAS, FAIRWAYS & SPORTS TURF	1 gallon / acre	During cool, wet weather, apply every 14 days. Apply every 30 days during active growth periods. Apply in a minimum of 100 gallons of water / acre
OVERSEEDING, SPRIGGING OR LAYING OF SOD	1 gallon / acre	Apply post germination, sprigging or laying of sod and at 14 day intervals thereafter in a minimum of 200 gallons of water

GROUND APPLICATION

MIXING INSTRUCTIONS

Prior to any fertilizer or pesticide application, all spray mixing and application equipment must be cleaned. Fill the spray or mix tank one half full of water and begin agitation. Add pesticides and/or fertilizers as directed by labeling or in the following sequence:

1. Dry flowables or water dispersible granules
2. Wettable powders
3. Flowables
4. Emulsifiable concentrates
5. Water-based solutions
6. Compatibility agents
7. Micronutrients and fertilizers
8. Spray adjuvants

CONDITIONS OF SALE

LIMITED WARRANTY AND LIMITATIONS OF LIABILITY AND REMEDIES

The directions on this label are believed to be reliable and should be followed carefully; insufficient control of pests and/or injury to the crop to which the product is applied may result from the occurrence of extraordinary or unusual weather conditions or failure to follow the label directions, or good application practices, all of which are beyond the control of Sipcam Agro USA. In addition, failure to follow label directions may cause injury to crops or animals. Sipcam Agro USA warrants that this product conforms to the chemical description on the label and is reasonably fit for the purpose referred to in the directions for use, subject to the factors noted above which are beyond the control of Sipcam Agro USA. Sipcam Agro USA makes no other warranties or representations of any kind, express or implied. Concerning the product, no warranty shall be implied by law, nor is there any implied warranty regarding merchantability or fitness for any particular purpose. The exclusive remedy against Sipcam Agro USA for any cause of action relating to the handling or use of this product is a claim for damage and in no event, shall damages or any other recovery of any kind against Sipcam Agro USA exceed the price of the product which causes the alleged loss, damage, injury, or other claim. Sipcam Agro USA shall not be liable, and any and all claims against Sipcam Agro USA are waived for special, indirect, incidental, or consequential damages or expenses of any kind, including, but not limited to, loss of profits or income. Sipcam Agro USA and the seller offer this product and the buyer and user accept it, subject to the foregoing conditions of sale and limitation of warranty, liability, and remedies.

This product contains potassium phosphite, a product derived from the neutralization of phosphorous acid with potassium hydroxide.

BEFORE USING THIS PRODUCT, READ ALL PRECAUTIONS, DIRECTIONS FOR USE, CONDITIONS OF SALE-LIMITED WARRANTY AND LIMITATIONS OF LIABILITY AND REMEDIES

PRECAUTIONARY STATEMENTS - CAUTION

May cause eye irritation. May cause skin irritation. May be harmful if ingested. Avoid skin and eye contact. Wear suitable gloves and face shield when handling this product. Avoid contact with or inhalation of the spray mist. Do not apply this product in such a manner as to directly expose workers or other persons. If product is being mixed with pesticides and/or spray adjuvants, follow all precautionary statements on the accompanying product's labeling.

What To Do In Case Of Contact:

If Swallowed: If conscious, give milk or water to drink. Immediately call a doctor.

Eye Contact: Flush eyes with clean water for 15 minutes, holding eyelids open. Obtain medical attention immediately.

Skin Contact: Remove contaminated clothing and wash skin thoroughly with soap and water. Obtain medical attention immediately.

If Inhaled: Move to fresh air and call a doctor if irritation develops or persists.

If there is contact made with the spray solution containing pesticides and/or spray adjuvants, follow the "First Aid Statement" on the product's labeling.

STORAGE AND DISPOSAL

Store in a cool, dry area, out of reach of children and livestock. Protect from freezing. Keep container closed. Store at temperatures above 32°F. Do not contaminate water sources by cleaning of equipment or disposal of spray waste. Dispose of empty containers by triple rinsing, puncture and discard of empty containers in accordance with applicable local, state and federal regulations.

GENERAL INFORMATION

Phyte-Off PLUS is a formulated fertilizer treatment for summer stress in turfgrass and contains potassium phosphite. This product is intended to be used as a supplement to a well-balanced fertilizer program and may not, by itself, provide all the nutrients normally required for turf. It is not intended to be a substitute for sound soil fertilization and conventional cultural practices. Thorough coverage of foliage is necessary for best results when used as a foliar treatment. Avoid foliar application under extremes of climate or stress. For additional information on product or programs, or if you are unfamiliar with any of the application methods, contact your local authorized distributor.

FOR FLORIDA:

We recommend that you follow the Green Industries BMPs at:
http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/BMP_Book_final.pdf

FOR FLORIDA:

We recommend that you follow the Golf Course BMPs at:
<http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/glfbmp07.pdf>

FOR VIRGINIA:

Do not apply near water, storm drains, or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street, back onto your lawn/garden.
9500597-000