



## **GUARANTEED ANALYSIS**

.0%
.0%
.5%

Derived From: Anhydrous Ammonia, Zinc Sulfate, Zinc Humate, Zinc Glucoheptanate FOR AGRICULTURAL AND PROFESSIONAL USE ONLY

# **KEEP OUT OF REACH OF CHILDREN**



Avoid breathing mists. Harmful if swallowed. Avoid contact with skin, eyes or clothing.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. If swallowed: Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT, CALL 1-866-944-8565.

CROP	APPLICATION RATE PER ACRE	APPLICATION DIRECTIONS AND TIMING	Directions for use cont'
(01) Root and Tuber Vegetables including Carrot, Ginseng, Horseradish, Parsley (turnip-rooted), Potato, Radish, Sugar Beet, Sweet Potato, Turnip	Soil: 1.0 to 8.0 quarts Foliar: 1.0 to 4.0 quarts		(20) Oil Seed Crops inclu
(03) Bulb Vegetables including Garlic, Leek, Onion	Soil: 1.0 to 8.0 quarts Foliar: 1.0 to 4.0 quarts		(22) Stalk, Stem and lea bamboo shoots and cele
(04) Leafy Vegetables including Celery, Head and Leaf Lettuce and Spinach	Soil: 1.0 to 8.0 quarts Foliar: 1.0 to 4.0 quarts	Caution: Foliar applications close to harvest may leave a brown residue on the harvestable portion of the crop. Rainfall, sprinkler irrigation or high humidity should alleviate this condition.	(99) Cotton, Peanut, Sug
(05) Brassica Vegetables including Broccoli, Cabbage, Cauliflower, Kale, and Mustard greens	Soil: 1.0 to 8.0 quarts Foliar: 1.0 to 4.0 quarts	Caution: Foliar applications close to harvest may leave a brown residue on the harvestable portion of the crop. Rainfall, sprinkler irrigation or high humidity should alleviate this condition.	Ornamental and Landsc
(06) Legume Vegetables (Succulent or Dried) including Bean (all types), Peas and Soybeans**	Soil: 1.0 to 8.0 quarts Foliar: 1.0 to 4.0 quarts		Turf
(08) Fruiting Vegetables including Eggplant, Pepper and Tomato	Soil: 1.0 to 8.0 quarts Foliar: 1.0 to 4.0 quarts	Caution: Foliar applications close to harvest may leave a brown residue on the harvestable portion of the crop. Rainfall, sprinkler irrigation or high humidity should alleviate this condition.	*The underlined applic
(09) Cucurbit Vegetables including Cantaloupe, Cucumber, Honeydew, Muskmelon, Squash (summer and winter) and Watermelon	Soil: 1.0 to 8.0 quarts Foliar: 1.0 to 4.0 quarts	Caution: Foliar applications close to harvest may leave a brown residue on the harvestable portion of the crop. Rainfall, sprinkler irrigation or high humidity should alleviate this condition.	Soil Applications: ReaX Zinc may be app distribution.
(10) Citrus Fruit including Grapefruit, Lemon, Lime, Sweet Orange and Tangerine	Soil: 1.0 to 8.0 quarts Foliar: 1.0 to 4.0 quarts	Soil: Inject 3 to 5 inches deep at the drip line, or surface band and water into the soil. Foliar: Repeat applications may be beneficial. Dilute with water to ensure uniform distribution.	Fertigation: Can be applied through All Crops: 1 to 8 quarts
(11) Pome Fruits including Apple and Pear	Soil: 1.0 to 8.0 quarts Foliar: 1.0 to 4.0 quarts	Soil: Inject 3 to 5 inches deep at the drip line, or surface band and water into the soil. Foliar: Repeat applications may be beneficial. Dilute with water to ensure uniform distribution.	Continue irrigation for a Inject after the irrigation Transplant Water – All
(12) Stone Fruits including Apricot, Cherry, Peach and Plumcot	Soil: 1.0 to 8.0 quarts Foliar: 1.0 to 4.0 quarts	Soil: Inject 3 to 5 inches deep at the drip line, or surface band and water into the soil. Foliar: Repeat applications may be beneficial. Dilute with water to ensure uniform distribution.	1 to 4 quarts per acre n Apply in a minimum of 5 Mixing with water for fie
(13) Berry and Small Fruit including Blackberry, Blueberry, Caneberry, Kiwi, Raspberry and Grape	Soil: 1.0 to 8.0 quarts Foliar: 1.0 to 4.0 quarts	Soil: Inject 3 to 5 inches deep at the drip line, or surface band and water into the soil. Foliar: Repeat applications may be beneficial. Dilute with water to ensure uniform distribution.	Aerial Application: In aerial application use Caution: Always check compatibi
(14) Tree Nuts including Almonds, Cashews and Pecans	Soil: 1.0 to 8.0 quarts Foliar: 1.0 to 4.0 quarts	Soil: Inject 3 to 5 inches deep at the drip line, or surface band and water into the soil. Foliar: Repeat applications may be beneficial. Dilute with water to ensure uniform distribution.	Do NOT combine with C Fertilizer solutions with Combining with liquid fe
(15) Grain, Cereal	Soil: 1.0 to 8.0 quarts Foliar: 1.0 to 4.0 quarts		Caution: Foliar applications close this condition.
(16) Forage, Fodder and Straw of Cereal Grains	Soil: 1.0 to 8.0 quarts Foliar: 1.0 to 4.0 quarts		STORAGE: Store in original
(17) Grass Forage, Fodder and Hay	Soil: 1.0 to 8.0 quarts Foliar: 1.0 to 4.0 quarts		area away from childre DISPOSAL: Do not reu
(18) Nongrass Animal Feeds including Alfalfa, Clover, Hay and Vetch	Soil: 1.0 to 8.0 quarts Foliar: 1.0 to 4.0 quarts		Fo
(19) Herbs and Spices including Basil, Dill, Mustard and Sage	Soil: 1.0 to 8.0 quarts Foliar: 1.0 to 4.0 quarts	Caution: Foliar applications close to harvest may leave a brown residue on the harvestable portion of the crop. Rainfall, sprinkler irrigation or high humidity should alleviate this condition. Foliar: Dilute with water to ensure uniform distribution.	BEFORE BUYING OR L or using this product, th PRODUCTS, INC. or the reasonably fit for the pu

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY BEFORE BUYING OR USING THIS PRODUCT, read the binections for Use and the following Conditions of Sale and Limitation of Warranty and Liability. By buying or using this product, the buyer or user accepts the following Conditions of Sale and Limitation of Warranty and Liability, which no employee or agent of LOVELAND PRODUCTS, INC, or the seller is authorized to vary. LOVELAND PRODUCTS, INC, warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, when the product is used in accordance with such Directions for Use under normal conditions of use. LOVELAND PRODUCTS, INC, MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THE BUYER'S OR USER'S EXCLUSIVE REMEDY FOR ANY INJURY, LOSS, OR DAMAGE RESULTING FROM THE HANDLING OR USE OF THIS PRODUCT SHALL BE LIMITED TO ONE OF THE FOLLOWING, AT THE ELECTION OF LOVELAND PRODUCTS, INC, OR THE SELLER: DIRECT DAMAGES NOT EXCEEDING THE PURCHASE PRICE OF THE PRODUCT FOR ANY CONSEQUENTIAL, SPECIAL, OR INDIRECT DAMAGES, OR DAMAGES IN THE VARUE TO THE BUYER OR USER'S EXCLUSIVE REPRODUCT FOR ANY CONSEQUENTIAL, SPECIAL, OR INDIRECT DAMAGES, OR DAMAGES IN THE NATURE OF A PENALTY.

chemicals or under all use condition

F1548



Density: 11.8 lbs/gallon @ 68 °F Net Contents: 265 gallons (1,003.13 liters) Net Weight: 3,127 lbs (1,418.38 kg) Product Code: 1000947985



Density: 11.8 lbs/gallon @ 68 °F Net Contents: gallons ( liters) Net Weight: lbs ( kg) Product Code: 1000948180

GUARANTEED BY: LOVELAND PRODUCTS, INC.® P.O. BOX 1286, GREELEY, COLORADO 80632-1286

nt'd.		
CROP	APPLICATION RATE PER ACRE	APPLICATION DIRECTIONS AND TIMING
cluding Canola**, Flax and Sunflower	Soil: 1.0 to 8.0 quarts Foliar: 1.0 to 4.0 quarts	
eaf petiole vegetables, Asparagus, elery	Soil: 1.0 to 8.0 quarts Foliar: 1.0 to 4.0 quarts	Caution: Foliar applications close to harvest may leave a brown residue on the harvestable portion of the crop. Rainfall, sprinkler irrigation or high humidity should alleviate this condition.
ugarcane, Tobacco **	Soil: 1.0 to 8.0 quarts Foliar: 1.0 to 4.0 quarts	
scape	Soil: 1.0 to 8.0 quarts Foliar: 1.0 to 4.0 quarts	
	Soil: 0.75 to 6 oz per 1000 square feet Foliar: 0.75 to 3 oz per 1000 square feet	
Reading a surple second dama data a lucul		

#### erlined applications are considered the single most important application.

ic may be applied pre-plant, as a starter, side dress, fertigated, top dressed, or banded to the soil. To apply alone, dilute with water to ensure uniform

Explied through Center Pivot, Drip and Micro Sprinkler Irrigation systems. 5: 1 to 8 quarts per acre. 5: irrigation for a minimum of 2 hours after application to flush the lines and to maximize nutrient distribution with drip and micro sprinkler use. er the irrigation water filter.

## nt Water – All Crops:

arts per acre not to exceed a 3% solution of ReaX Zinc to water.

minimum of 50 gallons sol ith water for field storage is generally not recommended. Products blended with water should be used immediately and not stored for prolonged periods.

application use adequate water to obtain thorough coverage

. combine with Calcium Fertilizers such as CAN-17. r solutions with a pH of 5 or less may not be compatible. ing with liquid fertilizer solutions is more effective if done at a blending plant with vigorous agitation in blending process.

plications close to harvest may leave a brown residue on the harvestable portion of the crop. Rainfall, sprinkler irrigation or high humidity should alleviate

### STORAGE AND DISPOSAL

SE: Store in original containers only. Keep containers tightly closed when not in use. Store in a cool, dry well-ventilated area, preferably in a locked storage ay from children, feed and food products, and seed. Store at ambient temperatures. Do not contaminate water, food, or feed by storage or disposal. AL: Do not reuse container. Completely empty container into application equipment. Thoroughly rinse container, adding rinse water to the spray tank.

For help with any spill, leak, fire or exposure involving this material, call day or night CHEMTREC 1-800-424-9300.

#### CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

Information regarding the contents and levels of metals in this product is available on the internet at http://www.regulatory-info-lpi.com/

Tests have not been carried out under all possible use conditions and Seller cannot and does not represent or warrant that the goods are compatible with all other

ReaX Zinc is a registered trademark of Loveland Products, Inc.