RESTRICTED USE PESTICIDE

DUE TO TOXICITY TO AQUATIC INVERTEBRATES

For retail sale to and use only by Certified Applicators or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.



We create chemistry

Regent® 4 SC

Insecticide

For In-Furrow Use on Potatoes Shake Well Before Use

Active Ingredient:

Fipronii: 5-amino-1-(2,6-dicnioro-4-(trifluorometnyi)pnenyi)-4-			
((1,R,S)-(trifluoromethyl)sulfinyl)-1- <i>H</i> -pyrazole-3-carbonitrile	39.4%		
Other Ingredients:	60.6%		
Total:	100.0%		
One gallon Regent 4 SC insecticide contains 4 lbs fipronil.			

EPA Reg. No. 7969-207

EPA Est. No.

WARNING/AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

In case of an emergency endangering life or property involving this product, call day or night, 1-800-832-HELP (4357).

Net Contents:

BASF Agricultural Solutions US LLC 2 TW Alexander Drive Research Triangle Park, NC 27713 It is a violation of federal law to use this product in a manner inconsistent with its labeling.

- NOT for sale or use in New York.
- For in-furrow use on potatoes ONLY.
- DO NOT apply to sweet potatoes.
- DO NOT use this product for termite or other general pest control.
- DO NOT use on golf course turf.
- DO NOT use on/in commercial bee hives.
- **DO NOT** use on animal trophies or animal skins.

See inside booklet for additional Restrictions, First Aid, Precautionary Statements, Directions For Use, Conditions of Sale and Warranty, and state-specific use sites and/or restrictions.

FIRST AID				
If swallowed	 Immediately call a poison control center or doctor for treatment advice. DO NOT induce vomiting unless told to do so by a poison control center or doctor. Have person sip a glass of water if able to swallow. DO NOT give anything by mouth to an unconscious person. 			
If on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. 			
If inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, prefer ably mouth to mouth if possible. Call a poison control center or doctor for further treatment advice. 			
 Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice. 				

For MEDICAL Emergencies Call 24 hours a day 1-800-832-HELP (4357). Have the product container or label with you when calling a poison control center or doctor or going for treatment.

NOTE TO PHYSICIAN: There is no specific antidote. All treatment should be based on observed signs and symptoms of distress in the patient. Overexposure to materials other than this product may have occurred.

GENERAL: Contact a physician immediately in all cases of suspected poisoning. Transport patient to a physician or hospital immediately and SHOW A COPY OF THIS LABEL TO THE PHYSICIAN. If poisoning is suspected in animals, contact a veterinarian.

SYMPTOMS OF POISONING: In severe cases of overexposure by oral ingestion, lethargy, muscle tremors, and in extreme cases, possibly convulsions, may occur.

Precautionary Statements

Hazards to Humans and Domestic Animals

WARNING. MAY BE FATAL IF SWALLOWED, ABSORBED THROUGH SKIN, OR INHALED. CAUSES EYE IRRITATION. DO NOT get on skin or breathe spray mist. DO NOT get in eyes or on clothing. Wash thoroughly with soap and water after handling and before eating, drinking, and using tobacco. Remove contaminated clothing and wash before reuse.

Personal Protective Equipment (PPE)

Applicators, mixer/loaders and other handlers must wear:

- Coveralls over short-sleeved shirts and short pants
- Chemical-resistant (such as nitrile or butyl) gloves
- Chemical-resistant footwear plus socks
- Chemical-resistant headgear for overhead exposure
- Protective eyewear
- Respirator with an organic vapor-removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G), or NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any N, R, P or HE prefilter
- Chemical-resistant apron when cleaning equipment or mixing and loading

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. **DO NOT** reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Environmental Hazards

This pesticide is toxic to birds, fish, and aquatic invertebrates. **DO NOT** apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. **DO NOT** contaminate water when disposing of equipment washwaters or rinsate.

Directions For Use

RESTRICTED USE PESTICIDE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Read entire label before using this product.

Regent® 4 SC insecticide cannot be used to formulate, reformulate or repackage into any other pesticide product without the written permission of BASF Agricultural Solutions US LLC (hereafter "BASF").

DO NOT apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard (WPS), 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

DO NOT enter or allow worker entry into treated areas during the restricted-entry interval (REI) of **0 hours**.

STORAGE AND DISPOSAL

DO NOT contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

Pesticide Storage

DO NOT store in or around the home. Store unused product in original container only, in a cool, dry area out of reach of children and animals. Store at temperatures above 32° F. If exposed to freezing temperatures, store at temperatures above freezing for 24 hours or until completely thawed. Shake well before using.

Pesticide Disposal

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

(continued)

STORAGE AND DISPOSAL (continued)

Container Handling

Nonrefillable Container. DO NOT reuse or refill this container. Triple rinse or pressure rinse container (or equivalent) promptly after emptying; then offer for recycling, if available, or reconditioning, if appropriate, or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures approved by state and local authorities.

Triple rinse containers small enough to shake (capacity ≤ 5 gallons) as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank, or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Triple rinse containers too large to shake (capacity > 5 gallons) as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank, or store rinsate for later use or disposal. Repeat this procedure two more times.

Pressure rinse as follows: Empty the remaining contents into application equipment or mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank, or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

In Case of Spill

If container is damaged, before cleaning up, put on personal protective equipment.

In case of large-scale spillage regarding this product, call:

CHEMTREC 1-800-424-9300

BASF 1-800-832-HELP (4357)

Precautions and Instructions

Spray Preparation

Remove oil, rust, scale, pesticide residues and foreign matter from sprayer and strainer. Flush with clean water. Use 50 mesh screens or equivalent in spray system. Applicator tanks must be equipped with a sparge tube agitator, unless the alternative agitator designs can adequately cleanse the bottom of the tank and provide sufficient agitation required for product mixing. Pump approximately 10% of the tank capacity per minute back into the tank through the agitator.

To prepare for spraying, fill tank to approximately 1/2 the needed volume of water or liquid fertilizer and start agitation. Open product container(s) and pour contents into tank. Agitate to ensure thorough mixing for a minimum of 2 minutes or until product is thoroughly dispersed. Agitate product mixtures continuously during use. Avoid allowing tank contents to remain without agitation for periods greater than 1 hour. When tank contents have remained without agitation for 1 hour or longer, agitate contents for at least 10 minutes before starting application. Avoid allowing large quantities of product mixtures (greater than 5 gallons) to be stored in a non-agitated tank for extended periods of time, such as 12 hours or greater.

Regent® 4 SC insecticide can be tank mixed in accordance with the most restrictive of label limitations and precautions. DO NOT exceed any label dosage rates. This product cannot be mixed with any product whose label contains a prohibition against such mixing.

If tank mixes with other products are to be used, evaluate tank mix compatibility with **Regent 4 SC** in a small container before mixing larger quantities in the application tank.

Compatibility

The full range of compatibilities with **Regent 4 SC** under local conditions is not known. Therefore, it is essential that before using **Regent 4 SC**, the compatibility of the mixture be established. For example: Fill a quart jar 1/2 full of water or liquid fertilizer, then add 2 teaspoons of **Regent 4 SC** and disperse. Add any other pesticides, fertilizers, or tank mixtures and shake thoroughly. **DO NOT** USE MIXTURES THAT CURDLE, PRECIPITATE, OR GREASE. FOR BEST RESULTS, USE SPRAY MIXTURES IMMEDIATELY AFTER MIXING. USE ADEQUATE AGITATION.

Use Restrictions

- **DO NOT** apply this product through any kind of irrigation system.
- **DO NOT** harvest within 90 days of application.
- DO NOT plant any rotational crops other than those listed in the Rotational Crop Restrictions section within 12 months following application.
- Observe the following precautions when applying in the vicinity of aquatic areas: **DO NOT** apply within 20 yards of lakes, reservoirs, rivers, permanent streams, marshes, natural ponds, estuaries, commercial aquaculture facilities or other bodies of water that convey water to these areas. Protection of aquatic areas may be enhanced by maintaining all or a portion of this buffer in vegetative cover.
- DO NOT use this product if the potato is planted by hand.

Use Directions for Potato

Pests Controlled and Application Method

Crop	Pests Controlled	Application Method
Potato	Wireworms	Make one in-furrow application at time of planting only. Banding must be done infurrow as a 5-inch to 7-inch wide band. Regent 4 SC must be thoroughly incorporated and covered with soil immediately after application. DO NOT use T-banding over the top of a closed furrow.

Application Requirements

Make one in-furrow application at planting time only. **DO NOT** apply this product through any kind of irrigation system.

Dilute **Regent 4 SC** in a minimum of 5.0 gallons of water or liquid fertilizer per acre. If flat-fan nozzles are used for infurrow application, align the nozzles with the row to direct the spray into the open furrow.

Regent 4 SC can be directly injected into the suction or pressure line(s) of a liquid spray system provided that the product is uniformly dispersed into the water or liquid fertilizer. Predilution of **Regent 4 SC** in a minimum of 0.5 gallon of water or liquid fertilizer per acre prior to injection is necessary to improve metering accuracy. The mix tank of **Regent 4 SC** plus water or liquid fertilizer must be agitated continuously. After completing direct injection in the mixing process, apply in-furrow a minimum final volume of 5.0 gallons per crop acre of water, liquid fertilizer, or a combination of the two.

Rate

Regent® 4 SC insecticide Maximum Allowable Rate = 3.2 fl ozs of Regent 4 SC per acre

Use the following chart to select the correct rate of **Regent 4 SC** per 1,000 row feet and rate of product per acre for potato.

*Row Spacing (inches)	**Rate/ Acre (fl ozs)	Row Feet/ Acre	Rate/ 1,000 row feet (fl ozs)
30	3.2	17,424	0.184
34	3.2	15,374	0.208
36	3.2	14,520	0.220
38	3.0	13,756	0.220
40	2.9	13,068	0.220

^{*} **DO NOT** apply in row spacing less than 30 inches. On any row spacing greater than 36 inches, apply no more than 0.220 fl oz **Regent 4 SC** per 1,000 row feet.

Rotational Crop Restrictions

Rotational Interval following Regent 4 SC Application

Plant-back Interval (months)	Crop
Anytime	Field Corn, Potato
2	Triticale, Wheat
12	All other crops

^{**}Adjust rate per 1,000 row feet. **DO NOT** apply more than 3.2 fl ozs (0.10 lb ai) of **Regent 4 SC** per acre.

Conditions of Sale and Warranty

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF Agricultural Solutions US LLC ("BASF") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND BASF'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

Regent is a registered trademark of BASF.

© 2024 BASF Agricultural Solutions US LLC All rights reserved.

007969-00207.20241015.**NVA 2024-04-0218-0308** Supersedes: NVA 2024-04-0218-0002

> BASF Agricultural Solutions US LLC 2 TW Alexander Drive Research Triangle Park, NC 27713

