FOR RESIDENTIAL USE **REPAR BROAD SPECTRUM WEED & FEED**

Controls dandelions, clover, dollarweed, chickweed and 200 common lawn weeds (as listed).

For a thick green weed free lawn.

ACTIVE INGREDIENTS

Chlorflurenol-Methyl Dicamba	
	. <u>99.70%</u>

Fertilizer and Carrier information will be supplied by registrants/sub-registrants to States and other regulato ry authorities who have jurisdiction over these ingredients.

KEEP OUT OF REACH OF CHILDREN CAUTION **PRECAUTIONARY STATEMENTS** HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wear goggles, face shield or safety glasses and waterproof gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using toilet.

FIRST AID

If In Eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.	
If on Skin or Clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice.	
If Swallowed	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor.	
Have the product container or label with you when calling a poison control center or doctor, or going		
for treatment.		
HOT LINE NUMBER		

For 24-Hour Medical Emergency Assistance (Human or Animal) or Chemical Emergency Assistance (Spill, Leak, Fire or Accident) call CHEMTREC at 1-800-424-9300.

> Manufactured for: **Repar Corporation**

P.O. Box 4321 • Silver Spring, MD 20914

EPA Reg. No. 69361-3

EPA Est. No. 51274-TX-1

ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area besure to calibrate your spreader with each application. until dusts have settled.

For Use on Established Turfs, including sensitive species such as Centipede and St. Augustine, except Desirable Clovers, Bent, Dichondra and Carpet Grass. Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purpose.

WEED CONTROL

Repar Broad Spectrum Weed and Feed controls a wide range of perennial and annual weeds including Dandelion, Buckhorn Plaintain, Common Chickweed, White and Red Clover, Hop Clover, Marestail, Heal All, Henbit, Groound Ivy, Knotweed, Black Medic, Purslane, Yellow Rocket, Thistles, & other listed Broadleaf Weeds.

WEED LIST

Annuals	
Amaranth.	Spir

Amaranin, Spiny
(Spiny Pigweed)
Aster, Slender
Bedstraw
Beggarweed, Florida
Broomweed, Common
Buckwheat, Wild

Henbit

Knotweed

Kochia

Kochia

Pennycress, Field Goosefoot, Nettleleaf (Fanweed, Jimsonweed Frenchweed, Stinkweed) Pepperweed, Virginia (Peppergrass) (triazine resistant) Pigweed, Prostrate

Senna, Coffee Sesbania, Hemp Shephardspurse Sicklepod Sida, Prickly (Teaweed) Smartweed, Green Smartweed,

Pennsylvania

Perennials Alfalfa* Artichoke, Jerusalem Aster, Spiny Aster, Whiteheath Bedstraw, Smooth Bindweed, Field **Bindweed. Hedge** Bindweed, Texas Bursage* (Bur Ragweed, Lakeweed, Povertyweed) Bursage, Woolyleaf (Lakeweed) Buttercup, Tall

Campion, Bladder

Chickweed, Field

(Canada)

Chicory

Chickweed, Mouseear

Clover, Hop' Dandelion, Common* Dock, Broadleaf* (Bitterdock) Dock, Curly* Dogbane, Hemp Dogfennel* (Cypressweed) Fern, Bracken Garlic, Wild Goldenrod, Canada Goldenrod, Missouri Goldenweed, Common Hawkweed Henbane, Black Horsenettle, Carolina Ironweed Ivy, Ground Knapweed, Black Knapweed, Russian Milkweed, Climbing

Milkweed, Common Milkweed, Honeyvine Milkweed, Western Whorled Nettle, Stinging Nightshade, Silverleaf (White Horsenettle) Onion, Wild Pennywort (Dollarweed) Plantain, Broadleaf' Plantain, Buckhorn Pokeweed Ragweed, Western Sericia Lespedeza Redvine Smartweed, Swamp Snakeweed, Broom Sorrel, Red* (Sheep Sorrel) Sowthistle

Sowthistle, Perennial Spurge, Leafy Sundrop, Halfshrub (Eveningprimrose) Thistle, Canada **Toadflax Dalmation Tropical Soda Apple** Trumpetcreeper (Buckvine) Vetch Violet, Wild Waterhemlock Waterprimrose Creeping Woodsorrel, Creeping* (Common Yellow) Wormwood, Common Wormwood, Lousiana Yankeeweed³ Yarrow, Common

Noted perennials may be controlled using Repar Broad Spectrum Weed and Feed at rates lower than those directed for other listed perennial weeds.

Woody			
Ailanthus	Ivy, Poison	Kudzu	Sagebrush, Fringe
Sassafras	Gallberry	Serviceberry	Wild Grape
Oak, Poison	Sumac	Brazilian Pepper	Tarbush
Honeysuckle	Hornbeam	Witchhazel	Huckleberry
Huisache			

For Use on Established Turfs, including sensitive species such as Centipede and St. Augustine, except Desirable Clovers, Bent, Dichondra and Carpet Grass.

EFFECTIVE APPLICATION OF REPAR BROAD SPECTRUM WEED AND FEED FOR MOST WEED LEAVES SHOULD BE DAMP FROM RAIN, DEW OR SPRINKLING TO ALLOW THE PRODUCT TO STICK TO THE LEAF. A LACK OF MOISTURE ON THE WEED LEAVES WILL REDUCE WEED CON-TROL

WHAT TO LOOK FOR:

Repar Broad Spectrum Weed and Feed, properly applied, first reduces or eliminates the formation of most flower heads and the seeds they produce and then attacks and removes the mature weed itself. Look for an absence or stunting of seed heads in flowering weeds such as clover or dandelions. Some weeds may also show twisting stems and dwarfed appearance with curling of the leaves.

Repar Broad Spectrum Weed and Feed is designed with an excellent turf nutrient diet to allow grass plants to gradually fill in the areas around dying weeds. This allows for a more natural recovery of the turf and minimizes reinfestations of bare areas by wind-borne weed seeds. Applied as directed, the rich green color will not be affected.

UNDER NORMAL GROWING CONDITIONS, WEED KILL SHOULD BE COMPLETE WITHIN 21 TO 35 DAYS

SPREADER SETTINGS					
Spreader	Rate: 3.5#/M	Pattern Setting	Width		
Earthway Broadcast	11	-	8		
Lely	4 1/2	III – B	42		
Lesco Broadcast	4 1/2	0.0	11		
Prizelawn Broadcast	4 1/4	A	7		
Scotts Broadcast	1	5	10		
Spyker	3	-	9		
Vicon	29	-	4		
Cyclone Broadcast	3 1/4	-	5		

WHEN TO APPLY:

Apply any time weeds are actively growing and temperature is above 60°F. Do not apply when turf is under stress from heat, excessive moisture or drought. Control is quicker and more complete if applied in Spring prior to weed flower formation. Control is slower if applied when weather is cool. On newly seeded areas, wait until grass has been cut two or three times before using. Delay planting new grass for at least three weeks as the active ingredients may temporarily inhibit seed germination. HOW TO APPLY:

EFFECTIVE APPLICATION OF REPAR BROAD SPECTRUM WEED AND FEED REQUIRES THE WEED LEAVES TO BE DAMP FROM RAIN, DEW OR SPRINKLING PRIOR TO APPLICATION. A LACK OF MOISTURE ON THE WEED LEAVES WILL REDUCE WEED CONTROL. Apply evenly over the entire lawn at the rate of 3.5 lbs./1,000 sq. ft. Rain or heavy sprinkling with 24 hours of application will temporarily delay weed control. Mowing within 24 hours may reduce effectiveness. Wait at least 45 days before making a second application. Do not make more than two applications per year.

Use the suggested spreader settings as a guide being sure to check your spreader at the beginning of the application. Adjust your spreader if necessary. Be sure to shut off spreader while turning or stopping to prevent accidental over application and burning of grass. SPECIAL NOTE: Repar Broad Spectrum Weed And Feed is designed to be absorbed by plant leaves. Accidental application of this product to the foliage of ornamentals such as roses may result in the loss of flowers. For this reason, extra care should be taken when using a broadcast or rotary type spreader.

STORAGE AND DISPOSAL

Buffalobur Burclover, California Burcucumber Buttercup, Roughseed Carpetweed Catchfly, Nightflowering Chamomile, Corn Chickweed, Common Clovers, Annual Cockle, Corn Cockle, Cow Cocklebur, Common Croton, Tropic Croton, Woolly Daisy, English Eveningprimrose, Cutleaf Fleabane, Annual

Biennials

Burdock, Common Carrot, Wild (Queen Anne's Lace) Cockle, White Eveningprimrose, Common

Ladvsthumb Pigweed, Redroot (Carelessweed) Lambsquarters, Pigweed, Rough Common (Carelessweed) Lambsquarters, (triazine resistant) Pigweed, Rough Lettuce, Prickly Mallow, Common Pigweed, Tumble Mallow, Venice Poorjoe Marestail Puncturevine (Horseweed) Mayweed Pusley, Florida Medic, Black Radish, Wild Morningglory, Ivyleaf Morninggtory, Tall Ragweed, Giant Mustard, Tansy (Buffaloweed Mustard, Wild Mustard (Yellowtops) Nightshade, Black (Bitterweed)

Geranium

Gromwell

Mallow. Dwarf

Plaintain, Bracted Ragwort, Tansy Knapweed, Diffuse Starthistle, Yellow Knapweed, Spotted Sweetclover Teasel

Sneezeweed, Bitter Sowthistle, Annual Sowthistle, Spiny Spanishneedles (triazine resistant) Spikeweed, Common Spurge Spurr, Corn Starbur, Bristly Stumpweed, Rough Purslane, Common Sunflower, Common (Wild) Ragweed, Common Sunflower, Volunteer Thistle, Russian Velvetleaf Ragweed, Lance-Leaf Waterhemp Rubberweed, Bitter Waterprimrose, Winged Wormwood, Annual

> Thistle, Bull Thistle, Milk Thistle, Musk Thistle, Plumeless

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container in a locked storage area. Keep container closed and away from food, feedstuffs and domestic water supplies.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, User or Buyer accepts the following Warranty Disclaimer and Limitation of Liability.

WARRANTY DISCLAIMER and LIMITATION of LIABILITY

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. To the extent consistent with applicable law manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. To the extent consistent with applicable law, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. To the extent consistent with applicable law, Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS: YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE JURISDICTION TO STATE JURISDICTION.

Manufactured by: Nelson Plant Food P.O. Box 638 Bellville, TX 77418

RCN 020611 • CPC 93802