

R.O.C.

CROP OIL CONCENTRATE

PRINCIPAL FUNCTIONING AGENTS:	%BY WT.
Paraffin Base Petroleum Oil.....	83%
Surfactant Blend.....	17%
Total.....	100%

Surfactant Content . . . 17.0%
 Minimum Unsulfonated Residue . . . 92.0%

KEEP OUT OF REACH OF CHILDREN

WARNING

Causes eye irritation.

PRECAUTIONARY STATEMENTS

Do not ingest. Avoid breathing spray or mist. Avoid contact with eyes, skin or clothing. Wash hands and affected areas thoroughly with soap and water after handling.

FIRST AID	
If in eyes:	<ul style="list-style-type: none"> •Rinse with water for several minutes. •Remove contact lenses, if present, then continue rinsing •Call a doctor or get medical attention if irritation occurs and persists.
If swallowed:	<ul style="list-style-type: none"> •Rinse mouth. •Call a doctor or poison control center if symptoms occur or you feel unwell.
If inhaled:	<ul style="list-style-type: none"> •Move person to fresh air and keep comfortable for breathing. •Call a doctor or poison control center if symptoms occur or you feel unwell.
If on skin:	<ul style="list-style-type: none"> •Wash off with soap and water. •Call a doctor or get medical attention if irritation occurs and persists.
<p>Have the product container with you when calling a poison control center or doctor or going for treatment. You may also contact EMERGENCY TELEPHONE NUMBERS: (800) 424-9300 CHEMTREC (transportation and spills) (800) 222-1222 POISON CONTROL CENTER (human health) (888) 426-4435 ASPCA (animal health)</p>	
<p>NOTE TO PHYSICIANS: This product contains petroleum distillates, vomiting may cause aspiration pneumonia.</p>	

DIRECTIONS FOR USE

R.O.C. is a blend of phytobland crop oil and surfactant. This combination utilizes the penetrating, non-evaporating properties of herbicidal oil and the wetting and dispersing characteristics of a surfactant blend.

R.O.C. increases the activity of most herbicides; therefore, care must be taken in treating sensitive crops during periods when plants are subjected to drought stress, high temperatures, and high humidity. Read entire label of herbicide being used to ensure best results. Most labels will contain some of the following important information:

1. Dosage rate of crop oil
2. Volume of spray mixture
3. Methods of application, ground, air, etc.
4. Time of application

Please note: When using a new chemical or a questionable water source (High pH or hard water) always prepare a small amount and check for compatibility.

Prior to use read all directions on this label and on the label of the product used. The product label for specific usages and restrictions have precedence over directions for uses referred to on this label. Keep this container closed tight when not in use. Take care to prevent any water from being introduced to the contents of this container; even small amounts can cause performance or compatibility problems.

NOT FOR AQUATIC USE.

CROP AND HERBICIDE	RATE OF R.O.C.	REMARKS
BEANS (Dry or Succulent):		
Basagran®	Ground: 2 pt./acre Aerial: 1 pt./acre	See the Basagran label for correct rates and timing.
CORN:		
Aatrex® (Atrazine)	Ground: 1 qt./acre minimum in 10 G.P.A. Aerial: ½ - 1 qt./acre minimum in 2 G.P.A.	Controls many annual broadleaf and grass weeds in corn and sorghum. See Aatrex label*
Accent®	Ground: 1 gal./100 gals. of water (1%v/v). Apply by ground in not less than 10 G.P.A.	Selective herbicide for the control of annual and perennial grass, weeds and some selected broadleaf weeds when applied post-emergence to field corn. See Accent label*
Basagran®	Ground: 2 pt./acre minimum in 20 G.P.A. Aerial: 1 pt./acre minimum in 5 G.P.A.	For control of certain broadleaves and sedges. See Basagran label*
Beacon®	Ground: 1-4 pt./acre. Apply by ground in not less than 10 G.P.A.	Selective herbicides applied post-emergence for control of shaftercane, quackgrass and certain other weeds in field corn for silage or grain. See Beacon label*
Laddok®	Ground: 2 pt./acre maximum in 20 G.P.A. Aerial: 1 pt./acre maximum in 5 G.P.A.	For post-emergence control of a broad spectrum of broadleaf weeds. Does not control grasses. See Laddok label*

DIRECTIONS FOR USE (cont.)

CROP AND HERBICIDE	RATE OF R.O.C.	REMARKS
COTTON:		
Pix®	Aerial: (ULV) aerial application 2 pts./acre	See Pix label*
Poast® Plus	Ground: 2 pt./acre Aerial: 2 pt./acre	Post-emergence grass herbicide. See Poast Plus label*
PEANUTS:		
Basagran®	Ground: 2 pt./acre Aerial: 1 pt./acre	Post-emergence only. See Basagran label*
Poast®	Ground: 2 pt./acre Aerial: 2 pt./acre	Post-emergence grass control. See Poast label*
Poast® Plus	Ground: 2 pt./acre Aerial: 2 pt./acre	Post-emergence grass herbicide. See Poast label*
PEPPERMINT AND SPEARMINT:		
Basagran®	Ground: 2 pt./acre Aerial: 1 pt./acre	See Basagran label*
POTATOES:		
Poast®	Ground: 2 pt./acre Aerial: 2 pt./acre	See Poast label*
SORGHUM:		
Aatrex® 4L or Nine-O (Atrazine)	Ground: 1 qt./acre minimum in 10 G.P.A. Aerial: ½ - 1 qt./acre minimum in 2 G.P.A.	Controls many annual broadleaf and grass weeds in sorghum and grain sorghum.
Basagran® (Grain Sorghum)	Ground: 1 qt./acre maximum in 20 G.P.A., Aerial: 1 pt./acre maximum in 5 G.P.A.	For post-emergence control of certain broadleaf weeds and sedges in grain sorghum. See Basagran label*
SOYBEANS:		
Assure®	Ground: 4 qt./100 gals. of water. Aerial: 2 qt./100 gals. of water.	For the control of annual and perennial grasses in soybeans. See Assure label*
Basagran®	Ground: 1 qt./acre maximum in 20 G.P.A., Aerial: 1 pt./acre maximum in 5 G.P.A.	For selective control of certain broadleaves and sedges. See Basagran label*
Classic®	Ground: 4 qt./100 gals. of water, minimum 10 G.P.A. Aerial: 4qt./100 gals. of water, minimum 3 G.P.A.	For control of many broadleaved weeds and nutsedge. See Classic label*
Fusilade® DX	Ground: 1-2 pt./25 gals. of water. Aerial: 1 pt./acre.	For control of annual and perennial grasses. See Fusilade DX label*
Galaxy®	Ground: 2 pt./acre (maximum) Aerial: 1 pt./acre (maximum)	For selective post-emergence control of annual and perennial grassy weeds in soybeans. See Galaxy label*
Option® 1EC	Ground: 1 qt./acre in 10 G.P.A. minimum. Aerial: 1 pt./acre in 5 G.P.A. minimum.	For selective post-emergence control of annual and perennial grassy weeds in soybeans. See Option 1 EC label*

DIRECTIONS FOR USE (cont.)

CROP AND HERBICIDE	RATE OF R.O.C.	REMARKS
SOYBEANS:		
Poast®	Ground: 2 pt./acre in 5-20 G.P.A. Aerial: 2 pts./acre in 5-10 G.P.A.	For control of annual and perennial grasses. See Poast label*
Storm®	Ground: 1 pt./acre maximum in 20 G.P.A. Aerial: 1 pt./acre maximum.	For selective post-emergence control of certain broadleaf weeds. See Storm label*
SUGAR BEETS:		
Poast®	Ground: 1 qt./acre Aerial: 1 qt./acre	For selective post-emergence control of annual and perennial grass weeds. Does not control sedges or broadleaf weeds. See Poast label*
Stinger®	Ground: 1 qt./acre	For controlling perennial sow thistle and Canada thistle. See Stinger label*
SUNFLOWERS:		
Poast®	Ground: 2 pt./acre. Aerial: 2 pt./acre.	See Poast label*
WHEAT:		
Hoelon® 3EC	Ground: 1-2 pt./acre minimum 10 G.P.A. Aerial: 1-2 pt./acre in minimum 5 G.P.A.	For control of wild oats and other annual grasses. See Hoelon 3EC label*
*Always read and follow the entire herbicide label for proper timing, rates, specific directions and any special use precautions or Regional use recommendations.		
OTHER:		
Insecticide Applications to Grassland and Rangeland for Grasshopper and Cricket Control.		

For low spray volume applications of insecticides, when the total spray volume is less than 5 gallons per acre, use 1 fl. oz. to 32 fl. oz. R.O.C. per acre.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal

PRODUCT STORAGE: Store in original container only and keep tightly sealed. Store in closed storage areas.

PRODUCT DISPOSAL: Dispose of contents in accordance with all government regulations. Improper disposal of excess pesticide, spray mixtures or rinsate is a violation of federal law. Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.

CONTAINER HANDLING: Dispose of container in accordance with all government regulations. Triple rinse (or equivalent) Then offer for recycling, if available, or reconditioning, if appropriate. Alternatively, puncture and dispose of container in a sanitary landfill or by other procedures approved by state and local authorities. Recycling cleaned containers is the best option of container disposal. The ACRC (Agricultural Container Recycling Council) operates the national recycling program. To contact your state or local ACRC recycler, visit the ACRC web page at www.acrecycle.org.

Conditions of Sale and Limitation of Warranty and Liability:

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using the product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

ALL STATEMENTS MADE HEREIN ARE SUBJECT TO APPLICABLE LAW, AND TO THE EXTENT THERE IS ANY INCONSISTENCY OR CONTENTION, APPLICABLE LAW SHALL GOVERN.

The Directions for Use of the product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of many different factors including, without limitation, manner of use or application, weather, combination with other products, or crop conditions. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Manufacturer and Seller harmless from any claims relating to such factors.

Seller warrants that this product conforms to the chemical description on the label. EXCEPT FOR THIS WARRANTY, THE PRODUCT IS FURNISHED "AS-IS", AND NEITHER SELLER NOR MANUFACTURER MAKES ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, WITH RESPECT TO THE SELECTION, PURCHASE OR USE OF THIS PRODUCT; SELLER AND MANUFACTURER SPECIFICALLY DISCLAIM ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE BEYON WHAT IS STATED ON THE LABEL. Buyer and User accept all risks arising from any use of this product, including without limitation, uses contrary to label instructions, or under conditions not reasonably foreseeable to (or beyond the control of) Seller or Manufacturer.

Neither Manufacturer nor Seller shall be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE BUYER OR USER, AND THE EXCLUSIVE LIABILITY OF MANUFACTURER AND SELLER, FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OF HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THIS PRODUCT, OR, AT THE ELECTION OF MANUFACTURER OR SELLER, THE REPLACEMENT OF THE PRODUCT.

These Conditions of Sale and Limitation of Warranty and Liability shall be interpreted, unless otherwise required by the law of state of purchase, in accordance with the laws of the State of California, excluding its conflicts of laws rules, and may not be amended by any oral or written agreement.

WILBUR-ELLIS® logo is a registered trademark of Wilbur-Ellis Company LLC.

OIL-PURE™ logo is a trademark of Wilbur-Ellis Company LLC.

All other trademarks are the property of their respective owners.

F-080520

**IN CASE OF EMERGENCY, CALL CHEMTREC:
(800) 424-9300**

WILBUR-ELLIS COMPANY LLC
P.O. BOX 16458
FRESNO, CA 93755
(559) 442-1220

NET CONTENTS: 2.5 GALLONS (9.46 Liters)