

GENERAL INFORMATION

Slammer is a unique blend of highly refined and modified spray oil and nonionic organosilicone. *Slammer's* unique chemistry allows for enhanced wetting and absorption of those pesticides or products where labels recommend the addition of a spray adjuvant to improve performance. The addition of *Slammer* to a spray tank solution will improve a spray application by physically modifying the wetting and spreading characteristics, the result being more uniform coverage. Observe initial application to insure thorough coverage with out excessive runoff of the spray.

DIRECTIONS FOR USE

Slammer is intended for use with pesticides that are labeled for agricultural and non-agricultural uses. Not for aquatic use.

The use of *Slammer* can increase pesticidal activity where the following factors occur, but is not limited to:

1. When used in areas of the country with low relative humidity and high temperatures.
2. When used with low water volume rates of less than 15 gpa.
3. When target species are larger than label recommendations at time of application.

STORAGE AND DISPOSAL

Prohibitions: Do not contaminate water, food or feed by storage, disposal or cleaning of equipment.

Storage: Store in original container open and keep sealed. Store in closed storage areas. Use caution when moving, opening, closing or pouring.

PRODUCT DISPOSAL: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse container (or equivalent) during mixing and loading. Recycle decontaminated containers in the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recyclers, visit the ACRC website page at www.acrcycle.org. Decontaminated containers may also be disposed in a sanitary landfill.

SLAMMER

Methylated Seed Oil / Silicone Surfactant



PRINCIPAL FUNCTIONING AGENTS:

Methylated vegetable oil, polyether modified polysiloxane.....100%

All ingredients are exempt from the requirement of a tolerance under 40 CFR, 180

KEEP OUT OF REACH OF CHILDREN

WARNING
Hazard Statements
Causes eye and skin irritation.



FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious or convulsing person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

PRECAUTIONARY STATEMENTS

WARNING: Causes eye irritation. May be harmful if swallowed. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or smoking tobacco. Remove and wash contaminated clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT

Applicators and other handlers must wear: Chemical-resistant gloves, long-sleeved shirt and long pants, and shoes plus socks.



745 North Ave.
Corcoran, CA 93212
(559) 992-4535

APPLICATION RATES

Aerial: 3-6 pints / 100 gal
Ground: 1-5 pints / 100 gal

Note: The application rates on this label are based on pesticide labels which recommend the use of a nonionic surfactant. Rates of this product may be increased or decreased for optimum results, follow pesticide labeling for proper recommendations. Before using *Slammer* where a nonionic surfactant may not be recommended the user or applicator advisor must have experience with the combination or must have conducted a phytotoxicity trial.

MIXING

Prior to pesticide application, clean mixing and application equipment according to pesticide label directions. To minimize foaming fill spray tank 2/3 or 3/4 full of water and begin agitation. If foaming is anticipated the addition of an anti foaming agent should be added before pesticides, nutrients, or *Slammer*. Add pesticides and/or fertilizers as directed by label or in the following sequence:

- A. Micro nutrients and fertilizers
- B. Dry flow-ables and dispersible granules
- C. Flow-ables
- D. Water-soluble pesticides
- E. Emulsifiable concentrates

Continue agitation and add *Slammer*, when completed, reduce agitation and allow to mix for 1 to 2 minutes. While under minimal agitation, continue filling tank and allow to mix for 10-15 minutes prior to application.

Note: For optimum results, spray mixes containing *Slammer* should be applied within 36 hours.

NOTICE: The statements made on this label are believed to be true and accurate but because of conditions of use which are beyond our control, Mar Vista Resources, LLC, does not make nor does it authorize any agent or representative to make any warranty, guarantee or representation, expressed or implied, concerning this material or the use thereof, except in conformity with the statements of the label. Neither Mar Vista Resources, LLC, nor the seller shall be held responsible in any manner for any personal injury or property damage or loss resulting to the buyer or to the other person from handling, storage or use of this material not in accordance with the directions. The buyer assumes all risk and liability resulting from improper handling, storage or use and accepts and uses this material on these conditions. This product meets E.P.A. Requirements under Title 40 CFR 180.1001 subparagraph C & D.

CA. REG. NO. 1051226-50009-AA
NET CONTENTS
2.5 Gal