



**SMARTLINE™**

**Supr-Spred™**

**Spreader • Activator**

**PRINCIPAL FUNCTIONING AGENTS:**

Alkyl phenol ethoxylate, Polyethylene glycol, Tall oil fatty acids .....90%

**CONSTITUENTS INEFFECTIVE AS SPRAY ADJUVANTS:.....10%**

**TOTAL:.....100%**

CA Reg. No. 1051242-50009

**KEEP OUT OF REACH OF CHILDREN  
WARNING**



See Inside Booklet for Additional Precautionary Statements  
and Complete Directions for Use.

Distributed by:

**SMARTLINE™  
PRODUCTS**

**FERTILIZER COMPANY OF ARIZONA, INC.**

2850 S. Peart Rd. • Casa Grande, AZ 85193-9024  
(520) 836-7477

SmartLine™ and Supr-Spred™ are trademarks of Fertilizer Company of Arizona, Inc.

2016-03 (GHS)

## FIRST AID

Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

**IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention.

**IF SWALLOWED:** Rinse mouth. Call a poison control center or doctor if you feel unwell.

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**WARNING:** Causes serious eye irritation. Harmful if swallowed. Wear protective eyewear, long sleeved shirt, long pants, shoes plus socks and chemical resistant gloves made of any waterproof material when mixing or handling concentrate. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

### ENVIRONMENTAL HAZARDS

Do not contaminate water when cleaning equipment or disposing of equipment washwaters. Avoid release to the environment.

## DIRECTIONS FOR USE

CONSULT YOUR LOCAL FERTIZONA REPRESENTATIVE OR OTHER AGRICULTURAL SPECIALIST FOR SPECIFIC CROP RECOMMENDATIONS.

**SMARTLINE™ SUPR-SPRED™** is a non-ionic surfactant containing an anti-foaming agent. It improves wetting of foliage and enhances the effectiveness of spray applications. It will not cause excessive foaming in the spray tank nor corrode equipment. **SMARTLINE SUPR-SPRED** may be used on agricultural, aquatic, forestry, turf and ornamental, industrial, structural and non-cropland sites.

Read and follow the precautions, restrictions and recommendations on the labels of pesticides used with **SMARTLINE SUPR-SPRED**. Use according to the most restrictive label directions for each product in any tank mix.

**COMPATIBILITY: SMARTLINE SUPR-SPRED** is compatible with most pesticides. However, if the desired combination has not been previously used, a compatibility test is recommended.

**MIXING:** Shake well before using. Fill spray tank  $\frac{1}{2}$  full of water and begin agitation. Add the recommended amount of **SMARTLINE SUPR-SPRED**. Add products as directed by label or in the following sequence and continue filling tank: (1) Dry flowables or water dispersible granules, (2) Wettable powders, (3) Flowables, (4) Solutions, (5) Emulsifiable concentrates. Continue agitation until spray solution is completely mixed. Continuous agitation of finished spray is recommended. If spray solution has been allowed to stand, thoroughly agitate and remix before application.

**RECOMMENDATIONS:** Specific use rates will vary with conditions of application such as water hardness, application method, equipment, spray droplet size, condition of foliage, etc. Also, higher rates than those below may be used if recommended by pesticide labeling. Follow pesticide label directions. However, do not add this product at a rate which exceeds 5% of the finished spray volume.

**AIR or GROUND:** Use  $\frac{1}{2}$ -4 pints per 100 gallons of finished spray solution. For improved efficacy, use at least  $\frac{1}{2}$  pint per acre when finished spray volume is less than 20 gallons per acre. For backpack or hand held sprayers, use  $\frac{1}{2}$  fl.oz. per gallon of finished spray solution. Exercise caution with selective herbicides where selectivity depends upon wetting the weeds but not the crop.

**DUST SUPPRESSION:** To improve the efficiency of water applied to dirt roads and/or for pre-watering prior to application of dust control products, add **SMARTLINE SUPR-SPRED** at a rate of  $\frac{1}{2}$  to 1 gallon per 1,000 gallons of water.

**GOLF COURSES & TURF:** To improve soil wetting and water infiltration, apply 4-8 fl.oz./1,000 sq. ft. in sufficient water for thorough coverage, then water in. Repeat as needed. **SMARTLINE SUPR-SPRED** can also be injected through the irrigation system on a weekly basis. Adjust proportioner valve to inject at the 1:1000 ratio.

# **STORAGE AND DISPOSAL**

## **DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL.**

**STORAGE:** Store in original container away from children, animals, foods, feeds, seeds and incompatible materials. Handle in accordance with Precautionary Statements. In the event of spillage or leakage, soak up the material with absorbent clay, sand, sawdust or other absorbent material. Scrape up and dispose in accordance with Product Disposal.

**PRODUCT DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Nonrefillable container. Do not reuse or refill this container. Triple rinse (or equivalent) during mixing and loading. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state or local ACRC recycler, visit the ACRC web page at [www.acrecycle.org](http://www.acrecycle.org). Decontaminated containers may also be disposed of in a sanitary landfill.

### **CONDITIONS OF SALE AND WARRANTY**

Fertilizer Company of Arizona, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated when used in accordance with the use directions under normal conditions. Fertilizer Company of Arizona, Inc. neither makes, nor authorizes any agent or representative to make, any other warranties, express or implied, including fitness or merchantability.

The directions for use of this product are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as timing and method of application, weather and crop conditions, presence of other materials, or other influencing factors, all of which are beyond the control of Fertilizer Company of Arizona, Inc. and Seller. Buyer and user acknowledge and assume all risks and liability resulting from the handling, storage and use of this material not in strict accordance with directions given herewith. To the extent consistent with applicable law, Fertilizer Company of Arizona, Inc. or the Seller shall not be liable for consequential, special, indirect, or incidental damages or losses resulting from the handling or use of this product. The foregoing is a condition of sale by Fertilizer Company of Arizona, Inc. and is accepted as such by the Buyer.

SmartLine™ and Supr-Spred™ are trademarks of Fertilizer Company of Arizona, Inc.



GROWING SMARTER

**SMARTLINE™**

**Supr-Spred™**

**Spreader • Activator**

**PRINCIPAL FUNCTIONING AGENTS:**

Alkyl phenol ethoxylate, Polyethylene glycol, Tall oil fatty acids.....90%

**CONSTITUENTS INEFFECTIVE AS SPRAY ADJUVANTS:.....10%**

**TOTAL:.....100%**

CA Reg. No. 1051242-50009

**KEEP OUT OF REACH OF CHILDREN**

**WARNING**

See Inside Booklet for Additional Precautionary Statements and Complete Directions for Use.



Distributed by:

**SMARTLINE™**  
**PRODUCTS**

**FERTILIZER COMPANY OF ARIZONA, INC.**

2850 S. Peart Rd. • Casa Grande, AZ 85193-9024  
(520) 836-7477

SmartLine™ and Supr-Spred™ are trademarks of Fertilizer Company of Arizona, Inc.

2016-03 (GHS)

PULL HERE TO OPEN AND PRESS TO RESEAL ▲

**Net Contents: 1 Gallon (3.79 L)**