



SOURCE DC improves the soil environment to support plant growth by stimulating the native microbiome. SOURCE DC can be applied as a foliar spray and is compatible with a wide range of herbicides and fungicides. Read and follow all label directions before using this product.

---

**GUARANTEED ANALYSIS**

**CONTAINS NON PLANT FOOD  
INGREDIENT(S):**

**ACTIVE INGREDIENT**

13.5% MALTOL LACTONE

**OTHER INGREDIENTS**

86.5% DIALKYL LACTAMIDE

---

**Net Content: 128 oz (1 gallon)   Net Weight: 8.98 lbs (4.08 kg)**  
**Density: 8.98 lbs/gal at 68 degrees F**

**FOR COMMERCIAL AGRICULTURAL USE ONLY.**

## APPLICATION INSTRUCTIONS

**CROP:** Corn, Cotton, Alfalfa, Grass Hay, Soybeans, Pulses, Sugarbeet, Sorghum, Potato, Canola

**RATE:** 1 fl oz/ac of SOURCE DC

**TIMING:** Safe to apply after emergence as a tank mix with herbicide or fungicide application. Please consult your Sound representative for specific application instructions.

### FOR BEST RESULTS:

- Shake vigorously
- Add to tank mix last
- Apply with 10+ gallons of water per acre for best coverage
- Use NIS (NPE free for V8-R2 applications on corn)
- Do not mix into water or solution pH>7
- Apply same day as mixing
- Avoid mixing with UAN and other high pH fertilizers
- Apply at least two hours before rain and allow to dry

**Sound**   
Agriculture

6401 Hollis Street, Suite 100  
Emeryville, CA 94608

Use the QR code to find detailed product information and terms and conditions.

For more guidance, contact a Sound representative.



<https://qr.sound.ag/q/q3Plpg>

For customer service please contact  
(833) 768-6320 or [support@sound.ag](mailto:support@sound.ag).

## STORAGE AND DISPOSAL

Store in a cool, dry area out of reach of children and animals, as well as out of direct sunlight during storage for extended amounts of time. Store in original container. Keep container tightly sealed when not in use. Store at temperatures above 40°F. Do not reuse empty container. Dispose of according to state and federal guidelines.

## USE PRECAUTIONS

Wear eye protection and impermeable gloves when handling. If applying with a backpack sprayer, use NIOSH approved respirator APF50 or APF1000. Do not eat, drink, or smoke when using this product. Refer to the Safety Data Sheet for additional details. Conduct a jar test before mixing to determine

compatibility.

**KEEP OUT OF REACH OF CHILDREN. In the event of a medical or transportation emergency call: 1-800-535-5053.**

Information regarding the contents and levels of metals in this product is available on the internet at: <https://www.aapfco.org/metals.html>

### May present the following hazards:

- Human Health - Specific Target Organ Toxicity, Reproductive Toxicity, Skin Irritation, Eye Irritation
- Environmental - Toxic to Aquatic Life