



Stump Killer

READY - TO - USE

Group	9	Herbicide
--------------	----------	------------------

ACTIVE INGREDIENT:

Glyphosate (N-(phosphonomethyl)glycine)
in the form of its isopropylamine salt 32.3%

OTHER INGREDIENTS: 67.7%
TOTAL 100.0%

THIS PRODUCT CONTAINS:

3 lb per U.S. gallon of the active ingredient glyphosate in the form of its isopropylamine salt. Equivalent to 2 lb per U.S. gallon of the acid, glyphosate or 24%.

KEEP OUT OF REACH OF CHILDREN CAUTION



READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Harmful if absorbed through the skin. Harmful if swallowed. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

Personal Protective Equipment (PPE)

Some materials that are chemical resistant to this product are listed below. Applicators and other handlers must wear: long-sleeved shirt and long pants, chemical resistant gloves, such as butyl rubber, natural rubber, neoprene rubber, or nitrile rubber >14 mils, and shoes plus socks.

Engineering Control Statements

When handlers use enclosed cabs or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

User Safety Recommendations

- Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

First Aid

If swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
----------------------	--

(First Aid continued on next column)

First Aid (cont.)	
If on skin or clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 - 20 minutes. • Call a poison control center or doctor for treatment advice.
If inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for treatment advice.
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
<p>Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-877-800-5556 for emergency medical treatment information.</p>	

Domestic Animals

This product is considered to be relatively nontoxic to dogs and other domestic animals; however, ingestion of this product or large amounts of freshly sprayed vegetation may result in temporary gastrointestinal irritation (vomiting, diarrhea, colic, etc.). If such symptoms are observed, provide the animal with plenty of fluids to prevent dehydration. Call a veterinarian if symptoms persist for more than 24 hours.

Environmental Hazards

Do not contaminate water when disposing of equipment washwaters and rinsate. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters and rinsate.

Physical or Chemical Hazards

Combustible. Do not use or store near heat or open flame. Spray solutions of this product should be mixed, stored and applied using only stainless steel, aluminum, fiberglass, plastic or plastic-lined steel containers.

DO NOT MIX. STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS. This product or spray solutions of this product react with such containers and tanks to produce hydrogen gas which may form a highly combustible gas mixture. This gas mixture could flash or explode causing serious personal injury, if ignited by open flame, spark, welder's torch, lighted cigarette or other ignition source.

Weed Resistance Management

Glyphosate, the active ingredient in this product, is a Group 9 herbicide based on the mode of action classification system of the Weed Science Society of America. Any weed population may contain plants naturally resistant to Group 9 herbicides. Weed species resistant to Group 9 herbicides may be effectively managed utilizing another herbicide from a different Group or using other cultural or mechanical practices.

To minimize the occurrence of glyphosate-resistant biotypes, observe the following weed management instructions:

- Scout your application site before and after herbicide applications.
- Control weeds early when they are relatively small.
- Incorporate other herbicides and cultural or mechanical practices as part of your weed control system where appropriate.
- Utilize the labeled rate for the most difficult weed in the site. Avoid tank mixtures with other herbicides that reduce the product's efficacy (through antagonism) or tank mixtures which encourage rates of this product below the label rates. It is the pesticide user's responsibility to ensure that all products in the listed mixtures are registered for the intended use. Users must follow the most restrictive directions and precautionary language of the products in the mixture (for example, first aid from one product, spray drift management from another).
- Control weed escapes and prevent weeds from setting seeds.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact

workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide registration.

1. Product Information

Stump Killer Ready-To-Use may be used as an individual plant treatment to control trees and other woody plants in noncropland sites. The product is applied undiluted as a cut-stump or frill treatment. Treatments may be made any time of the year.

2. Use Restrictions

- Keep people and pets off treated areas until spray solution has dried.
- Do not allow the herbicide solution to drip or splash from treated areas onto desirable plants as small amounts of this product can damage sensitive plants near the treated area.
- Do not make applications when nearby trees of the same species or genus may be root-grafted to the cut stump and injury to the nearby trees cannot be tolerated.

3. Use Precautions

- Extreme care must be used when applying this product to prevent injury to desirable plants. It is the responsibility of the applicator to avoid movement of the herbicide at the application site. If desirable plants are accidentally sprayed, immediately rinsing leaves with water may reduce or eliminate plant damage.
- Use of this product in any manner not consistent with this label may result in injury to persons, animals, or crops, or other unintended consequences. Keep container closed to prevent spills and contamination.
- To the extent consistent with applicable law, the buyer and all users are responsible for all loss or damage in connection with the use or handling of mixtures of this product with herbicides or other materials that are not expressly specified in this labeling. Mixing this product with herbicides or other materials not specified on this label may result in reduced performance.

4. Woody Plant Control

This product will control trees and other woody plants through cut stump or frill treatments. Such treatments may be applied any time of year. The product moves through the plant and into the root system. Rainfall or irrigation occurring within 6 hours after application may reduce effectiveness. Heavy rainfall or irrigation within 2 hours after application may wash the chemical off the plant and a repeat treatment may be required.

Trees should be cut or frilled during periods of active growth and full leaf expansion. The most favorable period for cut stump and frill treatments is the spring and early summer. Brush and trees treated in the late fall may not be fully controlled. Follow-up applications of this product or a different herbicide may be needed under less favorable growing conditions and for hard-to-control species.

Stump Killer Ready-To-Use will control or suppress trees and other woody plants listed in Tables 1 and 2.

4.1 Cut-Stump Applications

Trees and other woody plants may be controlled by treating freshly cut stumps with this product. Cut-stump treatments are effective on stumps with diameters larger than 3 to 4 inches in diameter. Apply product undiluted directly to stump surface.

Cut trees and other woody plants close to the soil surface. Apply the product to the freshly cut surface of the stump immediately after cutting. Delays in application may reduce the effectiveness.

Make a full and thorough coverage of the cut surface. Treat the entire circumference of the stump by drenching the cambium (the outermost wood between the pith and the bark).

Alder <i>Alnus spp.</i> Coyote brush <i>Baccharis consanfuinea*</i> Dogwood <i>Cornus spp.*</i> Eucalyptus <i>Eucalyptus spp.</i> Hickory <i>Carya spp.*</i> Madrone <i>Arbutus menziesii</i> Maple <i>Acer spp.*</i> Oak <i>Quercus spp.</i>	Poplar <i>Populus spp.*</i> Reed, giant <i>Arundo donax</i> Saltcedar <i>Tamarix spp.</i> Sweetgum <i>Liquidambar styraciflua*</i> Sycamore <i>Platanus occidentalis*</i> Tanoak <i>Lithocarpus densiflorus</i> Willow <i>Salix spp.</i>
*This product is not approved for this use on these species in the State of California.	

4.2 Frill Applications

Trees and other woody plants may be controlled by frill treatments. Apply this product undiluted directly either to a continuous frill around the tree or as cuts evenly spaced around the tree below all branches.

As tree diameter increases in size, better results are achieved by applying product to a continuous frill or more closely spaced cuttings.

Do not apply in a way that will allow runoff to occur from frill or cut areas in species that exude sap freely after frills or cutting. In species such as these, frill or cut at an oblique angle so as to produce a cupping effect and use undiluted material.

Black gum <i>Nyssa sylvatica</i> (suppression)* Dogwood <i>Cornus spp.</i> (suppression)* Hickory <i>Carya spp.</i> (suppression)* Maple, red <i>Acer rubrum</i> (suppression)*	Oak <i>Quercus spp.</i> (control) Poplar <i>Populus spp.</i> (control)* Sweet gum <i>Liquidambar styraciflua</i> (control)* Sycamore <i>Platanus occidentalis</i> (control)*
*This product is not approved for this use on these species in the State of California.	

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container in a locked storage area inaccessible to children or pets. Keep from freezing.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Triple rinse container (or equivalent) promptly after emptying.

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

LIMITED WARRANTY AND DISCLAIMER

FOR USE ONLY AS DIRECTED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. If these terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full. The terms of this LIMITED WARRANTY STATEMENT cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.

GORDON'S® logo is a registered trademark of PBI-Gordon Corporation.

955/1-2019 AP041216
EPA REG. NO. 2217-852



MANUFACTURED BY
PBI/GORDON CORPORATION
P.O. BOX 860350
SHAWNEE, KANSAS 66286
www.GordonsUSA.com

ATTENTION: This specimen label is provided for informational use only. This product may not yet be available for sale in your state or area. The information found in this label may differ from the information found on the product label you are using. Always follow the instructions for use and precautions on the label of the product you are using.