

SUPERLOCK™

HIGH SURFACTANT OIL CONCENTRATE WITH DRIFT REDUCTION AGENT

PRINCIPAL FUNCTIONING AGENTS:

Proprietary surfactant mixed with phytobland oil..... 100.0%
Surfactant content 25%

All ingredients are exempt from the requirements of a tolerance in 40 CFR 180.

KEEP OUT OF REACH OF CHILDREN

WARNING



SEE INSIDE BOOKLET FOR PRECAUTIONARY STATEMENTS, FIRST AID, AND STORAGE AND DISPOSAL

PRECAUTIONARY STATEMENTS

Based on currently available data, this product does not meet the regulatory definition of a hazardous substance. However, good industrial hygiene practices should be used in handling the product. Wash hands thoroughly after handling.

FIRST AID

IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present, and easy to do so. Continue rinsing. If eye irritation persists get medical attention. Harmful if swallowed, inhaled or absorbed through skin and causes moderate eye irritation. Inhalation of mists may cause irritation to the respiratory tract. If ingested it may cause minor irritation to digestive tract. Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before reuse.

In case of medical emergency, call toll free 1-877-424-7452.

STORAGE AND DISPOSAL

STORAGE: SUPERLOCK™ should be stored above freezing. If product freezes, warm and agitate (recirculate) prior to using. Store in original container only and keep sealed. Store in closed storage areas.

ADJUVANT DISPOSAL: Wastes resulting from the use of this product may be disposed of through on-site spray application or at an approved waste disposal facility.

CONTAINER DISPOSAL: Do not reuse empty container. Triple rinse (or equivalent) during mixing and loading. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. Contact your state and local ACRC recycler or visit the ACRC web page at www.agrecycling.org. Decontaminated containers may also be disposed of in a sanitary landfill.

For Chemical Emergency, Spill, Leak, Fire Exposure or Accident, Call: CHEMTREC 1-800-424-9300

Distributed by:

Winfield Solutions, LLC

P.O. Box 64589, St. Paul, MN 55164-0589

NET CONTENTS

2/0326/5

GENERAL INFORMATION

SUPERLOCK™ adjuvant is a high surfactant oil concentrate (HSOC) with a built-in oil emulsion drift and deposition aid that is designed to improve pesticide performance including herbicides like glufosinate, 2,4-D, mesotrione, clethodim and others. The surfactant system in SUPERLOCK™ is NPE-free.

NOT FOR AQUATIC USE IN CALIFORNIA OR WASHINGTON STATE

DIRECTIONS FOR USE SHAKE WELL BEFORE USING

SUPERLOCK™ may be used whenever the pesticide label recommends methylated seed oil (MSO), crop oil concentrate (COC), or HSOC. Do not use SUPERLOCK™ when the pesticide label specifically requires MSO. Review the pesticide label for specific crop use, timing and adjuvant rate required for that pesticide.

RATES OF APPLICATION

For optimal performance, apply SUPERLOCK™ at a rate of least 12 fl. oz/A. SUPERLOCK™ may be used at rates that are less than or equal to the rates recommended on pesticide labels. See table below to determine the appropriate rate of SUPERLOCK™ compared to conventional oil systems recommended on pesticide labels.

Conventional Oil Adjuvant Recommended on the Pesticide Label Rate/Acre	Amount of SUPERLOCK™ to Apply Rate/Acre
1 pt/a	8 to 12 fl. oz/a
1.5 pt/a	12 to 16 fl. oz/a
1 qt/a	16 fl. oz/a

Conventional Oil Adjuvant Recommended on the Pesticide Label v/v Rate	Amount of SUPERLOCK™ to Apply Rate per 100 gal.
0.5%	64 fl. oz per 100 gal
1.0%	64 to 128 fl. oz per 100 gal

MIXING INSTRUCTIONS

Always add SUPERLOCK™ adjuvant to the spray mix last and continue agitation or follow specific tank filling and mixing information provided on pesticide labels. Refer to pesticide labels for additional recommendations or precautions.

Notice of Warranty

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, NOR IS ANY REPRESENTATIVE OF SELLER AUTHORIZED TO MAKE ANY SUCH WARRANTY OR MODIFY THESE TERMS. This warranty does not extend to the storage, handling or use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Seller, and Buyer assumes the risk of any such storage, handling or use. Seller shall not be responsible for incidental or consequential damages, if any, resulting from a breach of warranty.

SUPERLOCK™ is a trademark of Winfield Solutions, LLC.

