

Task Force[®] 2 POWERED Lokomotive

GUARANTEED ANALYSIS

Total Nitrogen (N) 2.09% Ammoniacal Nitrogen	
0.21% Nitrate Nitrogen	
8.70% Urea Nitrogen	
Available Phosphate (P ₂ O ₅)	
Soluble Potash (K ₂ O)	
Boron (B)	
Available Phosphate (P ₂ O ₅) Soluble Potash (K ₂ O) Boron (B) Cobalt (Co) Copper (Cu)	
Copper (Cu)	
0.05% Chelated Copper	
Iron (Fe)	
0.10% Chelated Iron	
Manganese (Mn)	
0.05% Chelated Manganese	
Molybdenum (Mo)	
Molybdenum (Mo) Zinc (Zn)	
0.05% Chelated Zinc	

Derived From: Urea, Urea Ammonium Nitrate, Ammonium Polyphosphate, Potassium Acetate, Sodium Borate, Cobalt Sulfate, Copper EDTA, Iron HEDTA, Manganese EDTA, Sodium Molybdate, and Zinc EDTA.

KEEP OUT OF REACH OF CHILDREN



Avoid breathing fertilizer mists. Avoid prolonged or repeated skin contact. Avoid eye contact. Wash hands thoroughly after handling this product.

FOR AGRICULTURAL AND PROFESSIONAL USE ONLY

WARNING: This product contains boron (B) and may be harmful to certain crops. Use only according to manufacturer's directions.

WARNING: This product contains molybdenum (Mo). Crops high in molybdenum can be toxic to ruminant animals. Use only according to manufacturer's directions.

NOTE: When used as directed this product does not supply all nutrients required by plants and is to supplement a soil fertility program based on soil tests.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT, CALL 1-866-944-8565.

USE RATE GUIDELINES

The information below is to be used as a guide for the use of TASK FORCE® 2. Apply as needed based on soil tests or according to recommendations in your nutrient management plan. Recommended standard rate is 2.0 pints per acre. Contact your Loveland Products representative for specific information.

General Use: 2.0 pints per 100 gallons of water or 2.0 to 6.0 pints per acre. Apply to crops and ornamentals in crop protection spray programs. Monthly applications of Task Force 2 to plants is highly beneficial.

Alfalfa: 2.0 to 4.0 pints per acre. Apply after each cutting for hay.

Apples, peaches, pears, nuts: 2.0 to 4.0 quarts per acre. Apply before and after bloom.

Blackberries, Raspberries, Boysenberries: 1.0 to 2.0 quarts per acre. Start at fruit set, repeat at 14-day intervals.

Carrots: 2.0 to 6.0 pints per acre. Frequency of application depends on prevailing weather conditions and amount of desired growth. Do not use more than 2.0 pints per 10.0 gallons of spray.

Celery: 2.0 pints per acre. Begin application as soon as the 3rd and 4th leaves begin to form. Apply at 7- to 10-day intervals thereafter

Cereal grains (barley, oats, rye, wheat): 2.0 to 4.0 pints per acre. Begin after development and continue at 2-week intervals. A wetting agent should be added to ensure good coverage

Cherries: 2.0 quarts per acre.

Citrus: 3.0 guarts per acre. Apply at 7- to 10-day intervals.

Cole crops (broccoli, cabbage, cauliflower): 2.0 to 4.0 pints per acre. Apply at 7- to 10-day intervals, using a minimum of 4 applications

Corn (field and sweet): 2.0 to 4.0 pints per acre. Begin after the 2nd leaf unfolds for a total of 6 applications.

Cotton: 1.0 to 2.0 pints per acre. Apply anytime prior to first bloom for quicker recovery from stress.

Cucurbits (cucumbers, melons, pumpkins): 2.0 to 4.0 pints per acre. Begin as soon as 2nd true leaf unfolds for a total of 6 applications

Edible beans (dry and snap): 2.0 to 4.0 pints per acre. Begin as soon as the 2nd trifoliate leaf unfolds for a total of 6 applications

Grapes: 1.0 to 3.0 quarts per acre. Apply with routine crop sprays.

Hops: 1.0 to 3.0 quarts per acre. Apply with routine crop sprays.

gallons (

lbs (

Lawn & Turf: 1.0 to 2.0 quarts per acre. Start in spring with first growth, continue every 2 to 3 weeks until dormancy.

Lettuce: 2.0 pints per acre. Begin application as soon as the 3rd and 4th leaves begin to form. Apply at 7- to 10-day intervals

liters)

kg)

Mint: 4.0 to 6.0 pints per acre. May be applied with crop protections sprays.

Peppers: 2.0 to 4.0 pints per acre. Begin 3 weeks after emergence and apply with crop protection sprays or at 7- to

10-day intervals

10-day intervals

10-day intervals

STORAGE: Store product in dark fiberglass or plastic containers out of direct sunlight or UV light. Keep containers tightly closed when not in use. Store in a cool, dry well-ventilated area, preferably in a locked storage area away from children, feed and food products, and seed. PROTECT FROM FREEZING. Do not contaminate water, food, or feed by storage or disposal. Avoid containers, piping, or fittings made of brass, bronze or other copper-containing alloys, or galvanized metal

DISPOSAL: Do not reuse container for other purposes. Triple rinse (or equivalent) and add rinsate to spray tank, then offer for recycling at an ACRC site (go to http://www.acrecycle.org/) or by reconditioning, or puncture and dispose of in a sanitary landfill or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. Do not contaminate water sources by runoff from cleaning of equipment, disposal of equipment wash waters or spray waste.

HANDLING: Avoid breathing fertilizer mists. Avoid prolonged or repeated skin contact. Avoid eye contact. Wash hands thoroughly after handling this product.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY BEFORE BUYING OR USING THIS PRODUCT, read the Directions for Use and the following Conditions of Sale and Limitation of Warranty and Liability. By buying or using this product, the buyer or user accepts the following Conditions of Sale and Limitation of Warranty and Liability, which no employee or agent of LOVELAND PRODUCTS, INC. or the seller is authorized to vary. LOVELAND PRODUCTS, INC. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, when the product is used in accordance with such Directions for Use under normal conditions of use. LOVELAND PRODUCTS, INC. MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THE BUYER'S OR USER'S EXCLUSIVE REMEDY FOR ANY INJURY, LOSS, OR DAMAGE RESULTING FROM THE HANDLING OR USE OF THIS PRODUCT SHALL BE LIMITED TO ONE OF THE FOLLOW-ING, AT THE ELECTION OF LOVELAND PRODUCTS, INC. OR THE SELLER: DIRECT DAMAGES NOT EXCEEDING THE PURCHASE PRICE OF THE PRODUCT OR REPLACEMENT OF THE PRODUCT. LOVELAND PRODUCTS, INC. AND THE SELLER SHALL NOT BE LIABLE TO THE BUYER OR USER OF THIS PRODUCT FOR ANY CONSEQUEN-TIAL, SPECIAL, OR INDIRECT DAMAGES, OR DAMAGES IN THE NATURE OF A PENALTY.

California Proposition 65: WARNING: This product contains chemicals known to the State of California to cause cancer or birth defects or other reproductive harm.

Information regarding the contents and levels of metals in this product is available on the Internet at http://www.regulatory-info-lpi.com

Tests have not been carried out under all possible use conditions and Seller cannot and does not represent or warrant that the goods are compatible with all other chemicals or under all use conditions.

Task Force and Lokomotive are registered trademarks of Loveland Products, Inc.

Density: 10.14 lbs/gallon @ 68 ° F	
iquid Measure: 250 gallons (946.35	liters)
Net Weight: 2,535 lbs (1,149.86 kg)	

Product Code: 1000177173

Density:	10.14 l	bs/gallon	@	68 °	۶F	
----------	---------	-----------	---	------	----	--

Liquid Measure: Net Weight:

Product Code: 1000177180

Potatoes: 2.0 to 7.0 pints per acre. Begin 3 weeks after emergence and apply with crop protection sprays or at 7- to

Soybeans: 1.0 to 2.0 quarts per acre. Apply anytime prior to bloom for faster recovery after stress.

Strawberries: 1.0 to 2.0 quarts per acre. Start application with first growth; every 2 weeks during season.

Sugar beets: 1.0 to 4.0 pints per acre. Apply just after the 4th leaf unfolds for a total of 3 applications 2 weeks apart.

Tobacco: 1.0 to 2.0 pints per acre. Apply with crop protection sprays.

Tobacco transplants: 4.0 pints per acre. Apply in transplant water.

Tomatoes: 2.0 to 4.0 pints per acre. Begin 3 weeks after emergence and apply with crop protection sprays or at 7- to

STORAGE AND DISPOSAL

For help with any spill, leak, fire or exposure involving this material, call day or night CHEMTREC 1-800-424-9300.