



# Timectin™ 0.15 EC T&O

## Insecticide/Miticide

*For use on ornamental plants to control leafminers and mites  
and to suppress aphids, whiteflies and thrips.*

— INTENDED FOR AGRICULTURAL/COMMERCIAL USE —

**ACTIVE INGREDIENT:**

Abamectin ..... 1.9%

**OTHER INGREDIENTS** ..... 98.1%

**TOTAL** ..... 100.0%

Timectin™ 0.15 EC T&O Insecticide/Miticide contains 0.15 lb. active ingredient per gallon.

### KEEP OUT OF REACH OF CHILDREN WARNING – AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.  
(If you do not understand the label, find someone to explain it to you in detail.)

**See label booklet for First Aid, Precautionary Statements and  
Directions for Use including Storage and Disposal instructions.**

EPA Reg. No. 84229-1

EPA Est. No. 5905-GA-01

(Formulated in USA)

### NET CONTENTS: 1 Gallon (3.785 L)

Manufactured for: Tide International, USA, Inc.  
21 Hubble, Irvine, CA 92618, USA

PEEL BACK BOOK HERE AND RESEAL AFTER OPENING



<b>FIRST AID</b>	
<b>IF IN EYES:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>IF SWALLOWED:</b>	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
<b>IF ON SKIN OR CLOTHING:</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>IF INHALED:</b>	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>
<b>HOT LINE NUMBER</b>	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact Chemtrec at 1-800-424-9300 for emergency medical treatment information.	
<b>NOTE TO PHYSICIAN</b>	
Early signs of intoxication include dilation of pupils, muscular incoordination, and muscular tremors. Toxicity following accidental ingestion of this product can be minimized by early administration of chemical adsorbents (e.g., activated charcoal).	
If toxicity from exposure has progressed to cause severe vomiting, the extent of resultant fluid and electrolyte imbalance should be gauged. Appropriate supportive parental fluid replacement therapy should be given, along with other required supportive measures (such as maintenance of blood pressure levels and proper respiratory functionality) as indicated by clinical signs, symptoms, and measurements.	
In severe cases, observations should continue for at least several days until clinical condition is stable and normal. Since abamectin is believed to enhance GABA activity in animals, it is probably wise to avoid drugs that enhance GABA activity (barbiturates, benzodiazepines, valproic acid) in patients with potentially toxic abamectin exposure.	

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING – AVISO

Causes substantial but temporary eye injury. Do not get in eyes. Harmful if absorbed through skin or if swallowed. Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

### Personal Protective Equipment

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for Category E on an EPA chemical resistance category selection chart.

#### Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Socks and shoes
- Chemical-resistant gloves (such as barrier laminate, nitrile rubber, neoprene rubber, viton)
- Protective eyewear.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

### User Safety Recommendations

#### Users should:

- Wash hands before eating, drinking, chewing gum
- Remove clothing immediately if pesticide gets on it

### ENVIRONMENTAL

This pesticide is toxic to fish and wildlife. Do not apply in tidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washed with this product.

This product is highly toxic to bees exposed to direct contact with treated surfaces. Do not apply to blooming crops or weeds if bees are flying freely around the application area.

### PHYSICAL AND CHEMICAL

**Combustible:** Do not use or store near heat or open flame.

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a way that will contact with humans or domestic animals.

Do not apply this product in a way that will contact with humans or domestic animals during application. For more information, contact your local pesticide regulator.

This product is **not** for outdoor residential use on lawns. Use restrictions apply to all uses listed on this label.

### IMPORTANT INFORMATION

Read the entire **Directions for Use, Limited Warranty**, and **Warranty** before using this product.

If terms are not acceptable, return the unopened product to the retailer for a full refund. See the following warranty disclaimer, inherent risks of use, and limitations of warranty.

### AGRICULTURAL USE

Use this product only in accordance with its label and the label standard contains requirements for the protection of humans and handlers of agricultural pesticides. It contains specific instructions for use and personal protective equipment (PPE) and restricted use product that are covered by the Worker Protection Act (WPA).

- Do not enter or allow worker entry into treated areas until the PPE required for early entry to treated areas that have been treated with anything that has been treated, such as:
- Coveralls over short-sleeved shirt and short pants
  - Chemical-resistant gloves – EPA chemical-resistant gloves (nitrile, viton)
  - Chemical-resistant shoes and socks
  - Protective eyewear

### NON-AGRICULTURAL USE

The requirements in this box apply to uses of this product that are not listed on the label for agricultural pesticides (40 CFR Part 170). Do not use on lawns, forests, nurseries, or greenhouses.

**Do not re-enter treated areas until sprays have dried.**



as. nue rinsing eye.
e.
ter or doctor.
icial respiration, preferably
or going for treatment. You
tremors. Toxicity following adsorbents (e.g., activated
and electrolyte imbalance 1, along with other required (nctionality) as indicated by
ition is stable and normal. drugs that enhance GABA lectin exposure.

## ALS

skin or if swallowed. Avoid ting, drinking, chewing gum,

itions, follow the instructions

ted with this product's con-  
: If no such instructions for  
ry.

### User Safety Recommendations

#### Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

### ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from target areas. Do not contaminate water when disposing of equipment wash water or rinsate.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

### PHYSICAL OR CHEMICAL HAZARDS

**Combustible:** Do not use or store near heat or open flame.

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

This product is **not** for outdoor residential use on lawns, turf, home gardens, ornamentals, flowers, shrubs or trees. This restriction applies to all uses listed on this label.

### IMPORTANT – READ BEFORE USE

Read the entire **Directions for Use**, **Limited Warranty** and **Disclaimer** before using this product.

If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following warranty disclaimer, inherent risks of use and limitation of remedies.

### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- Coveralls over short-sleeved shirt and short pants
- Chemical-resistant gloves – EPA chemical-resistance Category *E* (e.g., barrier laminate, nitrile rubber, neoprene rubber, viton)
- Chemical-resistant shoes and socks
- Protective eyewear

### NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

**Do not re-enter treated areas until sprays have dried.**

### FAILURE TO FOLLOW DIRECTIONS / POOR INSECT CONTROL, AND/OR IL

**Timectin™ 0.15 EC T&O Insecticide/Timectin™ 0.15 EC T&O Insecticide/aphids on the ornamental species listed o**

### Resistance Management

**Timectin™ 0.15 EC T&O Insecticide/Timectin™ 0.15 EC T&O Insecticide/M**eration per crop or year. Typical strategic modes of action, treatment of successive and at specified spray intervals, and the u of susceptible to non-susceptible plants). on these or other resistance management

To manage susceptibility in *Liriomyza lea Insecticide/Miticide* and then rotate to more than three applications before rot another insecticide. Alternating between on the generation of *Liriomyza* species t cessive generations.

### Plant Tolerance

Although **Timectin™ 0.15 EC T&O Ins** plants, it is not possible to test **Timecti** such as when **Timectin™ 0.15 EC T&O** tants or adjuvants. Test a small area of j before making applications to large blocks

Phytotoxicity has been observed after the ferns (e.g., *Adiantum* spp.) and Shasta D: use of **Timectin™ 0.15 EC T&O Insecti**

### Restrictions

- Do not use **Timectin™ 0.15 EC T&O I** chrysanthemums, and gerbera. These or **0.15 EC T&O Insecticide/Miticide Timectin™ 0.15 EC T&O Insecticid** increase the selection pressure on mites to **Timectin™ 0.15 EC T&O Insectic**
- Do not apply this product through any t
- Do not apply by air.
- Do not use in citrus nurseries.
- Do not apply less than 8.0 fl. oz. or mor



toilet.  
Put on clean clothing.

If surface water is present, or to inter-  
fer with drift from target areas. Do not

use on crops or weeds. Do not apply this  
inert area.

### RDS

Labeling.

Directly or through drift. Only protected  
our State or Tribe, consult the agency

ornamentals, flowers, shrubs or trees. This

### SE

Using this product.

By using this product, user or buyer accepts

### INSTRUCTIONS

Read and understand the entire applica-  
tion Standard 40 CFR Part 170. This  
applies to forests, nurseries, and greenhouses,  
contamination, notification, and emer-  
gency to the statements on this label about  
uses in this box only apply to uses of this

Reentry interval (REI) of 12 hours.

Read and understand the entire applica-  
tion Standard and that involves

Material: nitrile rubber, neoprene rub-

### WARNINGS

The scope of the Worker Protection Stan-  
dard is used to produce agricultural

### FAILURE TO FOLLOW DIRECTIONS AND PRECAUTIONS ON THIS LABEL MAY RESULT IN CROP INJURY, POOR INSECT CONTROL, AND/OR ILLEGAL RESIDUES.

**Timectin™ 0.15 EC T&O Insecticide/Miticide** is an EC formulation which is to be diluted with water prior to use. **Timectin™ 0.15 EC T&O Insecticide/Miticide** controls leafminers and mites and suppresses whiteflies, thrips and aphids on the ornamental species listed on this label.

### Resistance Management

**Timectin™ 0.15 EC T&O Insecticide/Miticide** is an insecticide/miticide and some target pests may develop resistance to **Timectin™ 0.15 EC T&O Insecticide/Miticide** treatments. Use resistance management practices when using **Timectin™ 0.15 EC T&O Insecticide/Miticide** on plants that are hosts of labeled pests that have more than one generation per crop or year. Typical strategies include, but are not limited to, rotation to other insecticides with different modes of action, treatment of successive generations with different products, applications made at specified label rates and at specified spray intervals, and the use of non-chemical alternatives (for example, beneficial arthropods or rotation of susceptible to non-susceptible plants). Contact your State Cooperative Extension Service for additional information on these or other resistance management strategies.

To manage susceptibility in *Liriomyza* leafminer species, make up to three applications of **Timectin™ 0.15 EC T&O Insecticide/Miticide** and then rotate to Citation® Insecticide (which contains the active ingredient cyromazine) for no more than three applications before rotating back to **Timectin™ 0.15 EC T&O Insecticide/Miticide** or using another insecticide. Alternating between these two products which have different modes of action should be based on the generation of *Liriomyza* species to avoid applying **Timectin™ 0.15 EC T&O Insecticide/Miticide** to successive generations.

### Plant Tolerance

Although **Timectin™ 0.15 EC T&O Insecticide/Miticide** has been tested for tolerance on a variety of ornamental plants, it is not possible to test **Timectin™ 0.15 EC T&O Insecticide/Miticide** under all application conditions, such as when **Timectin™ 0.15 EC T&O Insecticide/Miticide** is applied with combination products or with surfactants or adjuvants. Test a small area of plants for phytotoxicity to **Timectin™ 0.15 EC T&O Insecticide/Miticide** before making applications to large blocks of plants.

Phytotoxicity has been observed after the use of **Timectin™ 0.15 EC T&O Insecticide/Miticide** on certain species of ferns (e.g., *Adiantum* spp.) and Shasta Daisy (*L. eucanthemum* spp.). Tide International USA does not recommend the use of **Timectin™ 0.15 EC T&O Insecticide/Miticide** on ferns or Shasta Daisy.

### Restrictions

- Do not use **Timectin™ 0.15 EC T&O Insecticide/Miticide** for suppression of aphids, whiteflies, and thrips on roses, chrysanthemums, and gerbera. These ornamentals are primary hosts of mites and *Liriomyza* leafminers and **Timectin™ 0.15 EC T&O Insecticide/Miticide** applications should target these insect pests. Additional applications of **Timectin™ 0.15 EC T&O Insecticide/Miticide** to suppress aphids, thrips, and whiteflies on these plants will increase the selection pressure on mites and *Liriomyza* leafminers which may result in greater tolerance of these pests to **Timectin™ 0.15 EC T&O Insecticide/Miticide**.
- Do not apply this product through any type of irrigation system.
- Do not apply by air.
- Do not use in citrus nurseries.
- Do not apply less than 8.0 fl. oz. or more than 16 fl. oz. per acre.



## ORNAMENTALS – CROP USE DIRECTIONS

### TARGET CROPS

Shadehouse, Greenhouse, Field-Grown Ornamentals, Foliage Plants, Christmas Trees, and other Woody Ornamentals

### APPLICATION DIRECTIONS

Mix **Timectin™ 0.15 EC T&O Insecticide/Miticide** with a sufficient amount of water. Make applications as a foliar spray and ensure crops receive a thorough, uniform coverage.

**Horticultural Spray Oils:** For enhanced residual control of target pests on field-grown woody ornamentals, landscape plants, and Christmas trees, add a horticultural spray oil to the **Timectin™ 0.15 EC T&O Insecticide/Miticide** spray mix at 0.5 to 1.0% of the spray volume. To maintain control, make repeat applications as necessary at 7-day intervals. Some plants may be sensitive to these oils. Test a small area of plants for phytotoxicity to **Timectin™ 0.15 EC T&O Insecticide/Miticide** mixed with horticultural spray oil. Evaluate the plants after 2 weeks before applying **Timectin™ 0.15 EC T&O Insecticide/Miticide** mixed with oils on a large number of plants. In addition, plant damage from treatment with such mixtures may be increased if the temperatures are very cold or very warm. Read and follow directions on the spray oil label. Do not exceed the maximum rates listed on the label.

#### Pests Controlled at 4 fl. oz. Timectin™ 0.15 EC T&O Insecticide/Miticide/100 gallons:

Mites including European Red Mite, Twospotted Spider Mite, Carmine Spider Mite, Southern Red Mite, Spruce Spider Mite, Tarsonemid Mites (Cyclamen and Broad Mites), Eriophyid Mites (Rust and Bud Mites)

**Application Instructions:** Make applications of **Timectin™ 0.15 EC T&O Insecticide/Miticide** in 200 to 400 gallons of water per acre. For thorough coverage of plants, more than 400 gals. of water per acre may be required.

- Use at least 8 fl. oz. per acre if using less than 200 gals.
- Use no more than 16 fl. oz. per acre in 400 or more gals. of water (that is, add 2.5 fl. oz. **Timectin™ 0.15 EC T&O Insecticide/Miticide** per 100 gals. if total spray volume is 650 gals.).
- Apply when mites first appear. Make repeat applications as necessary to maintain control.
- For Tarsonemid mites, make repeat applications to newly developing tissue to maintain control.

#### Pests Controlled at 8 fl. oz. Timectin™ 0.15 EC T&O Insecticide/Miticide/100 gallons:

*Liriomyza* Leafminers, Boxwood Leafminer

**Application Instructions:** Make applications of **Timectin™ 0.15 EC T&O Insecticide/Miticide** in 100 to 200 gallons of water per acre. For thorough coverage of plants, more than 400 gals. of water per acre may be required.

- Use at least 8 fl. oz. per acre if using less than 100 gals.
- Use no more than 16 fl. oz. per acre in 200 or more gals. of water (that is, add 4 fl. oz. **Timectin™ 0.15 EC T&O Insecticide/Miticide** per 100 gals. if total spray volume is 400 gals.).
- For leafminers, apply as needed. Make repeat applications at 7-day intervals or as necessary to maintain control.
- For control of mining larvae (Boxwood leafminers), apply **Timectin™ 0.15 EC T&O Insecticide/Miticide** when adults are beginning to lay eggs in the new foliage.

#### Pests Suppressed at 8 fl. oz. Timectin™ 0.15 EC T&O Insecticide/Miticide/100 gallons:

Aphids, Thrips, Whiteflies

**Application Instructions:** Make applications of **Timectin™ 0.15 EC T&O Insecticide/Miticide** in 200 to 400 gallons of water per acre. For thorough coverage of plants, more than 400 gals. of water per acre may be required.

- Use at least 8 fl. oz. per acre if using less than 200 gals.
- Use no more than 16 fl. oz. per acre in 400 or more gals. of water (that is, add 2.5 fl. oz. **Timectin™ 0.15 EC T&O Insecticide/Miticide** per 100 gals. if total spray volume is 650 gals.).
- Make applications of **Timectin™ 0.15 EC T&O Insecticide/Miticide** when young, immature stages of these pests are first observed.
- Make repeat applications every 7 days for 2 or 3 weeks. Then, alternate to another insecticide that has a different mode of action than **Timectin™ 0.15 EC T&O Insecticide/Miticide**. Read the **Resistance Management** section for additional information on insecticide rotation.
- Aphids, thrips, and whiteflies are killed by direct contact with the **Timectin™ 0.15 EC T&O Insecticide/Miticide** spray.

## STORAGE

Do not contaminate water, food, or feed by storage or tainer.

### Pesticide Storage

Store in a tightly closed container in a cool, dry place

### Pesticide Disposal

Wastes resulting from the use of this product may be pesticide spray mixture or rinsate that cannot be used for disposal of excess pesticide spray mixture or rinsate of by use according to label instructions, contact your Waste representative at the nearest EPA Regional Office

### Container Disposal

Nonrefillable container. Do not reuse or refill this container (or equivalent) promptly after emptying. Triple rinse as follows: a mix tank and drain for 10 seconds after the flow Shake for 10 seconds. Pour rinsate into application equipment and drain for 10 seconds after the flow begins to drip. Repeat

## LIMITED WARRANTY

Tide International USA warrants that this product conforms to the purposes stated on the label when used in strict accordance with the directions on the label.

Our directions for use of this product are based upon the control of the manufacturer, no guarantee, expressed or implied, is made by the manufacturer. The product is sold as obtained if not used in accordance with printed directions. No liability is assumed by the manufacturer for any damage, injury, or loss of crops, or other property, or for any other cause, whether or not caused in whole or in part by the use of this product, or for any other reason, including but not limited to, the quantity of product with respect to which damage

## Inherent

It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of such factors as unfavorable weather conditions, such as unfavorable temperature, rainfall, drought, tornadoes, hurricanes, presence of other pests, or other factors which are beyond the control of Tide International USA

## Terms and

If terms of the **Limited Warranty and Disclaimer** and **Warranty Disclaimer** are not accepted by the buyer at the time of purchase, the buyer's acceptance of the terms under **Warranty Disclaimer**

Citation® Insecticide is a trademark of a Syngenta Group. **Timectin™** is a trademark of Tide International USA, Inc.

Label Code No.: TI-INC01300202  
Date: 04/02/2008 (Formulated in USA)  
EPA 20110118



## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

### Pesticide Storage

Store in a tightly closed container in a cool, dry place.

### Pesticide Disposal

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Pesticide spray mixture or rinsate that cannot be used should be disposed of in a landfill approved for pesticides. Improper disposal of excess pesticide spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

### Container Disposal

Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows. Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

## LIMITED WARRANTY AND DISCLAIMER

Tide International USA warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below.

Our directions for use of this product are based upon tests believed to be reliable. The use of this product being beyond control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such use or the results to be obtained if not used in accordance with printed directions and established safe practice. To the extent consistent with applicable law, buyer's exclusive remedy and manufacturer's or seller's exclusive liability for any and all claims, losses, damages or injuries resulting from the use or handling of this product, whether or not based in contract, negligence, strict liability in tort or otherwise shall be limited, at the manufacturer's option to replacement of, or the repayment of the purchase price for, the quantity of product with respect to which damages are claimed.

### Inherent Risks of Use

It is impossible to eliminate all risks associated with use of this product. Crop injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label, such as unfavorable temperatures, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of Tide International USA or the seller. All such risks shall be assumed by buyer.

### Terms and Conditions of Use

If terms of the **Limited Warranty and Disclaimer** and **Inherent Risks of Use** are not acceptable, return unopened package at once to the seller for a full refund of purchase price paid. Otherwise, use by the buyer or any other user constitutes acceptance of the terms under **Warranty Disclaimer** and **Inherent Risks of Use**.

Citation® Insecticide is a trademark of a Syngenta Group Company  
Timectin™ is a trademark of Tide International USA, Inc.

Label Code No.: TI-INC01300202  
Date: 04/02/2008 (Formulated in USA)  
EPA 20110118



*For use on ornamentals  
and to suppress*

— INTENDED FOR

#### ACTIVE INGREDIENT:

Abamectin . . . . .

#### OTHER INGREDIENTS. . . . .

TOTAL . . . . .

Timectin™ 0.15 EC T&O Insec

**KEEP OUT  
OF REACH  
OF CHILDREN**

Si usted no entiende la etiqueta  
(If you do not understand the label)

**See inside label book  
Directions for Use in Spanish**

EPA Reg. No. 84229-1

**NET CONTENTS**

**Manufactured by  
Tide International USA, Inc.**



hibited. Do not reuse empty con-

roved waste disposal facility. Pes-  
approved for pesticides. Improper  
these wastes cannot be disposed  
Control Agency or the Hazardous

ailable. Triple rinse container (or  
ntents into application equipment  
er 1/4 full with water and recap.  
rinsate for later use or disposal.  
imes.

#### IER

on the label and is reasonably fit for  
bject to the inherent risks set forth

se use of this product being beyond  
cts of such use or the results to be  
To the extent consistent with appli-  
any and all claims, losses, damages  
ontract, negligence, strict liability in  
ie repayment of the purchase price

ack of performance, or other unin-  
rmary to label instructions (including  
bnormal conditions (such as exces-  
f application, or other factors, all of  
be assumed by buyer.

acceptable, return unopened pack-  
buyer or any other user constitutes



# Timectin™ 0.15 EC T&O

## Insecticide/Miticide

*For use on ornamental plants to control leafminers and mites  
and to suppress aphids, whiteflies and thrips.*

— INTENDED FOR AGRICULTURAL/COMMERCIAL USE —

#### ACTIVE INGREDIENT:

Abamectin ..... 1.9%

OTHER INGREDIENTS ..... 98.1%

TOTAL ..... 100.0%

Timectin™ 0.15 EC T&O Insecticide/Miticide contains 0.15 lb. active ingredient per gallon.

### KEEP OUT OF REACH OF CHILDREN WARNING – AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.  
(If you do not understand the label, find someone to explain it to you in detail.)

**See inside label booklet for First Aid, Precautionary Statements and  
Directions for Use including Storage and Disposal instructions.**

EPA Reg. No. 84229-1

EPA Est. No. 5905-GA-01

(Formulated in USA)

**NET CONTENTS: 1 Gallon (3.785 L)**

Manufactured for: Tide International, USA, Inc.  
21 Hubble, Irvine, CA 92618, USA