

NET CONTENT: 2.5 U.S. Gal. 9.4 Liters

NET WEIGHT: 21.53 lb 9.77 kg

Manufactured by:



Acadian Seaplants Limited 30 Brown Avenue Dartmouth, Nova Scotia Canada, B3B 1X8 Tel.: 1 800 575 9100 www.acadianseaplants.com

GENERAL INFORMATION: Consistent use of TOGGLE® supplements a well-balanced crop nutrition program. Use TOGGLE® to:

· Improve environmental stress resistance

Optimize nutrient uptake

Improve photosynthesis
Increase and maximize vield

Improve root growth and development

To achieve the desired results, the levels of major and minor nutrients must be adequate to support the increase in production. The following rates and timings of application are recommended for optimum efficacy.

COMPATIBILITY: TOGGLE® is compatible with most insecticides, fungicides and fertilizers. When mixing with calcium products, thoroughly mix TOGGLE® with the water in the tank prior to adding the calcium product. If interaction of chemicals is unknown, a "jar" compatibility test is suggested.

STORAGE AND HANDLING: This product should be stored away from intense sunlight and heat.

DIRECTIONS FOR USE

TOGGLE® fully dissolves in water and is suitable for use in liquid foliar, soil applied, and irrigation water applications. With the versatility to apply in-furrow or by foliar application, TOGGLE® works synergistically with a grower's fertilizer program to improve the crop's use of nutrients and make the best use of production inputs. Regular applications are important for maximizing crop potential during unexpected stress. TOGGLE® can be tank mixed with most commonly used insecticides, fungicides and herbicides.

SHAKE BEFORE USE

Crop	Application	Rate per acre	Recommendation & Timing
Corn (Field corn, silage, sweet corn, popcorn, seed corn)		32 to 48 ounces	Foliar broadcast spray at V4-VT. Note: Always follow fungicide labels regarding surfactant use at/near tassel stages.
Soybean		32 to 48 ounces	Foliar broadcast from V4 - R3.
Wheat	1 st	32 to 48 ounces	At tiller initiation.
	2 nd	32 to 48 ounces	At early boot to early panicle emergence.
Cotton	1 st	32 to 48 ounces	Foliar broadcast at pinhead square. †
	2 nd	32 to 48 ounces	Foliar broadcast two weeks after pinhead square.
Rice	1 st	32 to 48 ounces	Foliar broadcast at tiller initiation. †
	2 nd	32 to 48 ounces	Foliar broadcast at early panicle emergence. †
Alfalfa, Mixed Hay	1 st	32 to 48 ounces	Soon after each cutting. †
	2 nd	32 to 48 ounces	Two weeks after cutting. †
Potatoes	1 st	32 to 48 ounces	At tuber initiation. †
	2 nd	32 to 48 ounces	Through late tuber set (if more potatoes are desired). †
Peanuts	1 st	8 oun <mark>ces</mark>	In-furrow or banded at planting –OR– with row starter. †
	2 nd	32 to 48 ounces	After plants are established through to harvest. †
All other row crops		32 to 48 ounces	At planting through to harvest. †

ADDITIONAL APPLICATIONS ARE RECOMMENDED at planting, if applicable, and prior to major stress events or after severe hail or insect damage or herbicide damage. † Key timings for best results. For more information see your TOGGLE® authorized distributor or TOGGLE® representative.

CAUTION

Keep out of reach of children.

WARRANTY STATEMENT:

The manufacturer warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions under normal conditions of use. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials or the manner of use or application, all of which are beyond the control of the manufacturer. In on case shall the manufacturer be liable for consequential, special or indirect damages resulting from the use or handling of this product. The manufacturer makes no warranties of merchantability or fitness for a particular purpose nor any other express or implied warranty except as stated above.

Information regarding the contents and levels of metals in this product is available on the internet at http://www.aapfco.org/metals.htm

For your convenience, TOGGLE® product information is available on Agrian database (http://agrian.com/home/) as well as in Crop Data Management Systems database (http://www.cdms.net/). Guaranteed Analysis

Soluble Potash (K,O)

Derived from Ascophyllum nodosum

TOGGLE[®] 0 - 0 - 1 F000148

Visit www.ToggleByAcadian.com and access the years of scientific research results behind Toggle®.

1%