



CALCIUM 6% 4-0-0

COMPLEXED MICRONUTRIENT FOR PREVENTION AND CORRECTION OF CALCIUM DEFICIENCY IN CROPS

GUARANTEED ANALYSIS:

Total Nitrogen (N)	4.00%
4.00% Nitrate Nitrogen (N)	
Calcium (Ca)*	6.00%
6.00% Water Soluble Calcium (Ca)	

Derived from calcium nitrate.
The complexing agent is lignin sulfonate.
*Equivalent to 8.6% CaO

KEEP OUT OF REACH OF CHILDREN

WARNING

May be harmful if swallowed
Causes eye irritation
Causes mild skin irritation
May be harmful if inhaled

WEIGHT PER GAL. 10.13 lbs (4.59 kg) SN 050615G

NET CONTENTS: 2.5 gal (9.46 L)

Information about the components of this lot of fertilizer may be obtained by writing to Helena Chemical Company, 225 Schilling Boulevard, Suite 300, Collierville, TN 38017 and giving the lot number which is found on the container.

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.aapfco.org/metals.htm>

F224

MANUFACTURED FOR
HELENA CHEMICAL COMPANY
225 SCHILLING BOULEVARD, SUITE 300
COLLIERVILLE, TN 38017
901-761-0050

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

BEFORE USING THIS PRODUCT, READ ALL PRECAUTIONS, DIRECTIONS FOR USE, CONDITIONS OF SALE-LIMITED WARRANTY AND LIMITATIONS OF LIABILITY AND REMEDIES.

May be harmful if swallowed. Causes eye irritation. Causes mild skin irritation. May be harmful if inhaled. Keep product locked up and out of the reach of children. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or smoking tobacco. Remove and wash contaminated clothing before reuse. Do not take internally. Avoid contact with or inhalation of spray application mist if present. Do not apply this product in such a manner as to directly expose workers or other persons. If product is being mixed with pesticides and/or spray adjuvants, follow all precautionary statements on the accompanying product(s) labeling. Not for human or animal consumption.

Personal Protective Equipment (PPE): Wear protective eyewear (goggles or face shield), chemical-resistant gloves, long-sleeved shirt and long pants, and shoes plus socks when using this product. Take off any contaminated clothing and wash before reuse.

FIRST AID	
IF IN EYES:	<ul style="list-style-type: none"> Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none"> Call a POISON CENTER or doctor immediately. Rinse mouth. Do NOT induce vomiting. Do not give anything by mouth to an unconscious person. Immediately call a POISON CENTER or doctor.
IF INHALED:	<ul style="list-style-type: none"> Move person to fresh air and keep at rest in a position comfortable for breathing if they feel unwell. If not breathing, call 911 or an ambulance, then give

	artificial respiration, preferably mouth-to-mouth if possible. <ul style="list-style-type: none"> Call a POISON CENTER or doctor for treatment advice.
IF ON SKIN OR HAIR:	<ul style="list-style-type: none"> Take off immediately all contaminated clothing. Rinse skin with water or shower. Get medical attention if irritation develops or persists. Wash contaminated clothing before reuse.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-424-9300 for emergency medical treatment information.	

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in original container only. Keep container tightly closed. Do not allow water to be introduced into the contents of this container. Do not store near heat or open flame. Do not store with oxidizing agents or ammonium nitrate. Keep locked up and out of the reach of children.

CONTAINER DISPOSAL: Do not reuse empty container. Triple rinse (or equivalent) during mixing and loading and add rinse water to spray tank. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at www.acrecycle.org. Decontaminated containers may also be disposed of in a sanitary landfill.

For help in chemical emergencies involving spill, leak, fire or exposure, call toll free 1-800-424-9300.

GENERAL INFORMATION

TRACITE® CALCIUM 6% 4-0-0 4-0-0 is a complexed micronutrient designed for foliar or soil application. It is recommended for use as an additive in dry or liquid fertilizers and is compatible with herbicides, insecticides and most agricultural chemicals that may be utilized in combination with liquid fertilizers. **TRACITE® CALCIUM 6% 4-0-0** may not be compatible with some liquid fertilizer formulations. Pre-mix a small amount to check for compatibility.

RECOMMENDED CROPS

TRACITE® CALCIUM 6% 4-0-0 4-0-0 can be applied to the following crops: Alfalfa, almond, avocados, apples, broccoli, cabbage, carrots, cauliflower, celery, citrus, corn, grapes, lettuce, milo, melons, nectarines, pears, peaches, pecans, peppers, plums, prunes, potatoes, peanuts, sorghum, sugar beets, sweet corn, sugar cane, strawberries, tomatoes, turnips, walnuts, watermelons, wheat and most other crops.

GENERAL APPLICATION RATES

Grapes – Apply 1-2 quarts per acre at soft-berry stage of development 3-4 weeks before bloom. A second application of 1-2 quarts per acre 30 days before harvest may aid in increasing sugar content.

Tomatoes – Apply 1-2 quarts per acre every 2 weeks after first bloom.

Other Vegetables – Apply at the rate of 1 pint per acre per week in the normal spray program. Increase the rate to 2 pints per acre per week prior to the time that the deficiency usually shows up.

Tree Crops – Apply 1-2 pints per 100 gallons of spray. Start at full bloom and continue at two-week intervals. Trees must be thoroughly wet. For best results do not spray in the heat of the day.

Peanuts – Spanish and small-seeded varieties of peanuts: 2 gallons per acre at early bloom. Florunner variety: 3 gallons per acre. The application may be split into 2 applications at 10-14 day intervals. Large-seeded Virginia varieties: in addition to land plaster, apply 1 gallon per acre, 2-3 times at 10-14 day intervals beginning at early bloom. **DO NOT APPLY TRACITE® CALCIUM 6% 4-0-0 WITH OIL.**

Cotton – Apply 1 pint per acre per week or 1 quart every other week. Start treatment at early bloom.

Other Field and Row Crops: Apply as recommended by tissue analysis.

MIXING AND APPLICATION GUIDE

High Volume Sprayer: Use 350-800 gallons of water per acre.

Conventional Field Crop Sprayer: Use a minimum of 20 gallons of water per acre.

Low Volume Sprayers: Use a minimum of 5 gallons of water per acre.

Aircraft Spraying: Use a maximum of 1 quart per gallon of water.

Mixing: In any mixing operation, **TRACITE® CALCIUM 6% 4-0-0** should be introduced in the following sequence:

- Water
- TRACITE® CALCIUM 6% 4-0-0**
- Other fertilizers or pesticides

In mixtures where a compatibility agent is necessary, a product such as **BUFFER P.S.™** is recommended. Thorough coverage is necessary for best results and the addition of a non-ionic surfactant such as **INDUCE®** is recommended.

Disclaimer: Always refer to the label on the product before using Helena or any other product.

Rates of application will vary depending upon the severity of the deficiency, climate, soil type, and method of application. Consult your State Agricultural Experiment Station or Extension Specialist for advice in selecting treatments from this label to best fit local conditions.

**CONDITIONS OF SALE—LIMITED WARRANTY
AND LIMITATIONS OF LIABILITY AND REMEDIES**

Read the Conditions of Sale—Warranty and Limitations of Liability and Remedies before using this product. If the terms are not acceptable, return the product, unopened, and the full purchase price will be refunded.

This label is believed to be reliable and must be followed carefully. Injury to the crop to which the product is applied may result from the occurrence of extraordinary or unusual weather conditions or the failure to follow the label directions or good application practices, all of which are beyond the control of Helena Chemical Company (the "Company") or seller. In addition, failure to follow label directions may cause injury to crops, animals, man or the environment. The Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purpose referred to subject to the factors noted above which are beyond the control of the Company. The Company makes no other warranties or representations of any kind, express or implied, concerning the product, including no implied warranty of merchantability or fitness for any particular purpose, and no such warranty shall be implied by law.

The exclusive remedy against the Company for any cause of action relating to the handling or use of this product shall be limited to, at Helena Chemical Company's election, one of the following:

1. Refund of the purchase price paid by buyer or user for product bought, or
2. Replacement of the product used

To the extent allowed by law, the Company shall not be liable and any and all claims against the Company are waived for special, indirect, incidental, or consequential damages or expense of any nature, including, but not limited to, loss of profits or income. The Company and the seller offer this product and the buyer and user accept it, subject to the foregoing conditions of sale and limitation of warranty, liability and remedies.

© Copyright Helena Holding Company, 2015

TRACITE® and INDUCE® are registered trademarks of Helena Holding Company.

BUFFER P.S.™ is a trademark of Helena Holding Company.