White LabelTM 10% Zinc

with 5% Sulfur **SPECIMEN**



A micronutrient supplement for foliar and soil application

WARNING

GUARANIEED	ANALYSIS

Sultur (S) 5.0%
5.0% Combined Sulfur
Zinc (Zn)10.0%
10.0% Water Soluble Zinc

Derived from zinc sulfate.

F2399

Z-WL10ZN5S **Rev**: 21E14

Density: 11.0 lb/gal (1.33 kg/L) @ 68°F (20°C)

NET CONTENT NET	WEIGHT
-----------------	--------

☐ 2.5 gal (9.5 L)	27.5 lb (12.4 kg)
□ 5 gal (19.0 L)	55.0 lb (24.9 kg)
□ 55.00 gal (209.0 L)	605.0 lb (274.3 kg)

☐ 275.00 gal (1045.0 L)

3025.0 lb (1371.8 kg)

☐ BULK



PRECAUTIONS:

Do not breathe dust/fume/gas/mist/vapors/spray. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in wellventilated area. Avoid unauthorized release to environment. Wear protective gloves/protective clothing/eye protection/face protection. Keep container tightly closed. Keep cool and protected from sunlight. If medical advice is needed, have product container or label at hand. For more details regarding the safe use/handling, storage, and disposal of this product as well as additional hazards and first aid measures, please refer to the current Safety Data Sheet. FOR CHEMICAL EMERGENCY: Spill, leak, fire, exposure, or accident, call CHEMTREC at 1-800-424-9300.

STORAGE AND DISPOSAL

We recommend storing pails a maximum of three pails high. Do not stack pallets. Store container tightly closed in a cool/well-ventilated dry place protected from sunlight above 40°F. Do not allow container to freeze. Store locked up. DISPOSE of contents/container at a permitted facility or as advised by your local regulatory authority. Do not contaminate water, food or feed by storage or disposal. Do not apply directly to areas where surface water is present, or to intertidal areas below the mean high-water mark. Do not contaminate water when disposing of equipment wash water. Do not reuse empty container.

Information regarding the contents and levels of metals in this product is available on the internet at http://www.aapfco.org/metals.html

Always read and follow label instructions.

GENERAL INFORMATION

WHITE LABELTM ZINC WITH 5% SULFUR is a foliar and/or soil-applied micronutrient and is non-phytotoxic when used as directed. WHITE LABELTM ZINC WITH 5% SULFUR is readily available and absorbed by the leaf surface or the root system.

DIRECTIONS FOR USE

FOR FOLIAR APPLICATION:

Tree Nut and Tree Fruit Crops: Apply 1 quart to 2 gallons per acre per each spray. If concentrated spray is used, increase the concentration in direct proportion to dilution. If tree crops are sprayed several times a year, the above amount can be split into more numerous applications. Split applications over the year are considered more beneficial than single applications.

Fruit and Vegetable Crops: Apply 1 to 2 pints per acre per each spray. **WHITE LABELTM ZINC WITH 5% SULFUR** can be incorporated in the normal spray program.

Row Crops: Apply 1 quart to 2 gallons per acre per each spray.

Use WHITE LABELTM ZINC WITH 5% SULFUR at the recommended rates on the following crops:

IREE NUT AND TREE FRUIT CROPS: Almond, apple, avocado, banana, cashew, cherry, prune, chestnut, citrus crops (grapefruit, lemon, lime, orange, tangelo, tangerine, etc.), fig, hazelnut, macadamia, mango, olive, palm (date), peach, nectarine, pecan, pistachio, pomegranate, quince, and walnut

FRUIT AND VEGETABLE CROPS: Artichoke (globe), asparagus, berries (blackberry, boysenberry, dewberry, loganberry, blueberry, gooseberry, huckleberry, raspberry, currants, etc.), carrot, celery, cruciferous crops (broccoli, brussels sprout, cabbage, cauliflower, collards, kale, mustard greens, rutabagas, turnips, etc.), cucurbits (cantaloupe, cucumber, honeydew, melon, muskmelon, pumpkin, squash, watermelon, etc.), eggplant, flax, grapes (wine grape, table grape, etc.), lettuce (head and leaf), okra, onions (garlic, dry onion, dry shallot), parsley, pea, peppermint, pepper, pineapple, spearmint, spinach, strawberry, and tomato

ROW CROPS: Alfalfa, barley, bean crops (dry, colored, green, snap, lima, lentils, etc.), beets (sugar beet, table beet, etc.), canola, clover, corn, cotton, forage grasses, hop, oat, peanut, potato, rice, rye, sorghum, soybean, sugarcane, sunflower, sweet potato, tobacco, and wheat

When foliar spraying WHITE LABELTM ZINC WITH 5% SULFUR through conventional sprayers, use a minimum of 20 gallons of water per acre. When foliar spraying WHITE LABELTM ZINC WITH 5% SULFUR with low volume equipment, 5 gallons of water per acre is usually sufficient. If less water is used, slight burning of the foliage may occur. A maximum of 1/2 gallon per acre per application is recommended. Aerial applications should not exceed 1 quart per gallon of water. For best results spray when the crop is in an active growing state, after irrigation or natural rainfall. Spray early in the morning or late afternoon. Mid-day sprays may not be effective because of excessive moisture evaporation. The addition of 1/2% (total solution) of nitrogen solution, ammonium sulfate or low biuret urea may aid leaf absorption. (This usage is only acceptable for non-organic crop production.)

Liquid Fertilizer:

Mix WHITE LABELTM ZINC WITH 5% SULFUR with liquid fertilizer agitating to thoroughly disperse the trace elements. This can be achieved by adding the product to the mixing batch tank or inducting through a pump. When mixing in batch tank, add product to water nitrogen solution before adding phosphate material. Stoller Enterprises, Inc. also manufactures a line of chelates for high-analysis fertilizer. WHITE LABELTM ZINC WITH 5% SULFUR is compatible with most insecticides, fungicides, foliar nutrients, and herbicides. It can be applied in existing spray programs. WHITE LABELTM ZINC WITH 5% SULFUR can be applied with most herbicides. Use 1 quart per acre in banded application and 2 quarts per acre in broadcast application. WHITE LABELTM ZINC WITH 5% SULFUR is compatible most water-dispersed herbicides.

WHITE LABELTM ZINC WITH 5% SULFUR is manufactured to rigid controls at the highest possible concentration for effective usage. Any residue in this pail is water soluble. Rinse the pail with water and add solution to spray tank.

MIXING INSTRUCTIONS: Follow this mixing order-(1) Water (2) WHITE LABELTM ZINC WITH 5% SULFUR (3) Pesticide/Fertilizer. WHITE LABELTM ZINC WITH 5% SULFUR will disperse in water with little agitation. WHITE LABELTM ZINC WITH 5% SULFUR is compatible with most fertilizers and pesticides. Always conduct a jar test when using new or untried combinations.

CONDITIONS OF SALE: 1. Stoller USA ("Seller") warrants that this product conforms to the ingredients specified and is reasonably fit for the purpose stated on this label when used in strict accordance with label directions. SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. 2. It is impossible to eliminate all risks associated with use of this product. Matters of time, rate of application, storage and other conditions might affect product performance beyond Seller's control. All such risks shall be assumed by buyer. 3. To the extent permitted by law, the exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories), shall be limited to, at Seller's election, one of the following: (a) refund of purchase price paid by buyer or user for product bought, or (b) replacement of amount of product used. To the extent permitted by law, Seller shall not be liable for losses or damages resulting from handling or use of this product unless Seller is promptly notified of such loss or damage in writing. In no case shall Seller be liable for consequential or incidental damages or losses.

Always read and follow label instructions.