

**GUARANTEED ANALYSIS** 

## MINI-PLUS

26-4-11

WITH 40% METHYLENE UREA
AND 30% POLYMER COATED SULFUR COATED UREA

16.10% Urea Nitrogen* 5.33% Slowly Available Water Soluble Nitrogen** Available Phosphate (P,Q)	Total Nitrogen (N)		26.00%
Available Prosphate (P.Q.)			
Available Phosphate (P,O)	-	<u> </u>	
Soluble Potash (K,O)			4.00%
Suffur (S)			
DERIVED FROM: Methylene Urea, Monoammonium Phosphate, Urea, Sulfate of Potash, Polymer Coated Sulfur Coated Urea, and Iron Sucrate.  7.80% Slowly available nitrogen from polymer coated sulfur coated urea.  9.10% Slowly available nitrogen from methylene urea.  FIRST AID  In all cases, call a poison control center or doctor for further treatment advice.  In SULVED, call a poison control center or doctor for further treatment advice.  In SULVED, call a poison control center or doctor for further treatment advice.  In SULVED, call a poison control center or doctor for further treatment advice.  In SULVED, call a poison control center or doctor for further treatment advice.  In SULVED, call a poison control center or doctor. Do not give anything to an unconscious for the sulf-person is not present properties.  In SULVED, call a poison control center or doctor. Do not give anything to an unconscious for sulf-person to feeth air. If person is not breathing, call 911 or an ambulance, then give artificial respiration.  In SULVED, now person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration.  In SULVED, now person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration.  In SULVED, now person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration.  In SULVED, now person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration.  In SULVED, and the give a person to responsible to the sulf-person and the give artificial respiration.  In SULVED, and the give a person to responsible the give artificial respiration.  In SULVED, and the give artificial respiration.  In SULVED, and the give a person to responsible the sulf-person and set and the give artificial respiration.  In SULVED, and the give art			
17.80%. Slowly available nitrogen from polymer coated sulfur coated urea. 19.10% Slowly available nitrogen from methylene urea.  FIRST AID  In all cases, call a poison control center or doctor for further treatment advice.  If SWALLOWED, call a poison control center or doctor for further treatment advice.  If SWALLOWED, call a poison control center or doctor for further treatment advice.  If SWALLOWED, call a poison control center or doctor for further treatment advice.  If SWALLOWED, call a poison control center or doctor for further treatment advice.  If SWALLOWED, call a poison control center or doctor for further treatment advice.  If SWALLOWED, call a poison control center or doctor for further treatment advice.  If SWALLOWED, call a poison control center or doctor for further treatment advice.  If SWALLOWED, call a poison control center or doctor for further treatment advice.  If SWALLOWED, call a poison control center or doctor for doctor further doctor for the state of the poison in the state of the	Iron (Fe)		4.00%
**************************************	DERIVED FROM: Methylene Urea	a, Monoammonium Phosphate, Urea, Sulfate of Potas	h, Polymer Coated Sulfur Coated Urea, and Iron Sucrate.
FIRST AID  In all cases, call a poison control center or doctor for further treatment advice.  If SWALLOWED, call a poison control center or doctor immediately, Have person sip a glass of water if able to swallow born of induce vorting unless tool to by a poison control center or doctor immediately, Have person sip a glass of water if able to swallow born of induce vorting unless tool to by a poison control center or doctor immediately, with plenty of water for 15-20 minutes. If NO SKIN, take off contaminated clothing, Flinse skin immediately with plenty of water for 15-20 minutes. If NO SKIN, take off contaminated clothing, Flinse skin immediately with plenty of water for 15-20 minutes. If Produce in the internation of the prevalence of th			
In all cases, call a poison control center or doctor for further treatment advice.  If SWALLOWED, call a poison control center or doctor for further treatment advice.  If SWALLOWED, call a poison control center or doctor for immediately have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything to an unconscious presson. If On Skink take of tocniminated clothing, Rines skin immediately with plenty of water for 15-20 minutes. IF INHALED, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, after the first 5 minutes, then continue rinsing.  DIRECTIONS FOR USE  TURFGRASS: For maintenance of turfgrass, use 3.8 pounds of WIL-GRO® MINI-PLUS per 1,000 sq. ft. or 167 pounds per acre. For repair of damaged turf (such as divor repair, pet damage, traffic wear, insect or disease damage and/or drought stress) use 3.8 pounds per 1,000 sq. ft. or 167 pounds per acre. For preplant, over-seeding, newly seeded or sod establishment, use 5.8 pounds per 1,000 sq. ft. or 250 pounds per acre. For repair of damaged turf (such as divor repair, pet damage, traffic wear, insect or disease damage and/or drought stress) use 3.8 pounds per 1,000 sq. ft. or 167 pounds per acre. For repair of damaged turf (such as divor repair, pet damage, traffic wear, insect or disease damage and/or drought stress) use 3.8 pounds per 1,000 sq. ft. or 167 pounds per acre. For repair of damaged turf (such as divor repair, pet damage, traffic wear, insect or disease damage and/or drought stress) use 3.8 pounds per 1,000 sq. ft. or 250 pounds per acre. For repair of damaged turf (such as divor repair, pet damage, traffic wear, insect or disease damage and/or drought stress) use 3.8 pounds per 1,000 sq. ft. or 250 pounds per acre. For repair of damaged turf (such as divor pet	**9.10% Slowly available nitrogen from	n methylene urea.	
SWALLOWED, call a poison control center or doctor immediately. Have person sip a glass of water if able to available to available on circle in the control center or doctor. Do not pidue vorting unless old to by a poison control center or doctor. Do not give anything to an unconscious person. If PON SKIN, take off contaminated clothing, Blass skin immediately with plenty of water for 15-20 minutes. IF in a sale manner, Store in original container only and keep tightly sealed when not person. If PON SKIN, take off contaminated clothing, Blass skin immediately with plenty of water for 15-20 minutes. If the pression for the treathing, call 911 or an ambulance, then going article respiration.  If IN SEXT, bold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.  DIRECTIONS FOR USE  TURFGRASS: For maintenance of turfgrass, use 3.8 pounds of WIL-GRO® MINI-PLUS per 1,000 sq. ft. or 167 pounds per acre. For prepaint, over-seeding, newly seeded or sod establishment, use 5.8 pounds per 1,000 sq. ft. or 250 pounds per acre.  GROUNDCOVER, FLOWERBEDS, VEGETABLE GARDENS: Apply 6 ounces of WIL-GRO MINI-PLUS per 100 sq. ft. or 3.8 pounds per 1,000 sq. ft.  For best performance, apply to dry turfgrass and water after application. Do not apply directly to an impervious surface or to ground that is frozen. Sweep or blow off any residual material on adjacent concrete, patios or walkways after application. Keep away from pools, ponds, etc. Do not contaminate potable water.  PRODUCT COVERAGE  NUMBER OF 50-POUND BAGS  AREA COVERED  1.0	FIRST AID		STORAGE AND DISPOSAL
Do not induce vanishing unless told to by a poison control center or doctor. Do not give anything to an unconscious person. IF ON Skink, take oft contaminated clothing, finese skin immediately with plent by dwater for 15-20 minutes. IF is minutes, the property of the pr			
In use Dispose of unused product and empty containers in accordance with Federal, INALED, move person to fresh air. If person is not breathing, call 91 or an ambulance, then give artificial respiration.  If INEYES, hold eye open and rines slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continuer insing.  DIRECTIONS FOR USE  TURFGRASS: For maintenance of turfgrass, use 3.8 pounds of WIL-GRO® MINI-PLUS per 1,000 sq. ft. or 167 pounds per acre. For repair of damaged turf (such as divot repair, pet damage, traffic wear, insect or disease damage and/or drought stress) use 3.8 pounds per 1,000 sq. ft. or 167 pounds per acre. For preplant, over-seeding, newly seeded or sod establishment, use 5.8 pounds per 1,000 sq. ft. or 250 pounds per acre.  GROUNDCOVER, FLOWERBEDS, VEGETABLE GARDENS: Apply 6 ounces of WIL-GRO MINI-PLUS per 100 sq. ft. or 3.8 pounds per 1,000 sq. ft. or 3.8 pounds p			
IFINEYES, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, application equipment. Bispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.  DIRECTIONS FOR USE  TURFGRASS: For maintenance of turfgrass, use 3.8 pounds of WIL-GRO® MINI-PLUS per 1,000 sq. ft. or 167 pounds per acre. For repair of damaged turf (such as divot repair, pet damage, traffic wear, insect or disease damage and/or drought stress) use 3.8 pounds per 1,000 sq. ft. or 167 pounds per acre. For preplant, over-seeding, newly seeded or sod establishment, use 5.8 pounds per 1,000 sq. ft. or 250 pounds per acre.  For preplant, over-seeding, newly seeded or sod establishment, use 5.8 pounds per 1,000 sq. ft. or 250 pounds per acre.  For best performance, apply to dry turfgrass and water after application. Do not apply directly to an impervious surface or to ground that is frozen. Sweep or blow off any residual material on adjacent concrete, patios or walkways after application. Keep away from pools, ponds, etc. Do not contaminate potable water.  PRODUCT COVERAGE  NUMBER OF 50-POUND BAGS  1.0	person. IF ON SKIN, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. IF		in use. Dispose of unused product and empty containers in accordance with Federal,
DIRECTIONS FOR USE  TURFGRASS: For maintenance of turfgrass, use 3.8 pounds of WIL-GRO® MINI-PLUS per 1,000 sq. ft. or 167 pounds per acre. For repair of damaged turf (such as divot repair, pet damage, traffic wear, insect or disease damage and/or drought stress) use 3.8 pounds per 1,000 sq. ft. or 167 pounds per acre. For preplant, over-seeding, newly seeded or sod establishment, use 5.8 pounds per 1,000 sq. ft. or 250 pounds per acre.  GROUNDCOVER, FLOWERBEDS, VEGETABLE GARDENS: Apply 6 ounces of WIL-GRO MINI-PLUS per 100 sq. ft. or 3.8 pounds per 1,000 sq. ft. or 3.8 pounds per 1,000 sq. ft. or 250 pounds per acre.  GROUNDCOVER, FLOWERBEDS, VEGETABLE GARDENS: Apply 6 ounces of WIL-GRO MINI-PLUS per 100 sq. ft. or 3.8 pounds per 1,000 sq. ft.  For best performance, apply to dry turfgrass and water after application. Do not apply directly to an impervious surface or to ground that is frozen.  Sweep or blow off any residual material on adjacent concrete, patios or walkways after application. Keep away from pools, ponds, etc. Do not contaminate potable water.  PRODUCT COVERAGE  NUMBER OF 50-POUND BAGS  AREA COVERED  1.0	IF IN EYES, hold eye open and rinse slowly and		application equipment. Dispose of empty bag in a sanitary landfill or by incineration,
TURFGRASS: For maintenance of turfgrass, use 3.8 pounds of WIL-GRO® MINI-PLUS per 1,000 sq. ft. or 167 pounds per acre. For repair of damaged turf (such as divot repair, pet damage, traffic wear, insect or disease damage and/or drought stress) use 3.8 pounds per 1,000 sq. ft. or 167 pounds per acre. For preplant, over-seeding, newly seeded or sod establishment, use 5.8 pounds per 1,000 sq. ft. or 250 pounds per acre.  GROUNDCOVER, FLOWERBEDS, VEGETABLE GARDENS: Apply 6 ounces of WIL-GRO MINI-PLUS per 100 sq. ft. or 3.8 pounds per 1,000 sq. ft.  For best performance, apply to dry turfgrass and water after application. Do not apply directly to an impervious surface or to ground that is frozen. Sweep or blow off any residual material on adjacent concrete, patios or walkways after application. Keep away from pools, ponds, etc. Do not contaminate potable water.  PRODUCT COVERAGE  NUMBER OF 50-POUND BAGS  AREA COVERED  1.0	after the first 5 minutes, then continue rinsing.		or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.
1.0	(such as divot repair, pet damage, to For preplant, over-seeding, newly see GROUNDCOVER, FLOWERBEDS, For best performance, apply to dry Sweep or blow off any residual mate	raffic wear, insect or disease damage and/or drought seeded or sod establishment, use 5.8 pounds per 1,000, VEGETABLE GARDENS: Apply 6 ounces of WIL-GRy turfgrass and water after application. Do not apply	stress) use 3.8 pounds per 1,000 sq. ft. or 167 pounds per acre. 3 sq. ft. or 250 pounds per acre. 3 O MINI-PLUS per 100 sq. ft. or 3.8 pounds per 1,000 sq. ft. directly to an impervious surface or to ground that is frozen.
ADVANTAGES AND BENEFITS  **Mid-sized fertilizer formulated for close-cut turf to enhance color, density and overall appearance.  **40% methylene urea nitrogen and 30% polymer coated sulfur coated slow release nitrogen for a slow and steady release over a long period of time.  **High iron content necessary for the formulation of chlorophyll.**  **KEEP OUT OF REACH OF CHILDREN PRECAUTION**  Do not ingest. Avoid contact with skin, eyes or clothing. Avoid breathing dust, vapor or mist.  **For chemical spills, leaks, fire or exposure, call CHEMTREC: (800) 424-9300.**  **PACKAGE SIZE:**    50-LB. BAG (22.68 kg)     BULK	PRODUCT COVERAGE		
ADVANTAGES AND BENEFITS   • Mid-sized fertilizer formulated for close-cut turf to enhance color, density and overall appearance.  • 40% methylene urea nitrogen and 30% polymer coated sulfur coated slow release nitrogen for a slow and steady release over a long period of time.  • High iron content necessary for the formulation of chlorophyll.  KEEP OUT OF REACH OF CHILDREN PRECAUTION  Do not ingest. Avoid contact with skin, eyes or clothing. Avoid breathing dust, vapor or mist.  For chemical spills, leaks, fire or exposure, call CHEMTREC: (800) 424-9300.  PACKAGE SIZE:   □ 50-LB. BAG (22.68 kg)  □ BULK		1.0	
• 40% methylene urea nitrogen and 30% polymer coated sulfur coated slow release nitrogen for a slow and steady release over a long period of time.      • High iron content necessary for the formulation of chlorophyll.		3.4	43,560 sq. ft. (1 acre)
PRECAUTION  Do not ingest. Avoid contact with skin, eyes or clothing. Avoid breathing dust, vapor or mist.  For chemical spills, leaks, fire or exposure, call CHEMTREC: (800) 424-9300.  PACKAGE SIZE:    50-LB. BAG (22.68 kg)   BULK	<b>BENEFITS</b> • 40% methylene urea nitrogen and 30% polymer coated sulfur coated slow release nitrogen for a slow and steady release over a long period of time.		
PRECAUTION  Do not ingest. Avoid contact with skin, eyes or clothing. Avoid breathing dust, vapor or mist.  For chemical spills, leaks, fire or exposure, call CHEMTREC: (800) 424-9300.  PACKAGE SIZE:    50-LB. BAG (22.68 kg)   BULK		KEEP OUT OF REACH OF	CHII DREN
Do not ingest. Avoid contact with skin, eyes or clothing. Avoid breathing dust, vapor or mist.  For chemical spills, leaks, fire or exposure, call CHEMTREC: (800) 424-9300.  PACKAGE SIZE:   50-LB. BAG (22.68 kg)   BULK			
Do not ingest. Avoid contact with skin, eyes or clothing. Avoid breathing dust, vapor or mist.  For chemical spills, leaks, fire or exposure, call CHEMTREC: (800) 424-9300.  PACKAGE SIZE:   50-LB. BAG (22.68 kg)   BULK		PRECAUTIC	)N
PACKAGE SIZE: □ 50-LB. BAG (22.68 kg) □ BULK		Do not ingest. Avoid contact with skin, eyes or clothing. Avoid	d breathing dust, vapor or mist.
	For chemical spills, leaks, fire or expo	sure, call CHEMTREC: (800) 424-9300.	
Manufactured by: Wilbur-Ellis Company, 7 E. Washington Ave., Yakima, WA 98903 K-111412	PACKAGE SIZE:	□ 50-LB. BAG (22.68 kg)	□BULK
	Manufactured by: Wilbur-Ellis Company, 7	7 E. Washington Ave., Yakima, WA 98903	K-111412
	2 100 27		

Conditions of Sale and Limitation of Warranty and Liability:

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using the product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of the product should be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of many different factors including, without limitation, manner of use or application, weather, combination with other products, or crop conditions. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Manufacturer and Seller harmless from any claims relating to such factors.

Seller warrants that this product conforms to the chemical description on the label. EXCEPT FOR THIS WARRANTY, THE PRODUCT IS FURNISHED "AS-IS," AND NEITHER SELLER NOR MANUFACTURER MAKES ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, WITH RESPECT TO THE SELECTION, PURCHASE OR USE OF THIS PRODUCT; SELLER AND MANUFACTURER SPECIFICALLY DISCLAIM ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Buyer and User accept all risks arising from any use of this product, including without limitation uses contrary to label instructions, under abnormal conditions, or under conditions not reasonably foreseeable to (or beyond the control of) Seller or Manufacturer.

To the extent permitted by law, neither Manufacturer nor Seller shall be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE BUYER OR USER, AND THE EXCLUSIVE LIABILITY OF MANUFACTURER AND SELLER, FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE), RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THIS PRODUCT, OR, AT THE ELECTION OF MANUFACTURER OR SELLER, THE REPLACEMENT OF THE PRODUCT.

These Conditions of Sale and Limitation of Warranty and Liability shall be interpreted in accordance with the laws of the State of California, excluding its conflicts of laws rules, and may not be amended by any oral or written agreement.

WILBUR-ELLIS Logo and WIL-GRO are registered trademarks of Wilbur-Ellis Company.

Information regarding the contents and levels of metals in this product is available on the internet at http://www.aapfco.org/metals.htm

