

# ZILLA

## LOW FOAM SPRAY ADJUVANT

### Principal Functioning Agents:

Alkyl ethoxylate, Sulfcarbamide.....	93%
Constituents ineffective as a spray adjuvant.....	7%
<b>TOTAL.....</b>	<b>100%</b>

Surfactant content 10%

All ingredients are exempt from tolerance under <sup>40</sup> CFR <sup>180</sup>.

KEEP OUT OF REACH OF CHILDREN

**DANGER**

NET CONTENTS: 2.5 Gal. (9.46L)



**RFT**

REAL FARM TECHNOLOGIES LLC

605 12th Street, Aurora, NE 68818

## DANGER

Corrosive. Causes irreversible eye damage. Do not get in eyes, on skin or on clothing. Harmful if inhaled. Avoid breathing vapor or spray mist. Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

**PERSONAL PROTECTIVE EQUIPMENT (PPE):** Wear protective eyewear such as goggles, face shield, or safety glasses. Coveralls worn over long-sleeved shirt and long pants, socks, chemical-resistant footwear, and chemical-resistant gloves.

### FIRST AID

**If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing eye.

**If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

**If Swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible.

## GENERAL INFORMATION

**ZILLA** is intended to improve performance by enhancing penetration of the leaf surface of many fungicides, herbicides, insecticides, defoliants, desiccants, and miticides. **ZILLA** reduces the adverse effects that alkaline waters have on the spray solution and provides additional wetting of the sprayed foliage. **ZILLA** should be added to the spray water with adequate agitation prior to the addition of the herbicide or desiccant. When the pesticide manufacture provides guidelines on spray water pH adjuvants, they are to be followed.

**NOTE: DO NOT USE ZILLA WITH PESTICIDES THAT ARE SENSITIVE TO ACIDIC DEGRADATION, SUCH AS SULFONYL UREA HERBICIDES, OR WITH COPPER FUNGICIDES.**

### DIRECTIONS FOR USE

For use with insecticides, fungicides, and miticides where performance may be affected when mixed with alkaline spray waters. Carbamates and organophosphates are generally subject to degradation in the spray tank and plant leaf surface due to alkaline hydrolysis, and benefit from acidulating the spray water.

### USE RATES

The optimum rate of **ZILLA** will vary with environmental conditions and water quality. The following rates should be adjusted as growing and application conditions changes:

GENERAL USE RATE (Ground or Aerial):	
Spray Volumes (gal) Per Acre	Pints per 100 gallons of spray solution
3-15 gallons	1 - 8 pints
3-15 gallons	1-4 pints

**ZILLA** should be added to the spray water with adequate prior to the addition of the herbicide or desiccant. When the pesticide manufacture provides guidelines on spray water pH adjuvants, they are to be followed. In tank mixes of phenoxy-like products and glyphosate, add **ZILLA** to the water, followed by the glyphosate and phenoxy last.

### NEVER MIX UNDILUTED CHLORATES WITH ZILLA AS HAZARDOUS CONDITIONS MAY RESULT

#### STORAGE AND DISPOSAL

**STORAGE:** Do not contaminate water, food or feed by storage and disposal. Store product in original container in a cool, dry place. Do not add water or anything else to the container.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent) adding rinsate to mix tank. Decontaminated containers may be disposed of in a sanitary landfill or by recycling. Recycling is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at [www.acrecycle.org](http://www.acrecycle.org).

#### STORAGE, HANDLING AND DISPOSAL

**CONTAINER DISPOSAL:** Triple rinse container into the spray solution and discard or offer for recycling or reconditioning. Always dispose of containers according to state and local guidelines.

**NOTE:** Concentrated **ZILLA** is corrosive to nylon, aluminum, leather and copper alloy, such as brass. Wash spillage off thoroughly and neutralize with material such as baking soda, soda ash or household ammonia. Never allow **ZILLA** to come in contact with undiluted chlorate desiccant as hazardous conditions may result.

#### LIMITATION OF LIABILITY AND WARRANTY

Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label, when used in accordance with directions under normal conditions use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk of any use.