

# ALLOWANCE-EA<sup>®</sup>

## WITH ACCUSTRIKE<sup>®</sup> TECHNOLOGY

### DEPOSITION AID DRIFT CONTROL AGENT

	% BY WT.
<b>PRINCIPAL FUNCTIONING AGENTS</b> .....	58.74%
Modified vegetable fatty acid, Vinyl ester, Polyoxyethylene-polyoxypropylene copolymer, and Sodium dioctylsulfosuccinate	
Constituents ineffective as spray adjuvants .....	41.26%
Total.....	100.00%

CA Reg. No. 2935-50216

WA Reg. No. 2935-20001

#### ECO ADVANTAGE<sup>®</sup> PRODUCT

The ECO ADVANTAGE family of products delivers on a promise to bring innovative technologies that meet the standards of an ecologically-friendly platform.

### KEEP OUT OF REACH OF CHILDREN PRECAUTIONARY STATEMENTS

Do not ingest. Avoid breathing vapor or mist. Avoid contact with eyes, skin or clothing. Wash hands and affected areas thoroughly with soap and water after handling.

FIRST AID	
If swallowed:	<ul style="list-style-type: none"> <li>• Rinse mouth.</li> <li>• Call a doctor or poison control center if symptoms occur or you feel unwell.</li> </ul>
If inhaled:	<ul style="list-style-type: none"> <li>• Move person to fresh air and keep comfortable for breathing.</li> <li>• Call a doctor or poison control center if symptoms occur or you feel unwell.</li> </ul>
If in eyes:	<ul style="list-style-type: none"> <li>• Rinse with water for several minutes.</li> <li>• Remove contact lenses, if present, then continue rinsing.</li> <li>• Call a doctor or get medical attention if irritation occurs and persists.</li> </ul>
If on skin:	<ul style="list-style-type: none"> <li>• Wash off with soap and water.</li> <li>• Call a doctor or get medical attention if irritation occurs and persists.</li> </ul>
<p><b>Have the product container with you when calling a poison control center, or doctor, or going for treatment. You may also contact EMERGENCY TELEPHONE NUMBERS:</b></p> <p>(800) 424-9300 CHEMTREC (transportation and spills)            (800) 222-1222 POISON CONTROL CENTER (human health)            (888) 426-4435 ASPCA (animal health)</p>	

## GENERAL INFORMATION

### FOR AIRBLAST APPLICATIONS ONLY

ALLOWANCE-EA® is specially formulated for use with most fungicides and insecticides that are labeled for use in agriculture, forestry, golf course, industrial, non-crop, roadside, and turf, and ornamentals. ALLOWANCE-EA is a deposition aid and drift control agent that reduces the number of spray droplet fines and generates a more uniform droplet size spectrum, which results in enhanced deposition and coverage of the spray onto the targeted surface.

**NOTE:** ALLOWANCE-EA does not replace the need for additional adjuvants/surfactants in the spray tank.  
NOT FOR USE WITH HERBICIDES.

**NOT FOR AQUATIC USE IN WASHINGTON.**

### DIRECTIONS FOR USE

Shake well before use. For optimal tank mix compatibility, add ALLOWANCE-EA to plain water in a spray tank and fully mix and disperse before adding other tank mix partners, including water conditioning products. ALLOWANCE-EA can be added and mixed while the tank is partially full. Care should be exercised when adding ALLOWANCE-EA to a tank where the previous mixture contained boron, high salt and/or electrolyte concentrations and/or fertilizers/micronutrients. To avoid potential incompatibility problems, if the previous tank mixture contained any of these components, make sure the tank is completely drained of the previous mixture prior to the addition of ALLOWANCE-EA. For tank mixtures containing boron, high salt and/or electrolyte concentrations and/or fertilizers/micronutrients, a jar test adding the products at the approximate rates and in the intended order of addition should be performed to identify potential incompatibility issues. When performing the jar test, add ALLOWANCE-EA to the jar first and mix thoroughly before adding other products. Undiluted ALLOWANCE-EA should not be allowed to contact other undiluted adjuvants, boron-containing products, fertilizers/micronutrients or undiluted pesticide products in eductor systems.

Proper nozzle selection and sprayer operation (pressure and spray angle) combined with good applicator evaluation and decision-making regarding wind direction, temperature inversions, application speed and susceptible crops in the area are necessary to maximize the drift reduction potential of ALLOWANCE-EA.

### USE RATES

Use 10-16 fluid ounces ALLOWANCE-EA per 100 gallons of spray mixture.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

**PRODUCT STORAGE:** Store in original container only and keep tightly sealed. Store in closed storage area.

**PRODUCT DISPOSAL:** Dispose of contents in accordance with all government regulations. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of federal law. Wastes resulting from the use of this product may be disposed of onsite or at an approved waste disposal facility.

**CONTAINER HANDLING:** Dispose of container in accordance with all government regulations. Triple rinse (or equivalent), then offer for recycling, if available, or reconditioning, if appropriate. Alternatively, puncture and dispose of the container in a sanitary landfill, or by other procedures approved by state and local authorities. Recycling cleaned containers is the best option of container disposal. The ACRC (Agricultural Container Recycling Council) operates a national recycling program. To contact your state or local ACRC recycler, visit the ACRC web page at [www.acrcycle.org](http://www.acrcycle.org).

Conditions of Sale and Limitation of Warranty and Liability:

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using the product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

**ALL STATEMENTS MADE HEREIN ARE SUBJECT TO APPLICABLE LAW, AND TO THE EXTENT THERE IS ANY INCONSISTENCY OR CONTENTION, APPLICABLE LAW SHALL GOVERN.**

The Directions for Use of the product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of many different factors including, without limitation, manner of use or application, weather, combination with other products, or crop conditions. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Manufacturer and Seller harmless from any claims relating to such factors.

**Seller warrants that this product conforms to the chemical description on the label. EXCEPT FOR THIS WARRANTY, THE PRODUCT IS FURNISHED "AS-IS", AND NEITHER SELLER NOR MANUFACTURER MAKES ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, WITH RESPECT TO THE SELECTION, PURCHASE OR USE OF THIS PRODUCT; SELLER AND MANUFACTURER SPECIFICALLY DISCLAIM ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE BEYOND WHAT IS STATED ON THE LABEL. Buyer and User accept all risks arising from any use of this product, including without limitation, uses contrary to label instructions, or under conditions not reasonably foreseeable to (or beyond the control of) Seller or Manufacturer.**

Neither Manufacturer nor Seller shall be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE BUYER OR USER, AND THE EXCLUSIVE LIABILITY OF MANUFACTURER AND SELLER, FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THIS PRODUCT, OR, AT THE ELECTION OF MANUFACTURER OR SELLER, THE REPLACEMENT OF THE PRODUCT.

These Conditions of Sale and Limitation of Warranty and Liability shall be interpreted, unless otherwise required by the law of the state of purchase, in accordance with the laws of the State of California, excluding its conflicts of laws rules, and may not be amended by any oral or written agreement.

WILBUR-ELLIS® logo, ACCUSTRIKE®, ALLOWANCE-EA® and ECO ADVANTAGE® are registered trademarks of Wilbur-Ellis Company LLC.

DRIFT REDUCTION TECHNOLOGY™ logo is a trademark of Wilbur-Ellis Company LLC.

F-060120

**In Case of Emergency, Call CHEMTREC:  
(800) 424-9300**

**WILBUR-ELLIS COMPANY LLC  
P.O. BOX 16458  
FRESNO, CALIFORNIA 93755  
(559) 442-1220**

**NET CONTENTS: 2.5 GALLONS (9.46 Liters)**