

Altrevin[®]

Fire Ant Bait Insecticide

For control of fire ants in citrus fruit, grapes, pome fruit, stone fruit, and tree nuts

Active Ingredient:

Metaflumizone* (CAS No 139968-49-3):	0.063%
Other Ingredients:	99.937%
Total:	100.000%

*(E/Z)-2-[2-(4-cyanophenyl)-1-[3-(trifluoromethyl)phenyl]ethylidene]-N-[4-(trifluoromethoxy)phenyl]hydrazinecarboxamide

EPA Reg. No. 7969-270

EPA Est. No.

CAUTION/PRECAUCION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See inside for complete First Aid, Precautionary Statements, Directions For Use, Conditions of Sale and Warranty, and state-specific crop and/or use site restrictions.

In case of an emergency endangering life or property involving this product, call day or night 1-800-832-HELP (4357).

Net Contents:

BASF Agricultural Solutions US LLC 2 TW Alexander Drive Research Triangle Park, NC 27713

FIRST AID			
If on skin	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. 		
If swallowed	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless told to do so by the poison control center or doctor. DO NOT give anything to an unconscious person. 		
If in eyes	 Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes; then continue rinsing. Call a poison control center for treatment advice. 		
	HOTI INE NUMBER		

HOTLINE NUMBER

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact BASF Agricultural Solutions US LLC (hereafter "BASF") for emergency medical treatment information: 1-800-832-HELP (4357).

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION. Harmful if absorbed through skin or swallowed. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

Personal Protective Equipment (PPE)

Applicators or other handlers must wear:

- Long-sleeved shirt and long pants
- Chemical-resistant gloves (such as rubber or waterproof aloves)
- Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Environmental Hazards

This pesticide is toxic to fish and aquatic invertebrates. Metaflumizone has the potential to bioaccumulate in aquatic and terrestrial organisms, and may affect the reproduction of birds, mammals, reptiles, and amphibians if not used in accordance with the label directions and restrictions. **DO NOT** apply directly to water, to areas where surface water is present, or to intertidal areas below

the mean high water mark. Runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Cover, clean up, or incorporate granules that are spilled. Keep spilled granules out of all sewers and open bodies of water. **DO NOT** apply this product directly to bodies of water such as lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, estuaries, or commercial fishponds. **DO NOT** contaminate water when disposing of equipment washwaters.

For Broadcast Applications

DO NOT make broadcast application within 15 feet of perennial fresh water bodies, including lakes, reservoirs, rivers, permanent streams, marshes, natural ponds, and commercial fishponds. A buffer of uniform groundcover must exist between application zone and borders of aquatic environment (uniform groundcover is defined as land which supports vegetation of greater than a height of 2 inches throughout). When it is necessary to treat active fire ant mounds within the 15-foot buffer zone, make individual mound treatments (as described in the **Application Instructions** section).

DO NOT make broadcast application within 60 feet of estuarine water bodies (brackish water), including tidal water such as bays, mouths of rivers, salt marshes, and lagoons. A buffer of uniform groundcover must exist between application zone and borders of aquatic environment (uniform groundcover is defined as land which supports vegetation of greater than a height of 2 inches throughout). When it is necessary to treat active fire ant mounds within the 60-foot buffer zone, make individual mound treatments (as described in the **Application Instructions** section).

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. **DO NOT** apply this product by any method not specified on this label. Aerial application of this product is prohibited.

DO NOT apply this product when rainfall is forecast within 48 hours. **DO NOT** apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

Keep unprotected persons out of treated area during pesticide applications.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

DO NOT enter or allow worker entry into treated areas during the restricted-entry interval (REI) of **12 hours**.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water, is:

- Coveralls
- Waterproof gloves
- Shoes plus socks

STORAGE AND DISPOSAL

DO NOT contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

Pesticide Storage

Keep this product in its tightly closed original container. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals. This product is formulated in an oil bait. Prolonged exposure to air may turn oil rancid and reduce the attractiveness of the bait. Use within 3 months after opening.

Pesticide Disposal

Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.

Container Handling (for plastic containers)

Nonrefillable Container. DO NOT reuse or refill this container. After completely emptying container into application equipment, offer for recycling, if available, or reconditioning, if appropriate, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

(for paper or plastic bags)

Nonrefillable Container. DO NOT reuse or refill this container. After completely emptying container into application equipment, dispose of empty bag in a sanitary landfill, or by other procedures approved by state and local authorities.

Consult federal, state, or local disposal authorities for approved alternative procedures.

In Case of Spill:

In case of large-scale spillage regarding this product, call:

CHEMTREC 1-800-424-9300BASF 1-800-832-HELP (4357)

Steps to be taken in case this material is released or spilled:

- Sweep up and place in a suitable container for disposal or use according to label directions.
- Remove contaminated clothing and wash affected skin areas with water. Wash clothing before reuse.
- Keep spills out of all sewers and open bodies of water.

Product Information

Altrevin® Fire Ant Bait Insecticide is an insecticidal bait for fire ant control. **Altrevin** is highly attractive to imported and native fire ants (*Solenopsis* spp.). Worker ants find the bait and carry it into the mound as food for the colony. The bait is eaten, fed to the queen, and the mound is destroyed. Further information regarding fire ants may be obtained from your cooperative agricultural extension service.

Specific Use Sites

Altrevin® Fire Ant Bait Insecticide can be applied as a soil treatment in:

Grape vineyards

Altrevin can be applied as a soil treatment in orchards and nurseries containing:

Citrus trees

Australian desert lime New Guinea wild lime Australian finger lime Orange, sour Australian round lime Orange, sweet Brown River finger lime Pummelo Calamondin Russell River lime Chironia Satsuma mandarin

Citron Sweet lime Citrus hybrids Tachibana orange

Grapefruit Tahiti lime Japanese summer grapefruit Tangelo

Kumauat Tangerine (mandarin)

Lemon Tangor

Trifoliate orange Lime Mediterranean mandarin Uniq fruit

Mount White lime

Pome fruit trees

Apple Pear Pear. Asian Azarole Crabapple Quince

Quince. Chinese Loquat Mavhaw Quince, Japanese

Medlar Tejocote

Stone fruit trees

Apricot Plum, American Plum, beach Apricot, Japanese Plum, Canada Capulin Cherry, black Plum, cherry Cherry, Nanking Plum. Chickasaw Cherry, sweet Plum, Damson Cherry, tart Plum, Japanese Juiube. Chinese Plum. Klamath Nectarine Plum, prune Plumcot Peach Plum Sloe

Tree Nuts

African nut-tree

Hickory nut Almond Japanese horse-chestnut **Beechnut** Macadamia nut

Brazil nut Mongongo nut Brazilian pine Monkey-pot Monkey puzzle nut Bunya

Bur oak Okari nut Butternut Pachira nut Caiou nut Peach palm nut

Candlenut Pecan Cashew Peaui Pili nut Chestnut Chinquapin Pine nut Coconut Pistachio Coquito nut Sapucaia nut Dika nut Tropical almond Ginkgo Walnut, black Guiana chestnut Walnut, English Yellowhorn Hazelnut (filbert)

Heartnut

Application Instructions

Apply **Altrevin** at the first sign of fire ant activity. For best results, apply Altrevin in the early morning or late afternoon when ants are actively foraging. Fire ants are most active when temperatures are above 60° F. **DO NOT** apply when the ground is saturated with water, heavy dew, or when heavy rains are forecasted within 48 hours. DO NOT water-in granules after application. Wait at least 48 hours after application before irrigating treated area. For best results, allow 7 days between bait application and use of a contact insecticide on the bait-treated area.

Broadcast Treatments

Note: Broadcast treatment is only for use in areas having a mound density of at least 1 mound per 2000 square feet (e.g. 40 X 50 ft area). Inspect the treatment area to ensure that conditions warrant a broadcast application of **Altrevin** over the entire area. It is often not necessary to broadcast fire ant bait over an entire area. Individual mound treatments or spot treatments in the areas where fire ants are in greatest concentration may be sufficient.

For broadcast treatment, make application with broadcast equipment capable of applying 1.5 pounds per acre. Calibrate and adjust equipment prior to application to ensure that the proper rate of product will be applied. Retreat after 4 to 8 weeks if needed. **DO NOT** exceed 6.0 lbs/acre or 4 applications per year.

For Individual Mound Treatments and **Container-grown Plants**

DO NOT disturb the mound. **DO NOT** apply to top of mound. Apply 1 to 2 ozs (2 to 4 level tablespoons) of **Altrevin** per mound, uniformly distributing the product 3 to 4 feet around the mound. Retreat after 4 to 8 weeks if needed.

Application Rates

Treatment	Use Rate	Comments
Broadcast: Imported and native fire ants	3.0 ozs/ 5000 sq ft 1.5 lbs/acre	Broadcast bait uniformly using properly calibrated equipment.
For Individual Mounds and Container- grown Plants: Imported and native fire ants	1.0 to 2.0 ozs (2 to 4 TBSP)	Distribute bait uniformly around the perimeter of the mound. DO NOT disturb the mound during application.

Reapplication Instructions

Altrevin® Fire Ant Bait Insecticide can provide control for up to 8 weeks (or longer) depending on environmental conditions. Rainfall within 48 hours of application may reduce the effectiveness of Altrevin and a repeat application may be necessary to achieve desired level of control. Bait can be reapplied every 4 to 8 weeks if control appears to be fading. **DO NOT** exceed 4 applications per year.

Restrictions and Limitations

- The maximum application rate is 0.001 lb ai/acre (1.5 lbs of **Altrevin** per acre) per application; the maximum number of applications is 4/year; and the minimum retreatment interval is 4 to 8 weeks. **DO NOT** apply more than a total of 0.004 lb ai/acre (6.0 lbs of **Altrevin** per acre) per calendar year.
- **Preharvest interval: DO NOT** harvest earlier than the preharvest interval (PHI) of **5 days**.

Conditions of Sale and Warranty

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF Agricultural Solutions US LLC ("BASF") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND BASF'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

Altrevin is a registered trademark of BASF.

© 2024 BASF Agricultural Solutions US LLC All rights reserved.

007969-00270.20240823.**NVA 2024-04-0309-0144**

Based on: NVA 2013-04-309-0261 Supersedes: NVA 2016-04-309-0076

BASF Agricultural Solutions US LLC 2 TW Alexander Drive Research Triangle Park, NC 27713

