RESTRICTED USE PESTICIDE

Due to Toxicity to Aquatic Invertebrates

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those usescovered by the Certified Applicator's certification.



For control of corn rootworms, cutworms and other listed soil insect pests in corn.

ACTIVE INGREDIENTS:

O-[2-(1,1-Dimethylethyl)-5-pyrimidinyl]-O-ethyl O-(1-methylethyl) phosphorothioate

Cyfluthrin, Cyano(4-fluoro-3-phenoxyphenyl)-methyl 3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate

100.0%

TOTAL:

STOP – READ ENTIRE LABEL BEFORE USE KEEP OUT OF REACH OF CHILDREN WARNING – AVISO

PRECAUCION AL USUARIO: Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (TO THE USER: If you do not understand the label, find someone to explain it to you in detail.)

	FIRST AID			
	Contains an organophosphate that inhibits cholinesterase			
If swallowed:	Call a poison control center or doctor immediately for treatment advice.			
	Have person sip a glass of water if able to swallow.			
	 Do not induce vomiting unless told to do so by a poison control center or doctor. 			
	Do not give anything by mouth to an unconscious person.			
If in eyes:	Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.			
	 Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. 			
	Call a poison control center or doctor for treatment advice.			
If on skin or clothing:	Take off contaminated clothing			
	Rinse skin immediately with plenty of water for 15 to 20 minutes.			
	Call a poison control center or doctor for treatment advice.			
If inhaled:	Move person to fresh air.			
	• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if			
	possible.			
	Call a poison control center or doctor for further treatment advice.			
	EMERGENCY INFORMATION			
In case of emergency call to	oll free the Emergency Response Telephone No. 1-800-424-9300. Have a product container or label with you when			

ent.

calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN

ANTIDOTE: Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. 2-PAM is also antidotal and may be administered in conjunction with atropine. Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system, and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 24-48 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND DIRECTIONS FOR USE.

EPA Reg. No. 5481-9030-5905

EPA Est. No.: First letter of product batch code indicate producing establishment

5905-GA-1=CG • 5905-AR-1=WA • 5905-IA-1=DI • 5905-CA-1=KC

NET CONTENTS: AD 060211

MANUFACTURED FOR
HELENA CHEMICAL COMPANY
225 SCHILLING BOULEVARD, SUITE 300
COLLIERVILLE, TENNESSEE 38017

<u>Disclaimer:</u> Always refer to the label on the product before using Helena or any other product.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: May be fatal if swallowed. Harmful if inhaled or absorbed through skin. Causes moderate eye irritation. Avoid breathing vapor or dust. Avoid contact with skin, eyes or clothing.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are any water proof material. If you want options, follow the instructions for category A on an EPA chemical-resistance category selection chart.

All loaders and any handlers engaged in activities, such as cleaning up a spill or leak and cleaning or repairing contaminated equipment must wear:

- Chemical-resistant coveralls over long-sleeved shirt and long pants,
- Chemical-resistant gloves
- Chemical-resistant footwear plus socks
- Chemical-resistant apron, and
- A NIOSH-approved dust mist filtering respirator with MSHA/NIOSH approval number prefix TC-21C or a NIOSH-approved respirator with any
 R, P, or HE filter.

Applicators using an enclosed cab must wear:

- Long-sleeved shirt and long pants, and
- Shoes plus socks

See Engineering Controls for additional requirements.

Follow manufacturer's instructions for cleaning/ maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENGINEERING CONTROL STATEMENTS

Applicators must use an enclosed cab that meets the definition in the Worker Protection Standard for Agricultural Pesticides [40 CFR 170.240(d)(5)) for dermal protection. In addition, applicators must:

- Wear the PPE required in the PPE section of this product labeling for applicators using engineering controls,
- Be provided, must have immediately available, and must wear in an emergency, when they must exit the cab in the treated area, the PPE specified in the PPE section of this labeling for spill clean-up,
- Take off any PPE that was worn in the treated area before reentering the cab, and
- Store all such PPE in a chemical-resistant container, such as a plastic bag, to prevent contamination of the inside of the cab.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

When used on erodible soils, best management practices for minimizing runoff should be employed. Consult your local Soil Conservation Service for recommendations in your use area. For applications made within 20 yards of water (lakes, reservoirs, rivers, permanent streams, marshes, estuaries, natural ponds, or ponds used for commercial fishing), apply as an in-furrow application only.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Disclaimer: Always refer to the label on the product before using Helena or any other product.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification to workers, and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 48 hours. The REI is 72 hours where average rainfall is less than 25 inches per year.

Exception: If the product is soil injected or soil incorporated, the Worker Protection Standard under certain circumstances, allows workers to enter the treated area without restrictions if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas (that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water), is:

- Coveralls over long-sleeved shirt and long pants,
- Chemical-resistant gloves such as or made out of any waterproof material,
- Chemical-resistant footwear plus socks,
- Protective eye wear

Notify workers of the application by warning them orally and by posting warning signs at entrances to treated areas

For use only in the states of: Arkansas, Colorado, Idaho, Illinois, Indiana, Iowa, Kansas, Kentucky, Michigan, Minnesota, Missouri, Montana, Nebraska, Nevada, New Mexico, North Dakota, Ohio, Oklahoma, Pennsylvania, South Dakota, Tennessee, Utah, Vermont, West Virginia, Wisconsin, and Wyoming.

Do not use on other crops grown for food or forage.

Corn may be replanted anytime after application of **DEFCON™** 2.1**G**. All other crops may be planted 30 days after application.

DEFCON™ 2.1G is not systemic and will not interact with corn herbicides. It will not affect seed germination and crop emergence when applied infurrow.

APPLICATION RATES							
CROP	PEST	DOSAGE					
FIELD CROPS	Corn rootworm larvae	6.7 Ounces Per 1000 Feet of Row					
Field Corn	(Northern, Western, Southern, Mexican)						
Sweet Corn	Cutworms						
Popcorn	Wireworms						
Corn grown for seed or silage	Seedcorn maggot						
	Seedcorn beetle						
	White grubs						

REMARKS: BAND - Apply specified dosage at planting as a 7-inch band over the row behind the press wheel. Granules must be incorporated into the top one inch of soil using tines, chains, or other suitable equipment.

T-BAND - Apply specified dosage at planting as a T-Band over the row behind the planter shoe and in front of the press wheel. Incorporation into the soil surface may also be accomplished with a drag chain or other suitable equipment.

IN-FURROW - Apply specified dosage at planting directly into the seed furrow behind the planter shoe and in front of the press wheel.

RESTRICTION: Do not apply more than 7.3 pounds DEFCON™ 2.1G may be applied per acre (0.15 lbs. ai/A) per crop season.

Row Spacing (inches)	Pounds per Acre		
30	7.3		
32	6.9		
34	6.5		
36	6.1		
38	5.8		
40	5.5		

<u>Disclaimer:</u> Always refer to the label on the product before using Helena or any other product.

OPTIMUM CONTROL – For control of cutworm apply **DEFCON™** 2.1**G** is applied as a Band or T-Band. For control of wireworms, seedcorn maggot, seedcorn beetle and white grubs apply **DEFCON™** 2.1**G** as a T-Band or In-Furrow.

For no-till corn where runoff drains into adjacent or neighboring aquatic sites (lakes, reservoirs, rivers, permanent streams, marshes, estuaries, natural ponds, or ponds used for commercial fishing), apply **DEFCON™ 2.1G** as an in-furrow or T-band application only.

For applications made within 20 yards of aquatic sites (lakes, reservoirs, rivers, permanent streams, marshes, estuaries, natural ponds, or ponds used for commercial fishing), apply as an in-furrow application only.

Cover or incorporate spills (including end row spillage).

EQUIPMENT CALIBRATION

Calibrate application equipment accurately prior to application of **DEFCON™ 2.1G**. The settings suggested below should be used as starting points to calibrate for 6.7 oz per 1000 row ft. Check and monitor the flow based on the length of row and acreage and adjust settings as necessary for proper calibration.

	SPEED IN MPH					
APPLICATION EQUIPMENT	4	5	6	7	8	
John Deere Max-Emerge 2 (Models 7200 - 7300)	20	25	26	33	38	
John Deere Max-Emerge (Models 7000 and 7100) (Odd Notches 5-15-25-35)	12	13	15	17	19	
John Deere Max-Emerge (Models 7000 and 7100) (Even Notches 10-20-30-40)	16	19	23	26	29	
John Deere 71 Flex Planter (With 3 Range Settings and Dial)	1/31	2/6	2/10	2/14	2/16	
John Deere Max-Emerge Plus	19	23	27	33	38	
Gandy	21	23	24	27	29	
Kinze (old)	11	12	14	16	18	
Kinze (new)	16	20	24	28	32	
International Harvester (Old)	2/8	2/9	3/1	3/8	3/9	
International Harvester (New)	1/6	1/8	2/1	2/4	3/1	
White (Series 6100) (Odd Notches 5-15-25-35)	14	16	17	18	20	
White (Series 5100)	8	12	14	16	19	
Allis Chalmers (78 - 79 Series)	2/8	2/9	3/1	3/8	3/9	
Allis Chalmers (385 Series)	10	12	14	16	18	
Buffalo (10-20-30-40)	10	12	15	17	19	
Buffalo (Fluted Rolled)	All Speeds 5-1/4 Revolution Hexagon Nut					
Nobel - New(Rectangular Opening)	9	11	13	15	17	
Nobel - Old (Round Opening)	13	16	19	22	24	

STORAGE AND DISPOSAL

Product Storage: Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Handling and Spillage: Handle and open container in a manner as to prevent spillage. If the container is leaking or material spilled for any reason or cause, carefully sweep material into a pile. Do not walk through spilled material. In spill or leak incidents, keep unauthorized people away. Dispose of pesticide as directed in the Pesticide Disposal section. Refer to Precautionary Statements on label for hazards associated with the handling of this material. You may contact the Helena Chemical Emergency response Team for decontamination procedures or any other assistance that may be necessary. The Helena Chemical Emergency Response telephone number is 1-800-424-9300.

Pesticide Disposal: Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Non-refillable container. Do not reuse or refill this container. Completely empty bag into application equipment. Dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke

<u>Disclaimer:</u> Always refer to the label on the product before using Helena or any other product.

CONDITIONS OF SALE - LIMITED WARRANTY AND LIMITATIONS OF LIABILITY AND REMEDIES

Read the Conditions of Sale - Warranty and Limitations of Liability and Remedies before using this product. If the terms are not acceptable, return the product, unopened, and the full purchase price will be refunded.

The directions on this label are believed to be reliable and should be followed carefully. Insufficient control of pests and/or injury to the crop to which the product is applied may result from the occurrence of extraordinary or unusual weather conditions or the failure to follow the label directions or good application practices, all of which are beyond the control of Helena Chemical Company (the "Company") or seller. In addition, failure to follow label directions may cause injury to crops, animals, man or the environment. The Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purpose referred to in the directions for use subject to the factors noted above which are beyond the control of the Company. The Company makes no other warranties or representations of any kind, express or implied, concerning the product, including no implied warranty of merchantability or fitness for any particular purpose, and no such warranty shall be implied by law.

The exclusive remedy against the Company for any cause of action relating to the handling or use of this product shall be limited to, at Helena Chemical Company's election, one of the following:

- 1. Refund of the purchase price paid by buyer or user for product bought, or
- 2. Replacement of the product used

To the extent allowed by law, the Company shall not be liable and any and all claims against the Company are waived for special, indirect, incidental, or consequential damages or expense of any nature, including, but not limited to, loss of profits or income. The Company and the seller offer this product and the buyer and user accept it, subject to the foregoing conditions of sale and limitation of warranty, liability and remedies.

© Copyright Helena Holding Company, 2010. **DEFCON™** is a trademark of Helena Holding Company.

