

FERROMEC®

LIQUID IRON 15-0-0

Produces Darker Green Turf ... Faster



GUARANTEED ANALYSIS:

Total Nitrogen (N)	15%
15% Urea Nitrogen	
Sulfur (S)	3%
3% Combined Sulfur	
Iron (Fe)	6%
Derived From:	

low biuret urea and ferrous sulfate heptahydrate

GENERAL INFORMATION

FeRROMEC® is most effective when plants are growing rapidly and least effective when dormant or suffering from stress.

FeRROMEC is compatible with most pesticides with the exception of amine formulations. Caution should be used when mixing with amine based herbicides; tank mixes with amine based herbicides should not be attempted unless adequate agitation exists. Do not use in tank mix with high phosphate fertilizers. Do not premix FeRROMEC with any high pH herbicide without a prior jar test. Tank mixture compatibilities may vary because of changes in formulations, water sources, temperatures, and spray volumes. Always conduct a jar test for compatibility before tank mixing.

MIXING INSTRUCTIONS

Add one half of the required amount of water to tank. Add FeRROMEC and agitate while adding the balance of the water. Add urea or other fertilizers. Add herbicides last and continue to agitate tank contents. Spray contents as soon as possible. FeRROMEC tank mixes are generally stable, however, agitate well before spraying if the mixture has been standing for over 24 hours.

NOTE: Undiluted FeRROMEC is corrosive to mild steel, aluminum, and brass. Use only stainless steel or polyethylene/polypropylene fittings.

The following precautionary statements and pictograms are based on The Globally Harmonized System of Classification and Labelling of Chemicals (GHS) and are mandated by the Occupational Safety and Health Administration (OSHA).



Harmful if swallowed. Causes skin irritation and serious eye irritation.

Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves and clothing, as well as eye and face protection.

FIRST AID	
IF IN EYES:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue Rinsing. If irritation persists: Get medical advice/attention.
IF ON SKIN:	Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

(continued on next column)

FIRST AID (cont.)

SWALLOWED:

Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-877-800-5556 for emergency medical treatment advice.

STORAGE: Store locked up. Store in a cool place, in the original container, in an area inaccessible to children and pets.

DISPOSAL: Dispose of contents/container to an approved waste disposal plant. Do not reuse container.

ORNAMENTALS

Application rates should be based on a tissue or petiole analysis. Do not apply FeRROMEC to any flower buds or blossoms of flowers, shrubs, and trees.

HERBACEOUS PLANTS: Hardy Aster, Alyssum, Canna, Carnation, Chrysanthemum, Daylily, Fern, Geranium, Gladiolus, Iris, Larkspur, Marigold, Nasturtium, Petunia, Portulaca, and Verbena.

Foliar: Mix $\frac{1}{2}$ pt. of FeRROMEC per 25 gallons of water and apply as a full coverage spray. For small quantities, mix 2 teaspoons of FeRROMEC per gallon of water.

Soil: Apply 4-6 fl. oz. of FeRROMEC in 3 gallons water per 100 sq. ft. and water in well.

SHRUBS: Azalea, Camellia, Cherry Laurel, Crepe Myrtle, Euonymus, Forsythia, Gardenia, Honeysuckle, Hydrangea, Ligustrum, Primrose, Pyracantha, Rhododendron, Rose, and Spirea.

Foliar: Mix 1½ gallons of FeRROMEC per 100 gallons of water and apply as a full coverage spray. For small quantities, mix approximately 2 fl. oz. (4 tablespoons) of FeRROMEC per gallon of water.

Soil: Apply 5-6 fl. oz. of FeRROMEC for small shrubs and 10-12 fl. oz. of FeRROMEC for large shrubs. Mix with 3-5 gallons water. Apply directly underneath the shrub and water in well.

TREES: Catalpa, Chinese Arborvitae, Cypress, Dogwood, Elm, Ginkgo, Juniper, Magnolia, Maple, Mimosa, Pin Oak, Pine, Russian Olive, Spruce, Sweet Gum, and Sycamore.

Foliar: Mix 1 gallon FeRROMEC to 100 gallons of water and apply as a full coverage spray. For smaller quantities use approximately $1\frac{1}{4}$ fl. oz. ($2\frac{1}{2}$ tablespoons) of FeRROMEC per gallon of water.

Soil: Apply 1 pt. of FeRROMEC per 1" of trunk diameter (measured at chest height) on soil. For example: if trunk's diameter is 6" at chest height, use 6 pts. FeRROMEC on the soil. Water well after application and ensure placement within drip zone.

TURF

SPRAY VOLUMES FOR TURF: Spray volumes can range from 1-4 gallons per 1,000 sq. ft. for adequate coverage. For FeRROMEC tank mixtures containing amine formulations of herbicides, spray volumes greater than 2 gallons per 1,000 sq. ft. are recommended.

Bahiagrass, Bentgrass, Centipedegrass*, Tall Fescue, St. Augustinegrass, and Zoysiagrass.

Apply 2-8 fl. oz. of FeRROMEC per 1,000 sq. ft. with water for good coverage. For bentgrass, do not exceed 5 fl. oz. FeRROMEC/1,000 sq. ft. per application. Three to five applications per growing season usually produce the best results.

*When temperatures can exceed 90°F, do not apply more than 3 fl. oz. FeRROMEC/1,000 sq. ft. to centipedegrass if FeRROMEC is applied with other fertilizers, pesticides, or specialty products.

Bermudagrass: Apply 4-10 fl. oz. FeRROMEC per 1,000 sq. ft. with water for good coverage. Three to five applications per growing season usually produce the best results.

Bluegrass, perennial ryegrass and other northern grasses: Apply 2-8 fl. oz. of FeRROMEC per 1,000 sq. ft. with water for good coverage. Three to five applications per growing season usually produce the best results.

Injection System: Inject at rate of 50-100 ppm monthly.

NOTE: Higher rates may be advisable when using certain plant growth regulators. See PGR directions for use.

NOTE: A lawn will typically utilize 1-4 lbs. of nitrogen per 1,000 sq. ft. each growing season. Use this product in conjunction with an additional fertilization program to provide at least 1 lb. of nitrogen per

1,000 sq. ft. each growing season. Consult your local Agricultural Extension Agent for local turf best management practices. Check with your county or city government to determine if there are local regulations for fertilizer use.

DO NOT APPLY NEAR WATER, STORM DRAINS, OR DRAINAGE DITCHES. DO NOT APPLY IF HEAVY RAIN IS EXPECTED. APPLY THIS PRODUCT ONLY TO YOUR LAWN/GARDEN. APPLY ONLY TO ACTIVELY GROWING TURF.

This product contains 11.0 lbs/gallon.

LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants only that the composition of this product conforms to the guaranteed analysis given on the label, and that the product is reasonably suited for the labeled use when applied according to the directions on the label.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED.

This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

Information regarding the contents and levels of metals in this product is available on the internet at: http://www.aapfco.org/metals.htm

Information about the components of this product may be obtained by writing to PBI/Gordon Corporation, Post Office Box 014090, Kansas City, MO 64101.

FeRROMEC® is a registered trademark of PBI-Gordon Corporation.

986/2-2019 FL #987



Employee-Owned

MANUFACTURED/GUARANTEED BY PBI/GORDON CORPORATION P.O. BOX 860350 SHAWNEE, KANSAS 66286 www.GordonsProfessional.com

ATTENTION: This specimen label is provided for informational use only. This product may not yet be available for sale in your state or area. The information found in this label may differ from the information found on the product label you are using. Always follow the instructions for use and precautions on the label of the product you are using.