



GUARANTEED ANALYSIS

3.00% Urea Nitrogen Available Phosphate (P₂O₅).....29.00% Soluble Potash (K₂O)......33.00%

DERIVED FROM: Phosphoric Acid, Potassium Hydroxide, Potassium Carbonate, Potassium Phosphate, Urea, and Potassium Phosphite.

KEEP OUT OF REACH OF CHILDREN



Causes skin irritation. Causes serious eye irritation.

PRECAUTIONARY STATEMENTS

Wash thoroughly after handling. Wear rubber or chemical-resistant gloves. Wear eye protection.

FIRST AID

In all cases, call a poison control center or doctor for further treatment advice. IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

For chemical spills, leaks, fire or exposure, call CHEMTREC: (800) 424-9300.

STORAGE AND DISPOSAL

Store in a safe manner. Store in original container only and keep tightly sealed when not in use. Store product and dispose of unused product and empty containers in accordance with federal, state and local regulations.

GENERAL INFORMATION

MAX SET® 65 PLUS is designed primarily for foliar applications to prevent or correct nitrogen, phosphate and potassium deficiencies in a wide range of agronomic and ornamental plants. Its use is suggested as a supplement to a regular, balanced fertilizer program to enhance yields and improve quality. Application of ${\bf MAX}$ SET 65 PLUS is a means of obtaining a quick response to needed elements. Foliar applications of MAX SET 65 PLUS may be particularly beneficial during periods of peak nutrient demand, for crops grown on soils having poor nutrient availability or to crops suffering from a weakened root system. MAX SET 65 PLUS should be used as part of a comprehensive Total Nutrition System® for optimizing plant growth, development, yield and quality.

DIRECTIONS FOR USE

MAX SET 65 PLUS may be applied as a foliar spray by air, ground concentrate or dilute. Maintain agitation to provide uniform distribution within spray tank. Use of a high quality CPDA approved spreader, such as R-11®, at recommended rates to improve spray cover is usually advised. Do not apply when plants are under excessive heat or moisture stress. Applications of foliar nutrients to leafy vegetables or soft-skinned fruit during periods of excessive temperatures may cause cosmetic injury. Applications of certain micronutrients to fleshy fruit within 30 days of harvest may result in staining of rind or skin.

Add MAX SET 65 PLUS to spray tank that is at least 50% full with water and maintain agitation. MAX SET 65 PLUS should dissolve rapidly and distribute uniformly. When water temperatures are cold, allow extra time for this product to completely dissolve. Do not exceed 2 pounds of MAX SET 65 PLUS per gallon of water. Unless otherwise specified on tank mixed pesticide labels, add pesticide last. When combining with products packaged in water-soluble pouches, allow pouches to dissolve completely before adding nutrients. Thorough and even spray coverage is essential for maximum benefit and to prevent spray damage.

APPLICATION TIMING: Application with spray oils may only be made post-harvest, dormant or delayed dormant. When used with in-season cover sprays, do not apply in combination with spray oils or crop oil concentrates. Seasonal growing conditions vary greatly, and best results will be obtained by consulting a Wilbur-Ellis representative for accurate rate and timing requirements to meet local conditions.

DECIDUOUS FRUIT AND NUTS (Including, but not limited to, almonds, apples, apricots, cherries, nectarines, peaches, pears, plums, prunes and walnuts): Information regarding the contents and levels of metals in this product is available on the Internet at http://www.aapfco.org/metals.html

FOLIAR: Apply 5 pounds per acre with sufficient water for thorough coverage. Suggested application timing includes pre-bloom and post petal fall. Repeat applications during the growing season as needed, allowing at least 14 days between treatments. Rates as high as 10 pounds per acre may be applied post-harvest. Apply in no less than 25 gallons of water per acre. Higher concentrations may result in leaf spotting. Do not make foliar applications in-season to pistachios. SOIL: Apply 1-4 pints per acre through irrigation systems or as direct soil application as needed.

Apply no more than three times per season up to harvest (foliar and soil combined). Post-harvest applications are not subject to this restriction.

FIELD AND ROW CROPS: Apply 3-10 pounds per acre per application as needed allowing a minimum of 10 days between applications. Use of a high quality wetting agent is advised for most crops to ensure proper coverage and uptake

GRAPES: Use 5-10 pounds per acre by ground in a minimum of 50 gallons of water per acre. Applications may be made when leaves emerge, pre-bloom and post-bloom.

VEGETABLE AND SEED CROPS: Apply 2-10 pounds per acre per application as needed, allowing a minimum of 10 days between applications. Use of a high quality wetting agent is advised for most crops to ensure proper coverage and uptake. To avoid seedling or transplant injury, apply only to well-established stands that have an adequate

COMPATIBILITY

Do not apply in spray tank below pH 4.0. Excessive acidification may solubilize metals and cause phytotoxicity. Always test spray tank pH prior to application. MAX SET 65 PLUS is compatible with most commonly used pesticides. Do not use with hydrated lime, lime sulfur or other strongly alkaline materials. Do not use with amine form of 2,4-D or with Banvel®. In all cases, it is recommended that a jar test be made to determine compatibility of MAX SET 65 PLUS with other materials before proceeding with high volume mixing. Do not combine with Amitraz.

Do not apply in combination with two or more emulsifiable concentrate- or oil-based pesticide formulations. MAX SET 65 PLUS may be applied with copper crop protection chemicals provided spray solution pH is maintained at 6.5 or greater.

Conditions of Sale and Limitation of Warranty and Liability:

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using the product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded

The Directions for Use of the product should be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of many different factors including, without limitation, manner of use or application, weather, combination with other products, or crop conditions. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Manufacturer and Seller harmless from any claims relating to such factors

Seller warrants that this product conforms to the chemical description on the label. EXCEPT FOR THIS WARRANTY, THE PRODUCT IS FURNISHED "AS-IS," AND NEITHER SELLER NOR MANUFACTURER MAKES ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, WITH RESPECT TO THE SELECTION, PURCHASE OR USE OF THIS PRODUCT; SELLER AND MANUFACTURER SPECIFICALLY DISCLAIM ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Buyer and User accept all risks arising from any use of this product, including without limitation uses contrary to label instructions, under abnormal conditions, or under conditions not reasonably foreseeable to (or beyond the control of) Seller or Manufacturer

To the extent permitted by law, neither Manufacturer nor Seller shall be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE BUYER OR USER, AND THE EXCLUSIVE LIABILITY OF MANUFACTURER AND SELLER, FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THIS PRODUCT, OR, AT THE ELECTION OF MANUFACTURER OR SELLER, THE REPLACEMENT OF THE PRODUCT.

These Conditions of Sale and Limitation of Warranty and Liability shall be interpreted in accordance with the laws of the State of California, excluding its conflicts of laws rules, and may not be amended by any oral or written agreement.

WILBUR-ELLIS logo, Ideas to Grow With, MAX SET, R-11, and Total Nutrition System are registered trademarks, and MAX SET logo is a trademark of Wilbur-Ellis Company LLC. Banvel is a registered trademark of BASF Corporation.

K-080717

Manufactured by: WILBUR-ELLIS COMPANY LLC 7 E. Washington Ave., Yakima, WA 98903 • (509) 248-6171