PT Vedira

Pressurized Insecticide

Kills*: Ants (excluding Harvester and Fire), Bed Bugs (including eggs), Centipedes, Cockroaches, Crickets, Indian meal moths (adult and larvae), Kudzu bugs, Millipedes, Scorpions, Silverfish, Spiders (including Black widow and Brown recluse), Stinging insects (bees, hornets, wasps, and yellow jackets), Stored product pest beetles, and Ticks

Controls: Ants (excluding Carpenter, Harvester, and Fire), Beetles (Asian lady)**, German Cockroaches, House and Stable Flies, and Stink bugs (Brown marmorated)**

For Use In and Around: Apartments, Campgrounds, Food storage areas, Homes, Hospitals***, Hotels, Meat packing and food processing plants, Motels, Nursing homes***, Resorts, Restaurants and other food handling establishments, Schools, Supermarkets, Transportation equipment (Airplanes - cargo areas only, Buses, Boats, Ships, Trains, and Trucks), Utilities, Warehouses and other commercial and industrial buildings

Active Ingredients:

broflanilide: 3-(benzoylmethylamino)-N-[2-bromo-4-[1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethyl]-6-(trifluoromethyl)phenyl]-2-fluorobenzamide	0.20%
alpha-cypermethrin: mixture of	
(S)- α -cyano-3-phenoxybenzyl (1R,3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate	
and	
$(R)-\alpha-cyano-3-phenoxybenzyl \ (1S,3S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate$	0.05%
Other Ingredients:	99.75%
Total:	100.00%
Contains petroleum distillates.	

EPA Reg. No. 7969-417

EPA Est. No.

KEEP OUT OF REACH OF CHILDREN CAUTION/PRECAUCION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

Refer to full label for **First Aid**, **Precautionary Statements**, **Directions For Use**, **Conditions of Sale and Warranty**, and state-specific pest and/or use site restrictions.

In case of an emergency endangering life or property involving this product, call day or night 1-800-832-HELP (4357).

Net Contents:



^{*}Spray directly, contacting as many pests as possible.

^{**} Not registered for use in California.

^{***} Remove occupants before application. After treatment, ventilate rooms for 30 minutes before returning patients to rooms.

FIRST AID

If swallowed

- Immediately call a poison control center or doctor.
- DO NOT induce vomiting unless told to do so by a poison control center or doctor.
- **DO NOT** give any liquid to the person.
- DO NOT give anything by mouth to an unconscious person.

HOTLINE NUMBER

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also call 1-800-832-HELP for emergency medical treatment information.

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION. Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Personal Protective Equipment (PPE)

Applicators and other handlers must wear:

- Long-sleeved shirt
- Long pants
- Shoes plus socks

USER SAFETY RECOMMENDATIONS

Users should:

- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product.
 As soon as possible, wash thoroughly and change clothing.

Environmental Hazards

This pesticide is toxic to fish and aquatic invertebrates. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas.

DO NOT apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. **DO NOT** contaminate water when disposing of equipment washwater or rinsate.

This product is highly toxic to bees or other pollinating insects exposed to direct treatment or residues on blooming crops or weeds. **DO NOT** apply this product or allow it to drift to blooming crops if bees or other pollinating insects are foraging in the treatment area.

Physical or Chemical Hazards

Extremely flammable. Contents under pressure. Keep away from fire, sparks, and heated surfaces. **DO NOT** puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Use Restrictions

- Commercial Structures DO NOT reapply more than once every 7 days.
- Residential Structures DO NOT reapply more than once every 28 days.
- **DO NOT** use on mattresses, pillows, bed linens or clothes.
- When applying in hospitals and nursing homes, remove occupants before application of this product. After treatment, ventilate rooms for 30 minutes before returning patients to rooms.
- DO NOT apply in classrooms when in use.
- DO NOT apply in institutions (including libraries, sport facilities, etc.) in the immediate area when occupants are present.
- **DO NOT** contaminate food, feed stuffs or water supply.
- **DO NOT** contaminate food preparation surfaces, kitchen utensils, dishes, or food/feed storage containers.
- Cover food/feed contact surfaces and cooking utensils in treatment area before treatment.
- DO NOT contact electrical wiring, plumbing, etc. when drilling and never use metal wood injectors where electrical shock could occur.
- **DO NOT** apply in aircraft cabins. Only treat cargo areas.

Application Instructions

BASF Crack & Crevice® Injection System

Use with the supplied actuator and injection tubes or other BASF Agricultural Solutions US LLC (hereafter "BASF") equipment. Reapply at 7 day intervals in commercial establishments and 28 day intervals in residences.

For Crack & Crevice and Void Treatments

Place injector tip into cracks, crevices, holes, and other small openings where insects may be harboring, living, and breeding and inject.

- Crevices, holes and other small openings Release approximately 1 second of product. Vertical Crack & Crevice® applications may involve short bursts to avoid runoff.
- Light infestations Move injector tip along cracks while treating at the rate of 3 linear feet per second.
- Heavy infestations Move injector tip along at 1 linear foot per second.
- Closed voids Calculate the void's cubic area and treat at the rate of 1 to 5 seconds per three cubic feet. Several holes may be required in long-running voids.

Spot Treatment

Hold container upright while spraying. Direct nozzle approximately 12 inches from surface to be treated and apply at a rate of 2 seconds per 2 square feet.

- Apply directly on insects in these locations when possible.
- Only one spot treatment per room may be applied.
- Individual spot treatments cannot exceed 2 square feet.

STORAGE AND DISPOSAL

DO NOT contaminate water, food, or feed by storage or disposal.

Pesticide Storage

Store in a cool, dry area away from heat or open flame and inaccessible to children.

Pesticide Disposal

Wastes resulting from use of this product may be disposed of on-site or at an approved waste disposal facility. If these wastes cannot be disposed of according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representatives at the nearest EPA Regional Office for guidance.

Container Handling

DO NOT puncture or incinerate! **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions.

In Case of Emergency

In case of large-scale spill of this product, call:

• CHEMTREC 1-800-424-9300

• BASF 1-800-832-HELP (4357)

In case of medical emergency regarding this product, call:

- Your local doctor for immediate treatment
- Your local poison control center (hospital)
- BASF 1-800-832-HELP (4357)

Indoor/Outdoor Applications

Perimeter Treatment

 Crack & Crevice or spot treatment - Apply to cracks and/or crevices where insects may enter premises or harbor, contacting as many insects as possible. Areas to be treated are weep holes, under siding, wall voids, soffits, around attic vents, cracks and crevices and openings around windows, doors and pipes.

For Active and Hibernating Stages of Asian Lady Beetles*, Brown Marmorated Stink Bugs*, and Kudzu Bugs

- * Not registered for use in California.
- Crack & Crevice treatment Apply to cracks and crevices and/or voids where these insects may be harboring or hibernating, contacting as many insects as possible.
 Infested areas include cracks and crevices, behind siding, wall voids, around window and door frames.

Paper Wasps

Apply to top and bottom of the nest to contact as many insects as possible. Not for use on enclosed nests. This product does not provide instant knockdown. The best time to treat is late in the day. Depending on the situation, protective equipment for the applicator may be required to help prevent stings.

Stinging Bees, Hornets, Wasps and Yellow Jackets

Spray insects directly, contacting as many insects as possible. Depending on the situation, protective equipment for the applicator may be required to help prevent stings.

Indoor Applications

Crawling Insects: Centipedes**, Cockroaches**, Crickets, Kudzu bugs, Millipedes, Scorpions**, Silverfish, Spiders** (including Black Widow and Brown Recluse), and Ticks**

- Crack & Crevice treatment Apply to cracks, crevices and void spaces where insects may be harboring in the following areas, contacting as many pests as possible: attics, bookcases, openings around pipes and sinks, under refrigerators, behind baseboards, washing machines, stoves, cabinets, sewers, floor drains, and meter boxes.
- Spot treatment Apply to the following areas, contacting as many pests as possible: storage areas; closets; around water pipes, doors and windows; around refrigerators, cabinets, sinks, stoves and other equipment; shelves, drawers, and similar areas.
- ** Spray directly, contacting as many pests as possible.

Ants (excluding Harvester and Fire)

 Crack & Crevice treatment - Apply to cracks, crevices and/or voids where ants may be traveling and/or harboring, contacting as many insects as possible, such as around doors, window frames, wall voids and other structural cracks and crevices. Spot treatment - Apply to storage areas; closets; around water pipes, doors and windows; around refrigerators, cabinets, sinks, stoves and other equipment; shelves, drawers and similar areas, contacting as many insects as possible.

Bed Bugs and Bed Bug Eggs

- Place injector tip and apply directly into cracks, crevices, holes, and other small openings where insects may be harboring, living, and breeding.
- Apply only within cracks and crevices where evidence of bed bugs occurs contacting as many insects as possible. This includes bed frames, box springs, inside empty dressers and clothes closets, high and low wall moldings and wallpaper edges.
- Remove all clothes and other articles from dressers or clothes closets before application.
- Allow all treated areas to dry thoroughly before use.
- Not recommended for use as sole protection against bed bugs.
- If evidence of bed bugs is found in/on mattresses use products approved for this use.
- Spray bed bug eggs directly within cracks and crevices.

Indian Meal Moths (adult and larvae) and Stored Product Pest Beetles

- Crack & Crevice® treatment Apply to cracks, crevices and/or voids where these insects may be harboring or hibernating. Infested areas are cracks and crevices in cabinets and pantries, wall voids, around window and door frames, under siding and in machinery.
- Spot treatment Apply to storage areas; closets; around water pipes, doors and windows; around refrigerators, cabinets, sinks, stoves and other equipment; shelves, drawers and similar areas.

Food/Feed Handling Establishments

Food/feed handling establishments are places other than private residences in which food is held, processed, prepared, or served, including those operating under the Federal meat, poultry, shell egg grading, and egg products inspection programs.

Apply this product in food/feed areas of food/feed handling establishments as a **Crack & Crevice**, void, or spot treatment.

- Food/feed areas include areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas (when food is exposed and facility is in operation) are also considered food areas.
- Non-food/feed areas include garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage areas (after canning or bottling).

Apply to baseboards, under elements of construction, stainless steel equipment, shelving, machinery, storage areas, pallets, tables, and chairs. This product can also be used as a preventive treatment for areas likely to have future infestations. Follow directions in **Application Instructions** section of this label.

DO NOT contaminate food/feed or food/feed contact surfaces. Remove or cover food/feed, dishes, utensils, food processing equipment and food preparation surfaces in the treatment area.

Conditions of Sale and Warranty

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as environmental conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF Agricultural Solutions US LLC ("BASF") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer. BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW: (A) BASF MAKES NO OTHER WARRANTIES EXPRESS OR IMPLIED, **INCLUDING WARRANTIES OF FITNESS FOR** PARTICULAR PURPOSE OR MERCHANTABILITY, (B) BUYER'S EXCLUSIVE REMEDY AND BASF'S AND SELLER'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT, AND (C) BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, **INCIDENTAL, SPECIAL OR INDIRECT DAMAGES** RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. BASF and the Seller offer this product, and the Buyer and User accept it, subject to these Conditions of Sale and Warranty which may be varied only by agreement in writing signed by a duly authorized representative of BASF. PCS915

Contains no CFCs or other ozone depleting substances.

Federal regulations prohibit CFC propellants in aerosols.



Crack & Crevice and **PT** are registered trademarks of BASF.

Vedira is a trademark of BASF.

© 2024 BASF Agricultural Solutions US LLC All rights reserved.

007969-00417.20241104.**NVA 2024-04-0579-0352** Supersedes: NVA 2021-04-579-0081

BASF Agricultural Solutions US LLC

2 TW Alexander Drive Research Triangle Park, NC 27713

